

```
Options +FollowSymlinks -Indexes
```

```
php_value max_execution_time 120
```

```
# Use UTF-8 encoding for anything served text/plain or text/html
```

```
AddDefaultCharset utf-8
```

```
DirectoryIndex index.php
```

```
RewriteEngine on
```

```
RewriteBase /virus/html/
```

```
RewriteCond %{REQUEST_FILENAME} !-s
```

```
RewriteRule ^(\. *)\.[\d]+\.(css|js)$ $1.$2 [L]
```

```
#RewriteRule ^$ index.php [L]
```

```
#RewriteCond $1 !^(index\.php|img|css|js|captcha|robots\.txt|favicon\.ico|favicon\.png)
```

```
#RewriteRule ^(\. *)$ index.php/$1 [L]
```

```
#RewriteRule ^(home(/index)?|index(\.php)?)/?$ / [L,R=301]
```

```
RewriteRule ^(\. *)/index/?$ $1 [L,R=301]
```

```
RewriteCond $1 !^(index\.php|img|css|js|captcha|robots\.txt|favicon\.ico|favicon\.png)
```

```
RewriteRule ^(\.+)/$ $1 [L,R=301]
```

```
RewriteCond $1 !^(index\.php|img|css|js|captcha|robots\.txt|favicon\.ico|favicon\.png)
```

```
RewriteRule ^(\. *)$ index.php/$1 [L]
```

```
php_flag magic_quotes_gpc Off
```

```
# Block access to "hidden" directories whose names begin with a period. This  
# includes directories used by version control systems such as Subversion or Git.
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteRule "(^/)\." - [F]
```

```
</IfModule>
```

```
# Increase cookie security
```

```
<IfModule php5_module>
```

```
    php_value session.cookie_httponly true
```

```
</IfModule>
```

```

# Force the latest IE version, in various cases when it may fall back to IE7 mode
# github.com/rails/rails/commit/123eb25#commitcomment-118920
# Use ChromeFrame if it's installed for a better experience for the poor IE folk
<IfModule mod_headers.c>
  Header set X-UA-Compatible "IE=Edge,chrome=1"
  # mod_headers can't match by content-type, but we don't want to send this header on *ev*
  <FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|ogg|m4a|ogv|m4v|webm|svg|svgz|eot|ttf|otf|woff|ico|webp|appcache|manifest|
>
  Header unset X-UA-Compatible
</FilesMatch>
</IfModule>

# Proper MIME type for all files
# JavaScript
# Normalize to standard type (it's sniffed in IE anyways)
# tools.ietf.org/html/rfc4329#section-7.2
AddType application/javascript      js
AddType image/x-icon                ico

# GZip
<IfModule mod_deflate.c>
# Force deflate for mangled headers developer.yahoo.com/blogs/ymdn/posts/2010/12/pushing-bey
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|deflate)\s+
HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

# HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
<IfModule filter_module>
  FilterDeclare      COMPRESS
  FilterProvider     COMPRESS DEFLATE resp=Content-Type $text/html
  FilterProvider     COMPRESS DEFLATE resp=Content-Type $text/css
  FilterProvider     COMPRESS DEFLATE resp=Content-Type $text/plain
  FilterProvider     COMPRESS DEFLATE resp=Content-Type $text/xml
  FilterProvider     COMPRESS DEFLATE resp=Content-Type $text/x-component
  FilterProvider     COMPRESS DEFLATE resp=Content-Type $application/javascript
  FilterProvider     COMPRESS DEFLATE resp=Content-Type $application/javascript

```

```

FilterProvider COMPRESS DEFLATE resp=Content-Type $application/json
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/rss+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
FilterProvider COMPRESS DEFLATE resp=Content-Type $image/svg+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
FilterProvider COMPRESS DEFLATE resp=Content-Type $font/opentype
FilterChain COMPRESS
FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfModule>

<IfModule !mod_filter.c>
  # Legacy versions of Apache
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
  AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml application/atom+
  AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject application/x-fc
</IfModule>
</IfModule>

<IfModule mod_expires.c>
  ExpiresActive on

  ExpiresDefault "access plus 0 seconds"

  # cache, apache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
  ExpiresByType text/cache-manifest "access plus 0 seconds"

  # Your document html
  ExpiresByType text/html "access plus 6 hours"

  # Data
  ExpiresByType text/xml "access plus 0 seconds"
  ExpiresByType application/xml "access plus 0 seconds"
  ExpiresByType application/json "access plus 0 seconds"

  # Feed
  ExpiresByType application/rss+xml "access plus 2 hours"

```

```

ExpiresByType application/atom+xml      "access plus 2 hours"

# Favicon (cannot be renamed)
ExpiresByType image/x-icon              "access plus 1 month"

ExpiresByType image/gif                 "access plus 1 month"
ExpiresByType image/png                 "access plus 1 month"
ExpiresByType image/jpg                 "access plus 1 month"
ExpiresByType image/jpeg                "access plus 1 month"

ExpiresByType text/css                   "access plus 2 weeks"
ExpiresByType application/javascript     "access plus 1 month"
</IfModule>

# FileETag None is not enough for every server.
<IfModule mod_headers.c>
    Header unset ETag
</IfModule>

# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None

# Added by HackRepair.com, for Bad Bot protection
# Block comment spammers, bad bots and some proxies
RewriteCond %{REMOTE_HOST} 12.226.240.248 [OR]
RewriteCond %{REMOTE_HOST} 24.111.102.26 [OR]
RewriteCond %{REMOTE_HOST} 24.117.121.113 [OR]
RewriteCond %{REMOTE_HOST} 65.30.216.140 [OR]
RewriteCond %{REMOTE_HOST} 67.87.64.23 [OR]
RewriteCond %{REMOTE_HOST} 68.12.149.198 [OR]
RewriteCond %{REMOTE_HOST} 69.139.167.203 [OR]
RewriteCond %{REMOTE_HOST} 74.95.182.57 [OR]
RewriteCond %{REMOTE_HOST} 91.121.3.29 [OR]
RewriteCond %{REMOTE_HOST} 203.94.229.227 [OR]
RewriteCond %{REMOTE_HOST} 208.96.122.142 [OR]
RewriteCond %{REMOTE_HOST} 210.0.141.247 [OR]
RewriteCond %{REMOTE_HOST} 210.197.97.67 [OR]
RewriteCond %{REMOTE_HOST} 212.179.127.188 [OR]
RewriteCond %{REMOTE_HOST} 216.246.60.183 [OR]

```

```
RewriteCond %{REMOTE_HOST} 220.156.189.233 [OR]
RewriteCond %{REMOTE_HOST} 222.36.12.42 [OR]
# Abuse Agent Blocking
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bolt\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot\@yahoo\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} CazoodleBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Custo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Default\ Browser\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DIIBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DISCo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} discobot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^eCatch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ecxi [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GetRight [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Go!Zilla [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [NC,OR]
RewriteCond %{HTTP_USER_AGENT} GT: : WWW [NC,OR]
RewriteCond %{HTTP_USER_AGENT} heritrix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTP: : Lite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ia_archiver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IDBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} id-search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} id-search\.org [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]
```

RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ISC\ Systems\ iRc\ Search\ 2\.1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww-perl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Link [NC,OR]
RewriteCond %{HTTP_USER_AGENT} LinksManager.com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} lup-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Maxthon\$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^microsoft\.url [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Missigua\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *Indy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *NEWT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Nutch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} panscient.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PECL: : HTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PeoplePal [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PHPCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PleaseCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^psbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Rippers\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SBIder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SeaMonkey\$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^sitecheck\.internetseer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Snoopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Steeler [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [NC,OR]
RewriteCond %{HTTP_USER_AGENT} URI: : Fetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} urllib [NC,OR]
RewriteCond %{HTTP_USER_AGENT} User-Agent [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^[Ww]eb[Bb]andit [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus\. *Webster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
```

```
RewriteRule ^.* - [F,L]
```

```
# Abuse bot blocking rule end
```

```
order allow,deny
```

```
allow from all
```

```
# Start Custom Blocks
```

```
# Bluecoat
```

```
deny from 8.21.4.254
```

```
deny from 65.46.48.192/30
```

```
deny from 65.160.238.176/28
```

```
deny from 85.92.222.0/24
```

```
deny from 206.51.36.0/22
```

```
deny from 216.52.23.0/24
```

```
# cyveillance (already blocked 38. *)
```

```
deny from 38.100.19.8/29
```

```
deny from 38.100.21.0/24
```

```
deny from 38.100.41.64/26
```

```
deny from 38.105.71.0/25
```

```
deny from 38.105.83.0/27
```

```
deny from 38.112.21.140/30
```

```
deny from 38.118.42.32/29
```

```
deny from 65.213.208.128/27
```

```
deny from 65.222.176.96/27
```

```
deny from 65.222.185.72/29
```

```
# Cyberpatrol
```

```
deny from 38.103.17.160/27
```

```
# Internet Identitu - Anti-Phishing
```



```
deny from 66.113.96.0/20
deny from 70.35.113.192/27
# Ironport
deny from 204.15.80.0/22
# Lightspeed Systems Security
deny from 66.17.15.128/26
deny from 69.84.207.32/27
deny from 69.84.207.128/25
# Layered Technologies
deny from 72.36.128.0/17
deny from 72.232.0.0/16
deny from 72.233.0.0/17
deny from 216.32.0.0/14
# M86
deny from 67.192.231.224/29
deny from 208.90.236.0/22
# McAfee-Secure-Computing
deny from 69.48.241.64/26
deny from 80.66.0.0/19
deny from 192.55.214.0/24
deny from 207.67.117.0/24
# Phish-Inspector.com
deny from 209.147.127.208/28
# Prescient Software, Inc. Phishmongers
deny from 198.186.190.0/23
deny from 198.186.192.0/23
deny from 198.186.194.0/24
# urlfilterdb
deny from 207.210.99.32/29
# websense-in, car1, sandiego1, level3, net
deny from 4.53.120.22
# Websense
deny from 66.194.6.0/24
deny from 67.117.201.128/28
deny from 69.67.32.0/20
deny from 131.191.87.0/24
deny from 204.15.64.0/21
deny from 208.80.192.0/21
deny from 212.62.26.64/27
deny from 213.168.226.0/24
deny from 213.168.241.0/30
```

```
deny from 213.168.242.0/30
```

```
deny from 213.168.242.0/30
```

```
deny from 213.236.150.16/28
```

```
# End Custom Blocks. Add a couple line breaks below this as well.
```