

*# BEGIN iThemes Security*

*# BEGIN Ban Users*

*# Begin HackRepair.com Blacklist*

RewriteEngine on

RewriteCond %{HTTP\_USER\_AGENT} ^[Ww]eb[Bb]andit [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^binlar [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^BlackWidow [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Bolt\ 0 [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Bot\ mailto:craftbot\@yahoo\.com [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^casper [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^ChinaClaw [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^cmsworldmap [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^comodo [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Custo [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Default\ Browser\ 0 [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^diavol [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^DIIBot [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^DISCo [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^dotbot [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Download\ Demon [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^eCatch [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EirGrabber [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EmailCollector [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EmailSiphon [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EmailWolf [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Express\ WebPictures [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^ExtractorPro [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EyeNetIE [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^feedfinder [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^FlashGet [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^flicky [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^GetRight [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^GetWeb! [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Go-Ahead-Got-It [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Go! Zilla [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^GrabNet [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Grafula [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^HMView [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^ia\_archiver [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Image\ Stripper [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Internet\ Explorer [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} !Image\ Bucker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^InterGET [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Internet\ Ninja [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^InternetSeer\.com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^jakarta [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Java [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^JetCar [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^JOC\ Web\ Spider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^kmcrcw [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^larbin [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LeechFTP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mass\ Downloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Maxthon\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^microsoft\.url [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MIDown\ tool [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mister\ PiX [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla\. \*Indy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla\. \*NEWT [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MSFrontPage [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Navroad [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NearSite [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Net\ Vampire [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetAnts [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetSpider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetZIP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^nutch [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Octopus [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Offline\ Explorer [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Offline\ Navigator [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PageGrabber [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Papa\ Foto [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pavuk [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pcBrowser [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PeoplePal [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^planetnetwork [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^psbot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^purebot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pycurl [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^RealDownload [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ReGet [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Rippers\ 0 [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^SeaMonkey\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^sitecheck\.internetseer\.com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SiteSnagger [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^skygrid [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SmartDownload [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^sucker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperHTTP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Surfbot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^takeOut [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Teleport\ Pro [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^turnit [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^vikspider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^VoidEYE [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Image\ Collector [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Sucker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebAuto [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebCopier [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebFetch [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebGo\ IS [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebLeacher [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebReaper [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebSauger [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WPScan [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Website\ extractor [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Website\ Quester [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebStripper [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebWhacker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebZIP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Wget [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Widow [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WWW-Mechanize [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WWWOFFLE [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Xaldon\ WebSpider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Zeus [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^zmeu [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^CazoodleBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^discobot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ecxi [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^GT: : WWW [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} ^heritrix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^HTTP: : Lite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ia_archiver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^id-search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^id-search\. org [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^IDBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ISC\ Systems\ iRc\ Search\ 2\. 1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LinksManager. com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^lwp-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Missigua\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^panscient. com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PECL: : HTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PHPCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PleaseCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SBIder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Snoopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Steeler [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^URI: : Fetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^urllib [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^User-Agent [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ZyBorg [NC]
RewriteRule ^. * - [F]
```

*# END Ban Users*

*# BEGIN Hide Backend*

*# Rules to hide the dashboard*

```
RewriteRule ^/wplogin/?$ /wp-login. php [QSA,L]
```

```
# END Hide Backend
# BEGIN Tweaks
# Rules to block access to WordPress specific files
<files .htaccess>
  Order allow,deny
  Deny from all
</files>
<files readme.html>
  Order allow,deny
  Deny from all
</files>
<files readme.txt>
  Order allow,deny
  Deny from all
</files>
<files install.php>
  Order allow,deny
  Deny from all
</files>
<files wp-config.php>
  Order allow,deny
  Deny from all
</files>

# Rules to disable XML-RPC
<files xmlrpc.php>
  Order allow,deny
  Deny from all
</files>

# Rules to disable directory browsing
Options -Indexes

<IfModule mod_rewrite.c>
  RewriteEngine On

# Rules to protect wp-includes
RewriteRule ^wp-admin/includes/ - [F]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
RewriteRule ^wp-includes/[^/]+\.(php$) - [F]
```

```
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
```

```
RewriteRule ^wp-includes/theme-compat/ - [F]
```

### *# Rules to prevent php execution in uploads*

```
RewriteRule ^(.+)/uploads/(.)*.php(.*?) - [F]
```

### *# Rules to block unneeded HTTP methods*

```
RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
```

```
RewriteRule ^(.)*$ - [F]
```

### *# Rules to block suspicious URIs*

```
RewriteCond %{QUERY_STRING} \.\.\/ [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.\.(bash|git|hg|log|svn|swp|cvs) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
```

```
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ftp\:[ ] [NC,OR]
```

```
RewriteCond %{QUERY_STRING} http\:[ ] [NC,OR]
```

```
RewriteCond %{QUERY_STRING} https\:[ ] [NC,OR]
```

```
RewriteCond %{QUERY_STRING} (\<| %3C).*script.*( \>| %3E) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z]{1,21}(=|%3D) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} base64_encode.*\(.*) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*(\\|\/|<|>|@|\"|'|\\?!\\*|=#). * [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*(##x22;| ##x27;| ##x3C;| ##x3E;| ##x5C;| ##x7B;| ##x7C;). * [NC,OR]
```

[NC,OR]

```
RewriteCond %{QUERY_STRING} ^.*( %24&x). * [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*(127\.\.0). * [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*(global|s| encode| localhost| loopback). * [NC,OR]
```

```
RewriteCond %{QUERY_STRING} ^.*(request| concat| insert| union| declare). * [NC]
```

```
RewriteCond %{QUERY_STRING} !^loggedout=true
```

```
RewriteCond %{QUERY_STRING} !^action=rp
```

```
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
```

```
RewriteCond %{HTTP_REFERER} !^http://maps\.googleapis\.com(.)*$
```

```
RewriteRule ^(.)*$ - [F]
```

### *# Rules to block foreign characters in URLs*

```
RewriteCond %{QUERY_STRING} ^.*( %0| %A| %B| %C| %D| %E| %F). * [NC]
```

```
RewriteRule ^(.)*$ - [F]
```

### *# Rules to help reduce spam*

```
RewriteCond %{REQUEST_METHOD} POST
```

```
RewriteCond %{REQUEST_URI} ^(.)*wp-comments-post\.php*
```

```

RewriteCond %{HTTP_REFERER} !^(.*)"tvsecure.net.*
RewriteCond %{HTTP_REFERER} !^http://jetpack\.wordpress\.com/jetpack-comment/ [OR]
RewriteCond %{HTTP_USER_AGENT} ^$
RewriteRule ^(.*)$ - [F]
</IfModule>
# END Tweaks
# END iThemes Security
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteRule ^wp-login/?$ /wp-login.php [QSA,L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
# END WordPress
# BEGIN Sandbox
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteCond %{REQUEST_URI} !^/sandbox/. * [NC]
RewriteCond %{HTTP_COOKIE} sandbox=([^;]+) [NC]
RewriteRule ^(.*)$ /sandbox/%1/$1 [NC,L,QSA,S=100]
</IfModule>
# END Sandbox
# BEGIN MainWP
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^wp-content/plugins/mainwp-child/([^\s\/*])$ /wp-content/plugins/THIS_PLUGIN_DOES_NOT_EXIST [QSA,L]
</IfModule>
# END MainWP

```