

```
# Apache configuration file

# httpd.apache.org/docs/2.2/mod/quickreference.html

# Note .htaccess files are an overhead, this logic should be in your Apache
# config if possible: httpd.apache.org/docs/2.2/howto/htaccess.html

# Techniques in here adapted from all over, including:

#   Kroc Camen: camendesign.com/.htaccess

#   perishablepress.com/press/2006/01/10/stupid-htaccess-tricks/

#   Sample .htaccess file of CMS MODx: modxcms.com

# -----

# Better website experience for IE users

# -----

# Force the latest IE version, in various cases when it may fall back to IE7 mode

# github.com/rails/rails/commit/123eb25#commitcomment-118920

# Use ChromeFrame if it's installed for a better experience for the poor IE folk

<IfModule mod_headers.c>

  Header set X-UA-Compatible "IE=Edge,chrome=1"

  # mod_headers can't match by content-type, but we don't want to send this header on *every*

  <FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|oggl|m4a|ogv|mp4|m4v|webm|svg|svgz|eot|ttf|otf|woff|ico|webp|appcache|manifest|
>

  Header unset X-UA-Compatible

</IfModule>
```

```
</filesnatch>
```

```
</IfModule>
```

```
# -----
```

```
# Cross-domain AJAX requests
```

```
# -----
```

```
# Serve cross-domain Ajax requests, disabled by default.
```

```
# enable-cors.org
```

```
# code.google.com/p/html5security/wiki/CrossOriginRequestSecurity
```

```
# <IfModule mod_headers.c>
```

```
#   Header set Access-Control-Allow-Origin "*"
```

```
# </IfModule>
```

```
# -----
```

```
# CORS-enabled images (@crossorigin)
```

```
# -----
```

```
# Send CORS headers if browsers request them; enabled by default for images.
```

```
# developer.mozilla.org/en/CORS_Enabled_Image
```

```
# blog.chromium.org/2011/07/using-cross-domain-images-in-webgl-and.html
```

```
# hacks.mozilla.org/2011/11/using-cors-to-load-webgl-textures-from-cross-domain-images/
```

```
# wiki.mozilla.org/Security/Reviews/crossoriginAttribute
```

```
<IfModule mod_setenvif.c>
```

```
    <IfModule mod_headers.c>
```

```
# mod_headers, y u no match by Content-Type?!

<FilesMatch "\.(gif|png|jpe?g|svg|svgz|ico|webp)$">

    SetEnvIf Origin ":" IS_CORS

    Header set Access-Control-Allow-Origin "*" env=IS_CORS

</FilesMatch>

</IfModule>

</IfModule>

# -----

# Webfont access

# -----

# Allow access from all domains for webfonts.

# Alternatively you could only whitelist your

# subdomains like "subdomain.example.com".

<IfModule mod_headers.c>

    <FilesMatch "\.(ttf|ttd|otf|eot|woff|font. css)$">

        Header set Access-Control-Allow-Origin "*"

    </FilesMatch>

</IfModule>

# -----

# Proper MIME type for all files
```

JavaScript

Normalize to standard type (it's sniffed in IE anyways)

tools.ietf.org/html/rfc4329#section-7.2

AddType application/javascript js jsonp

AddType application/json json

Audio

AddType audio/ogg oga ogg

AddType audio/mp4 m4a f4a f4b

Video

AddType video/ogg ogv

AddType video/mp4 mp4 m4v f4v f4p

AddType video/webm webm

AddType video/x-flv flv

SVG

Required for svg webfonts on iPad

twitter.com/FontSquirrel/status/14855840545

AddType image/svg+xml svg svgz

AddEncoding gzip svgz

Webfonts

AddType application/vnd.ms-fontobject eot

```
AddType application/x-font-ttf      ttf ttc

AddType font/opentype               otf

AddType application/x-font-woff     woff

# Assorted types

AddType image/x-icon                ico

AddType image/webp                  webp

AddType text/cache-manifest         appcache manifest

AddType text/x-component            htc

AddType application/xml             rss atom xml rdf

AddType application/x-chrome-extension crx

AddType application/x-opera-extension oex

AddType application/x-xpinstall     xpi

AddType application/octet-stream    safariextz

AddType application/x-web-app-manifest+json webapp

AddType text/x-vcard                vcf

AddType application/x-shockwave-flash swf

AddType text/vtt                     vtt
```

```
# -----
```

```
# Allow concatenation from within specific js and css files
```

```
# -----
```

```
# e.g. Inside of script.combined.js you could have

# <!--#include file="libs/jquery-1.5.0.min.js" -->

# <!--#include file="plugins/jquery.idletimer.js" -->

# and they would be included into this single file.

# This is not in use in the boilerplate as it stands. You may

# choose to use this technique if you do not have a build process.

<FilesMatch "\.combined\.js$" >

# Options +Includes

# AddOutputFilterByType INCLUDES application/javascript application/json

# SetOutputFilter INCLUDES

</FilesMatch>

<FilesMatch "\.combined\.css$" >

# Options +Includes

# AddOutputFilterByType INCLUDES text/css

# SetOutputFilter INCLUDES

</FilesMatch>

# -----

# Gzip compression

# -----

<IfModule mod_deflate.c>

# Force deflate for mangled headers developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-bi
```

```
<IfModule mod_setenvif.c>
```

```
<IfModule mod_headers.c>
```

```
    SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|deflate)\  
HAVE_Accept-Encoding
```

```
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
```

```
</IfModule>
```

```
</IfModule>
```

```
# Compress all output labeled with one of the following MIME-types
```

```
<IfModule mod_filter.c>
```

```
    AddOutputFilterByType DEFLATE application/atom+xml \  
  
        application/javascript \  
  
        application/json \  
  
        application/rss+xml \  
  
        application/vnd.ms-fontobject \  
  
        application/x-font-ttf \  
  
        application/xhtml+xml \  
  
        application/xml \  
  
        font/opentype \  
  
        image/svg+xml \  
  
        image/x-icon \  
  
        text/css \  

```

```
text/html \
```

```
text/plain \
```

```
text/x-component \
```

```
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
# -----
```

```
# Expires headers (for better cache control)
```

```
# -----
```

```
# These are pretty far-future expires headers.
```

```
# They assume you control versioning with filename-based cache busting
```

```
# Additionally, consider that outdated proxies may miscache
```

```
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/
```

```
# If you don't use filenames to version, lower the CSS and JS to something like
```

```
# "access plus 1 week".
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
# Perhaps better to whitelist expires rules? Perhaps.
```

```
ExpiresDefault "access plus 1 month"
```

```
# cache, apache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
```



```
ExpiresByType text/cache-manifest "access plus 0 seconds"

# Your document html

ExpiresByType text/html "access plus 0 seconds"

# Data

ExpiresByType text/xml "access plus 0 seconds"

ExpiresByType application/xml "access plus 0 seconds"

ExpiresByType application/json "access plus 0 seconds"

# Feed

ExpiresByType application/rss+xml "access plus 1 hour"

ExpiresByType application/atom+xml "access plus 1 hour"

# Favicon (cannot be renamed)

ExpiresByType image/x-icon "access plus 1 week"

# Media: images, video, audio

ExpiresByType image/gif "access plus 1 month"

ExpiresByType image/png "access plus 1 month"

ExpiresByType image/jpeg "access plus 1 month"

ExpiresByType video/ogg "access plus 1 month"

ExpiresByType audio/ogg "access plus 1 month"

ExpiresByType video/mp4 "access plus 1 month"

ExpiresByType video/webm "access plus 1 month"

# HTC files (css3pie)
```

```
# HTTP 1.1.0 <Upgrade>
```

```
ExpiresByType text/x-component "access plus 1 month"
```

```
# Webfonts
```

```
ExpiresByType application/x-font-ttf "access plus 1 month"
```

```
ExpiresByType font/opentype "access plus 1 month"
```

```
ExpiresByType application/x-font-woff "access plus 1 month"
```

```
ExpiresByType image/svg+xml "access plus 1 month"
```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

```
# CSS and JavaScript
```

```
ExpiresByType text/css "access plus 1 year"
```

```
ExpiresByType application/javascript "access plus 1 year"
```

```
</IfModule>
```

```
# -----
```

```
# Prevent mobile network providers from modifying your site
```

```
# -----
```

```
# The following header prevents modification of your code over 3G on some
```

```
# European providers.
```

```
# This is the official 'bypass' suggested by O2 in the UK.
```

```
# <IfModule mod_headers.c>
```

```
# Header set Cache-Control "no-transform"
```

```
# </IfModule>
```

```
# -----  
  
# ETag removal  
  
# -----  
  
# FileETag None is not enough for every server.  
  
<IfModule mod_headers.c>  
  
    Header unset ETag  
  
</IfModule>  
  
# Since we're sending far-future expires, we don't need ETags for  
# static content.  
  
#   developer.yahoo.com/performance/rules.html#etags  
  
FileETag None  
  
# -----  
  
# Stop screen flicker in IE on CSS rollovers  
  
# -----  
  
# The following directives stop screen flicker in IE on CSS rollovers - in  
# combination with the "ExpiresByType" rules for images (see above).  
  
# BrowserMatch "MSIE" brokenvary=1  
  
# BrowserMatch "Mozilla/4.[0-9]{2}" brokenvary=1  
  
# BrowserMatch "Opera" !brokenvary  
  
# SetEnvIf brokenvary 1 force-no-vary  
  
..
```

```
# -----  
  
# Set Keep-Alive Header  
  
# -----  
  
# Keep-Alive allows the server to send multiple requests through one  
# TCP-connection. Be aware of possible disadvantages of this setting. Turn on  
# if you serve a lot of static content.  
  
# <IfModule mod_headers.c>  
  
#   Header set Connection Keep-Alive  
  
# </IfModule>  
  
# -----  
  
# Cookie setting from iframes  
  
# -----  
  
# Allow cookies to be set from iframes (for IE only)  
  
# If needed, specify a path or regex in the Location directive.  
  
# <IfModule mod_headers.c>  
  
#   Header set P3P "policyref=\"/w3c/p3p.xml\"", CP="IDC DSP COR ADM DEVI TAIi PSA PSD IVAi  
# </IfModule>  
  
# -----  
  
# Start rewrite engine  
  
# -----  
  
# Turning on the rewrite engine is necessary for the following rules and
```

```
# features. FollowSymLinks must be enabled for this to work.

# Some cloud hosting services require RewriteBase to be set: goo.gl/H0cPN

# If using the h5bp in a subdirectory, use `RewriteBase /foo` instead where
# 'foo' is your directory.

# If your web host doesn't allow the FollowSymLinks option, you may need to
# comment it out and use `Options +SymLinksIfOwnerMatch`, but be aware of the
# performance impact: http://goo.gl/Mluzd

<IfModule mod_rewrite.c>

    Options +FollowSymLinks

# Options +SymLinksIfOwnerMatch

    RewriteEngine On

# RewriteBase /

</IfModule>

# -----

# Suppress or force the "www." at the beginning of URLs

# -----

# The same content should never be available under two different URLs -
# especially not with and without "www." at the beginning, since this can cause
# SEO problems (duplicate content). That's why you should choose one of the
# alternatives and redirect the other one.
```

```
# By default option 1 (no "www.") is activated.

# no-www.org/faq.php?q=class_b

# If you'd prefer to use option 2, just comment out all option 1 lines

# and uncomment option 2.

# IMPORTANT: NEVER USE BOTH RULES AT THE SAME TIME!

# -----

# Option 1:

# Rewrite "www.example.com -> example.com".

<IfModule mod_rewrite.c>

    RewriteCond %{HTTPS} !=on

    RewriteCond %{HTTP_HOST} ^www\.(.+$) [NC]

    RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]

</IfModule>

# -----

# Option 2:

# Rewrite "example.com -> www.example.com".

# Be aware that the following rule might not be a good idea if you use "real"

# subdomains for certain parts of your website.

# <IfModule mod_rewrite.c>

#     RewriteCond %{HTTPS} !=on

#     RewriteCond %{HTTP_HOST} !^www\..+$ [NC]
```

```
# RewriteRule ^ http://www. %{HTTP_HOST}%{REQUEST_URI} [R=301,L]

# </IfModule>

# -----

# Built-in filename-based cache busting

# -----

# If you're not using the build script to manage your filename revving,
# you might want to consider enabling this, which will route requests for
# `/css/style.20110203.css` to `/css/style.css`.
# To understand why this is important and a better idea than all.css?v1231,
# please refer to the bundled documentation about `.htaccess`.

# <IfModule mod_rewrite.c>

# RewriteCond %{REQUEST_FILENAME} !-f

# RewriteCond %{REQUEST_FILENAME} !-d

# RewriteRule ^(.(+)\.(\d+)\. (j|s|c|s|p|n|g|l|j|p|g|l|g|f))$ $1.$3 [L]

# </IfModule>

# -----

# Prevent SSL cert warnings

# -----

# Rewrite secure requests properly to prevent SSL cert warnings, e.g. prevent
# https://www.example.com when your cert only allows https://secure.example.com
```

```
# <IfModule mod_rewrite.c>

# RewriteCond %{SERVER_PORT} !^443

# RewriteRule ^ https://example-domain-please-change-me.com%{REQUEST_URI} [R=301,L]

# </IfModule>
```

```
# -----
```

```
# Prevent 404 errors for non-existing redirected folders
```

```
# -----
```

```
# without -MultiViews, Apache will give a 404 for a rewrite if a folder of the
# same name does not exist.
```

```
# webmasterworld.com/apache/3808792.htm
```

```
Options -MultiViews
```

```
# -----
```

```
# Custom 404 page
```

```
# -----
```

```
# You can add custom pages to handle 500 or 403 pretty easily, if you like.
```

```
# If you are hosting your site in subdirectory, adjust this accordingly
```

```
# e.g. ErrorDocument 404 /subdir/404.html
```

```
ErrorDocument 404 /404.html
```

```
# -----
```

```
# UTF-8 encoding
```

```
# -----
```



```
# Use UTF-8 encoding for anything served text/plain or text/html

AddDefaultCharset utf-8

# Force UTF-8 for a number of file formats

AddCharset utf-8 .atom .css .js .json .rss .vtt .xml

# -----

# A little more security

# -----

# To avoid displaying the exact version number of Apache being used, add the
# following to httpd.conf (it will not work in .htaccess):

# ServerTokens Prod

# "-Indexes" will have Apache block users from browsing folders without a
# default document. Usually you should leave this activated, because you
# shouldn't allow everybody to surf through every folder on your server (which
# includes rather private places like CMS system folders).

<IfModule mod_autoindex.c>

    Options -Indexes

</IfModule>

# Block access to "hidden" directories or files whose names begin with a
# period. This includes directories used by version control systems such as
# Subversion or Git.
```

```
<IfModule mod_rewrite.c>

    RewriteCond %{SCRIPT_FILENAME} -d [OR]

    RewriteCond %{SCRIPT_FILENAME} -f

    RewriteRule "(^|/)\." - [F]

</IfModule>

# Block access to backup and source files. These files may be left by some
# text/html editors and pose a great security danger, when anyone can access
# them.

<FilesMatch "\.(bak|config|sql|fla|psd|ini|log|sh|incl|swp|dist)|\"">

    Order allow,deny

    Deny from all

    Satisfy All

</FilesMatch>

# If your server is not already configured as such, the following directive
# should be uncommented in order to set PHP's register_globals option to OFF.
# This closes a major security hole that is abused by most XSS (cross-site
# scripting) attacks. For more information: http://php.net/register\_globals
#
# IF REGISTER_GLOBALS DIRECTIVE CAUSES 500 INTERNAL SERVER ERRORS:
#
# Your server does not allow PHP directives to be set via htaccess. In that
```

```
# You can force PHP to use this configuration file by setting the PHP_INI_SCAN_DIR
# directive in your configuration file to include the following path, or you can
# case you must make this change in your php.ini file instead. If you are
# using a commercial web host, contact the administrators for assistance in
# doing this. Not all servers allow local php.ini files, and they should
# include all PHP configurations (not just this one), or you will effectively
# reset everything to PHP defaults. Consult www.php.net for more detailed
# information about setting PHP directives.

# php_flag register_globals Off

# Rename session cookie to something else, than PHPSESSID

# php_value session.name sid

# Disable magic quotes (This feature has been DEPRECATED as of PHP 5.3.0 and REMOVED as of )

# php_flag magic_quotes_gpc Off

# Do not show you are using PHP

# Note: Move this line to php.ini since it won't work in .htaccess

# php_flag expose_php Off

# Level of log detail - log all errors

# php_value error_reporting -1

# Write errors to log file

# php_flag log_errors On

# Do not display errors in browser (production - Off, development - On)

# php_flag display_errors Off
```

```
# Do not display startup errors (production - Off, development - On)

# php_flag display_startup_errors Off

# Format errors in plain text

# Note: Leave this setting 'On' for xdebug's var_dump() output

# php_flag html_errors Off

# Show multiple occurrence of error

# php_flag ignore_repeated_errors Off

# Show same errors from different sources

# php_flag ignore_repeated_source Off

# Size limit for error messages

# php_value log_errors_max_len 1024

# Don't precede error with string (doesn't accept empty string, use whitespace if you need)

# php_value error_prepend_string " "

# Don't prepend to error (doesn't accept empty string, use whitespace if you need)

# php_value error_append_string " "

# Increase cookie security

<IfModule php5_module>

    php_value session.cookie_httponly true

</IfModule>
```