

```

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.
(engineincl|incl|install|make|module|profile|test|po|sh|. *sql|theme|tpl(\. php)?
|xtmpl)$|^(\. *|Entries|Repository|Root|Tag|Template)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Force simple error message for requests for non-existent favicon.ico.
<Files favicon.ico>
    # There is no end quote below, for compatibility with Apache 1.3.
    ErrorDocument 404 "The requested file favicon.ico was not found.
</Files>

# Set the default handler.
DirectoryIndex index.php index.html index.htm

# Override PHP settings that cannot be changed at runtime. See
# sites/default/default.settings.php and drupal_initialize_variables() in
# includes/bootstrap.inc for settings that can be changed at runtime.

# PHP 5, Apache 1 and 2.
<IfModule mod_php5.c>
    php_flag magic_quotes_gpc          off
    php_flag magic_quotes_sybase       off
    php_flag register_globals          off
    php_flag session.auto_start        off
    php_value mbstring.http_input       pass
    php_value mbstring.http_output     pass

```

```
php_value mbstring.http_output      pass
php_flag  mbstring.encoding_translation  off
</IfModule>
```

Requires mod_expires to be enabled.

```
<IfModule mod_expires.c>
```

Enable expirations.

```
ExpiresActive On
```

Cache all files for 2 weeks after access (A).

```
ExpiresDefault A1209600
```

```
<FilesMatch \.php$>
```

*# Do not allow PHP scripts to be cached unless they explicitly send cache
headers themselves. Otherwise all scripts would have to overwrite the
headers set by mod_expires if they want another caching behavior. This may
fail if an error occurs early in the bootstrap process, and it may cause
problems if a non-Drupal PHP file is installed in a subdirectory.*

```
ExpiresActive Off
```

```
</FilesMatch>
```

```
</IfModule>
```

Various rewrite rules.

#Linkfeed Articles

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteRule ^pubs/[0-9]{1,4}/date_m/[0-9]{1,2}/([0-9]+)$
```

```
/16fc757b69b5f70d8a7e93768bbb3cca04ea90bd/16fc757b69b5f70d8a7e93768bbb3cca04ea90bd.php [L]
```

```
</IfModule>
```

```
RewriteRule ^infodir/?$ /2ac9cd1c3be/ [L]
```

```
RewriteRule ^remont/?$ /2ac9cd1c3be/remont.html [L]
```

```
RewriteRule ^remont/(\d+)/?$ /2ac9cd1c3be/remont_$1.html [L]
```

```
RewriteRule ^remont/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
```

```
RewriteRule ^portuguese_companies/?$ /2ac9cd1c3be/portuguese_companies.html [L]
```

```
RewriteRule ^portuguese_companies/(\d+)/?$ /2ac9cd1c3be/portuguese_companies_$1.html [L]
```

```
RewriteRule ^portuguese_companies/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
```

```
RewriteRule ^pranks-information/?$ /2ac9cd1c3be/pranks-information.html [L]
```

```
RewriteRule ^pranks-information/(\d+)/?$ /2ac9cd1c3be/pranks-information_$1.html [L]
```

```
RewriteRule ^pranks-information/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
```

```
RewriteRule ^pranks-information/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
```

```
RewriteRule ^artists/?$ /2ac9cd1c3be/artists.html [L]
RewriteRule ^artists/(\d+)/?$ /2ac9cd1c3be/artists_$1.html [L]
RewriteRule ^artists/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^adult/?$ /2ac9cd1c3be/adult.html [L]
RewriteRule ^adult/(\d+)/?$ /2ac9cd1c3be/adult_$1.html [L]
RewriteRule ^adult/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^polygraphpress/?$ /2ac9cd1c3be/polygraphpress.html [L]
RewriteRule ^polygraphpress/(\d+)/?$ /2ac9cd1c3be/polygraphpress_$1.html [L]
RewriteRule ^polygraphpress/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^benefitsindustry/?$ /2ac9cd1c3be/benefitsindustry.html [L]
RewriteRule ^benefitsindustry/(\d+)/?$ /2ac9cd1c3be/benefitsindustry_$1.html [L]
RewriteRule ^benefitsindustry/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^faculty/?$ /2ac9cd1c3be/faculty.html [L]
RewriteRule ^faculty/(\d+)/?$ /2ac9cd1c3be/faculty_$1.html [L]
RewriteRule ^faculty/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^supply/?$ /2ac9cd1c3be/supply.html [L]
RewriteRule ^supply/(\d+)/?$ /2ac9cd1c3be/supply_$1.html [L]
RewriteRule ^supply/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^kittenonline/?$ /2ac9cd1c3be/kittenonline.html [L]
RewriteRule ^kittenonline/(\d+)/?$ /2ac9cd1c3be/kittenonline_$1.html [L]
RewriteRule ^kittenonline/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^poker_tournaments_world/?$ /2ac9cd1c3be/poker_tournaments_world.html [L]
RewriteRule ^poker_tournaments_world/(\d+)/?$ /2ac9cd1c3be/poker_tournaments_world_$1.html [L]
RewriteRule ^poker_tournaments_world/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^domyeny/?$ /2ac9cd1c3be/domyeny.html [L]
RewriteRule ^domyeny/(\d+)/?$ /2ac9cd1c3be/domyeny_$1.html [L]
RewriteRule ^domyeny/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^thinker_world/?$ /2ac9cd1c3be/thinker_world.html [L]
RewriteRule ^thinker_world/(\d+)/?$ /2ac9cd1c3be/thinker_world_$1.html [L]
RewriteRule ^thinker_world/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^computergames/?$ /2ac9cd1c3be/computergames.html [L]
RewriteRule ^computergames/(\d+)/?$ /2ac9cd1c3be/computergames_$1.html [L]
RewriteRule ^computergames/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^daybed_business-services/?$ /2ac9cd1c3be/daybed_business-services.html [L]
RewriteRule ^daybed_business-services/(\d+)/?$ /2ac9cd1c3be/daybed_business-services_$1.html [L]
RewriteRule ^daybed_business-services/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^videosprespress/?$ /2ac9cd1c3be/videosprespress.html [L]
RewriteRule ^videosprespress/(\d+)/?$ /2ac9cd1c3be/videosprespress_$1.html [L]
RewriteRule ^videosprespress/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
```

```
RewriteRule ^static-content/?$ /2ac9cd1c3be/static-content.html [L]
RewriteRule ^static-content/(\d+)/?$ /2ac9cd1c3be/static-content_$1.html [L]
RewriteRule ^static-content/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^research/?$ /2ac9cd1c3be/research.html [L]
RewriteRule ^research/(\d+)/?$ /2ac9cd1c3be/research_$1.html [L]
RewriteRule ^research/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^keyword_research/?$ /2ac9cd1c3be/keyword_research.html [L]
RewriteRule ^keyword_research/(\d+)/?$ /2ac9cd1c3be/keyword_research_$1.html [L]
RewriteRule ^keyword_research/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^romance/?$ /2ac9cd1c3be/romance.html [L]
RewriteRule ^romance/(\d+)/?$ /2ac9cd1c3be/romance_$1.html [L]
RewriteRule ^romance/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^juristindustry/?$ /2ac9cd1c3be/juristindustry.html [L]
RewriteRule ^juristindustry/(\d+)/?$ /2ac9cd1c3be/juristindustry_$1.html [L]
RewriteRule ^juristindustry/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^adventuresandnews/?$ /2ac9cd1c3be/adventuresandnews.html [L]
RewriteRule ^adventuresandnews/(\d+)/?$ /2ac9cd1c3be/adventuresandnews_$1.html [L]
RewriteRule ^adventuresandnews/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^manoeuvrableindustry/?$ /2ac9cd1c3be/manoeuvrableindustry.html [L]
RewriteRule ^manoeuvrableindustry/(\d+)/?$ /2ac9cd1c3be/manoeuvrableindustry_$1.html [L]
RewriteRule ^manoeuvrableindustry/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^progs/?$ /2ac9cd1c3be/progs.html [L]
RewriteRule ^progs/(\d+)/?$ /2ac9cd1c3be/progs_$1.html [L]
RewriteRule ^progs/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^other-sites_world/?$ /2ac9cd1c3be/other-sites_world.html [L]
RewriteRule ^other-sites_world/(\d+)/?$ /2ac9cd1c3be/other-sites_world_$1.html [L]
RewriteRule ^other-sites_world/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^criticism/?$ /2ac9cd1c3be/criticism.html [L]
RewriteRule ^criticism/(\d+)/?$ /2ac9cd1c3be/criticism_$1.html [L]
RewriteRule ^criticism/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^home_family/?$ /2ac9cd1c3be/home_family.html [L]
RewriteRule ^home_family/(\d+)/?$ /2ac9cd1c3be/home_family_$1.html [L]
RewriteRule ^home_family/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^hi-techsociety/?$ /2ac9cd1c3be/hi-techsociety.html [L]
RewriteRule ^hi-techsociety/(\d+)/?$ /2ac9cd1c3be/hi-techsociety_$1.html [L]
RewriteRule ^hi-techsociety/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^promotion-content/?$ /2ac9cd1c3be/promotion-content.html [L]
RewriteRule ^promotion-content/(\d+)/?$ /2ac9cd1c3be/promotion-content_$1.html [L]
RewriteRule ^promotion-content/([0-9]+), (php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^sports/?$ /2ac9cd1c3be/sports.html [L]
RewriteRule ^sports/(\d+)/?$ /2ac9cd1c3be/sports_$1.html [L]
```

```
RewriteRule ^sports/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^fragrancesonline/?$ /2ac9cd1 c3be/fragrancesonline.html [L]
RewriteRule ^fragrancesonline/(\d+)/?$ /2ac9cd1 c3be/fragrancesonline_$1.html [L]
RewriteRule ^fragrancesonline/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^bankrollmarket/?$ /2ac9cd1 c3be/bankrollmarket.html [L]
RewriteRule ^bankrollmarket/(\d+)/?$ /2ac9cd1 c3be/bankrollmarket_$1.html [L]
RewriteRule ^bankrollmarket/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^incidentallypress/?$ /2ac9cd1 c3be/incidentallypress.html [L]
RewriteRule ^incidentallypress/(\d+)/?$ /2ac9cd1 c3be/incidentallypress_$1.html [L]
RewriteRule ^incidentallypress/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^magazines-sites/?$ /2ac9cd1 c3be/magazines-sites.html [L]
RewriteRule ^magazines-sites/(\d+)/?$ /2ac9cd1 c3be/magazines-sites_$1.html [L]
RewriteRule ^magazines-sites/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^openings/?$ /2ac9cd1 c3be/openings.html [L]
RewriteRule ^openings/(\d+)/?$ /2ac9cd1 c3be/openings_$1.html [L]
RewriteRule ^openings/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^neckties/?$ /2ac9cd1 c3be/neckties.html [L]
RewriteRule ^neckties/(\d+)/?$ /2ac9cd1 c3be/neckties_$1.html [L]
RewriteRule ^neckties/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^regularitypress/?$ /2ac9cd1 c3be/regularitypress.html [L]
RewriteRule ^regularitypress/(\d+)/?$ /2ac9cd1 c3be/regularitypress_$1.html [L]
RewriteRule ^regularitypress/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^discussion/?$ /2ac9cd1 c3be/discussion.html [L]
RewriteRule ^discussion/(\d+)/?$ /2ac9cd1 c3be/discussion_$1.html [L]
RewriteRule ^discussion/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^freelance/?$ /2ac9cd1 c3be/freelance.html [L]
RewriteRule ^freelance/(\d+)/?$ /2ac9cd1 c3be/freelance_$1.html [L]
RewriteRule ^freelance/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^biophysicalindustry/?$ /2ac9cd1 c3be/biophysicalindustry.html [L]
RewriteRule ^biophysicalindustry/(\d+)/?$ /2ac9cd1 c3be/biophysicalindustry_$1.html [L]
RewriteRule ^biophysicalindustry/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^paganism-information/?$ /2ac9cd1 c3be/paganism-information.html [L]
RewriteRule ^paganism-information/(\d+)/?$ /2ac9cd1 c3be/paganism-information_$1.html [L]
RewriteRule ^paganism-information/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^stylishsleepwear/?$ /2ac9cd1 c3be/stylishsleepwear.html [L]
RewriteRule ^stylishsleepwear/(\d+)/?$ /2ac9cd1 c3be/stylishsleepwear_$1.html [L]
RewriteRule ^stylishsleepwear/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^concerts/?$ /2ac9cd1 c3be/concerts.html [L]
RewriteRule ^concerts/(\d+)/?$ /2ac9cd1 c3be/concerts_$1.html [L]
RewriteRule ^concerts/([0-9]+), (phpl html html)$ /2ac9cd1 c3be/$1. $2 [L]
RewriteRule ^articlescars/?$ /2ac9cd1 c3be/articlescars.html [L]
```

```
RewriteRule ^articlescars/(\d+)/?$ /2ac9cd1c3be/articlescars_$1.html [L]
RewriteRule ^articlescars/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^stylizedfotos/?$ /2ac9cd1c3be/stylizedfotos.html [L]
RewriteRule ^stylizedfotos/(\d+)/?$ /2ac9cd1c3be/stylizedfotos_$1.html [L]
RewriteRule ^stylizedfotos/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^positional_sites/?$ /2ac9cd1c3be/positional_sites.html [L]
RewriteRule ^positional_sites/(\d+)/?$ /2ac9cd1c3be/positional_sites_$1.html [L]
RewriteRule ^positional_sites/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^cartelcontent/?$ /2ac9cd1c3be/cartelcontent.html [L]
RewriteRule ^cartelcontent/(\d+)/?$ /2ac9cd1c3be/cartelcontent_$1.html [L]
RewriteRule ^cartelcontent/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^drinks/?$ /2ac9cd1c3be/drinks.html [L]
RewriteRule ^drinks/(\d+)/?$ /2ac9cd1c3be/drinks_$1.html [L]
RewriteRule ^drinks/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^cryptozoology-on-line/?$ /2ac9cd1c3be/cryptozoology-on-line.html [L]
RewriteRule ^cryptozoology-on-line/(\d+)/?$ /2ac9cd1c3be/cryptozoology-on-line_$1.html [L]
RewriteRule ^cryptozoology-on-line/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^beer/?$ /2ac9cd1c3be/beer.html [L]
RewriteRule ^beer/(\d+)/?$ /2ac9cd1c3be/beer_$1.html [L]
RewriteRule ^beer/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^komp/?$ /2ac9cd1c3be/komp.html [L]
RewriteRule ^komp/(\d+)/?$ /2ac9cd1c3be/komp_$1.html [L]
RewriteRule ^komp/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
RewriteRule ^allindustriescontent/?$ /2ac9cd1c3be/allindustriescontent.html [L]
RewriteRule ^allindustriescontent/(\d+)/?$ /2ac9cd1c3be/allindustriescontent_$1.html [L]
RewriteRule ^allindustriescontent/([0-9]+).(php|html|html)$ /2ac9cd1c3be/$1.$2 [L]
```

```
<IfModule mod_rewrite.c>
```

```
  RewriteEngine on
```

```
  Options +FollowSymLinks
```

```
  RewriteEngine On
```

```
  RewriteCond %{HTTP_HOST} ^www.peredsvadboi\.ru$ [NC]
```

```
  RewriteRule ^(.*)$ http://peredsvadboi.ru/$1 [R=301,L]
```

```
# Block access to "hidden" directories whose names begin with a period. This
# includes directories used by version control systems such as Subversion or
# Git to store control files. Files whose names begin with a period, as well
# as the control files used by CVS, are protected by the FilesMatch directive
# above.
#
```

```
# NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
# not possible to block access to entire directories from .htaccess, because
# <DirectoryMatch> is not allowed here.
#
# If you do not have mod_rewrite installed, you should remove these
# directories from your webroot or otherwise protect them from being
# downloaded.
RewriteRule "(^/)\." - [F]

# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
#
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} !^www\. [NC]
# RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
#
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} ^www\. (.+)$ [NC]
# RewriteRule ^ http://%1%{REQUEST_URI} [L,R=301]

# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
# RewriteBase /drupal
#
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
# RewriteBase /

# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^ index.php [L]
```

```
# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
    # Serve gzip compressed CSS files if they exist and the client accepts gzip.
    RewriteCond %{HTTP:Accept-encoding} gzip
    RewriteCond %{REQUEST_FILENAME}\.gz -s
    RewriteRule ^(\.*)\.css$ $1\.css\.gz [QSA]

    # Serve gzip compressed JS files if they exist and the client accepts gzip.
    RewriteCond %{HTTP:Accept-encoding} gzip
    RewriteCond %{REQUEST_FILENAME}\.gz -s
    RewriteRule ^(\.*)\.js$ $1\.js\.gz [QSA]

    # Serve correct content types, and prevent mod_deflate double gzip.
    RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
    RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

    <FilesMatch "(\.js\.gz|\.css\.gz)$">
        # Serve correct encoding type.
        Header append Content-Encoding gzip
        # Force proxies to cache gzipped & non-gzipped css/js files separately.
        Header append Vary Accept-Encoding
    </FilesMatch>
</IfModule>
</IfModule>
php_flag display_errors off
php_flag display_startup_errors off
```