

```

# Apache Server Configs v2.14.0 | MIT License
# https://github.com/h5bp/server-configs-apache

# (!) Using `.htaccess` files slows down Apache, therefore, if you have
# access to the main server configuration file (which is usually called
# `httpd.conf`), you should add this logic there.
#
# https://httpd.apache.org/docs/current/howto/htaccess.html.

#####
# # CROSS-ORIGIN #
#####

# -----
# | Cross-origin requests |
# -----

# Allow cross-origin requests.
#
# https://developer.mozilla.org/en-US/docs/Web/HTTP/Access_control_CORS
# http://enable-cors.org/
# http://www.w3.org/TR/cors/

# <IfModule mod_headers.c>
#     Header set Access-Control-Allow-Origin "*"
# </IfModule>

# -----
# | Cross-origin images |
# -----

# Send the CORS header for images when browsers request it.
#
# https://developer.mozilla.org/en-US/docs/Web/HTML/CORS_enabled_image
# https://blog.chromium.org/2011/07/using-cross-domain-images-in-webgl-and.html

<IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
        <FilesMatch "\.(bmp|curl gif|ico|jpe?g|png|svgz?|webp)$">
            SetEnvIf Origin ":" IS_CORS
            Header set Access-Control-Allow-Origin "*" env=IS_CORS

```

```
Header set Access-Control-Allow-Origin * env=IS_LUKS
</FilesMatch>
</IfModule>
</IfModule>

# -----
# | Cross-origin web fonts |
# -----

# Allow cross-origin access to web fonts.

<IfModule mod_headers.c>
  <FilesMatch "\.(eot|otf|tt[cf]|woff2?)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

# -----
# | Cross-origin resource timing |
# -----

# Allow cross-origin access to the timing information for all resources.
#
# If a resource isn't served with a `Timing-Allow-Origin` header that
# would allow its timing information to be shared with the document,
# some of the attributes of the `PerformanceResourceTiming` object will
# be set to zero.
#
# http://www.w3.org/TR/resource-timing/
# http://www.stevesouders.com/blog/2014/08/21/resource-timing-practical-tips/

# <IfModule mod_headers.c>
#   Header set Timing-Allow-Origin: "*"
# </IfModule>

# #####
# # ERRORS #
# #####

# -----
# | Custom error messages/pages |
# ..
```

```
# -----  
  
# Customize what Apache returns to the client in case of an error.  
# https://httpd.apache.org/docs/current/mod/core.html#errordocument
```

```
ErrorDocument 404 /404.html
```

```
# -----  
# | Error prevention |  
# -----
```

```
# Disable the pattern matching based on filenames.  
#  
# This setting prevents Apache from returning a 404 error as the result  
# of a rewrite when the directory with the same name does not exist.  
#  
# https://httpd.apache.org/docs/current/content-negotiation.html#multiviews
```

```
Options -MultiViews
```

```
# #####  
# # INTERNET EXPLORER #  
# #####
```

```
# -----  
# | Document modes |  
# -----
```

```
# Force Internet Explorer 8/9/10 to render pages in the highest mode  
# available in the various cases when it may not.  
#  
# https://hsivonen.fi/doctype/#ie8  
#  
# (!) Starting with Internet Explorer 11, document modes are deprecated.  
# If your business still relies on older web apps and services that were  
# designed for older versions of Internet Explorer, you might want to  
# consider enabling `Enterprise Mode` throughout your company.  
#  
# https://msdn.microsoft.com/en-us/library/ie/bg182625.aspx#docmode  
# http://blogs.msdn.com/b/ie/archive/2014/04/02/stay-up-to-date-with-enterprise-mode-for-internet-explorer-11.aspx
```

```

<IfModule mod_headers.c>

    Header set X-UA-Compatible "IE=edge"

    # `mod_headers` cannot match based on the content-type, however,
    # the `X-UA-Compatible` response header should be send only for
    # HTML documents and not for the other resources.

    <FilesMatch "\.
(appcache|atom|bbaw|bmp|crx|css|curl|eot|f4[abpv]|flv|geojson|gif|htc|ico|jpe?g|js|json(1d)?
|m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdf|rss|safarix|svgz?
|swf|topojson|tt[cf]|txt|vcard|vcf|vtt|webapp|web[mp]|webmanifest|woff2?|xloc|xsl|xpi)$">
        Header unset X-UA-Compatible
    </FilesMatch>

</IfModule>

# -----
# | Iframes cookies |
# -----

# Allow cookies to be set from iframes in Internet Explorer.
#
# https://msdn.microsoft.com/en-us/library/ms537343.aspx
# http://www.w3.org/TR/2000/CR-P3P-20001215/

# <IfModule mod_headers.c>
#     Header set P3P "policyref=\"/w3c/p3p.xml\", CP=\"IDC DSP COR ADM DEVI TAIi PSA PSD IVA
IVDi CONi HIS OUR IND CNT\""
# </IfModule>

# #####
# # MEDIA TYPES AND CHARACTER ENCODINGS #
# #####

# -----
# | Media types |
# -----

# Serve resources with the proper media types (f.k.a. MIME types).

```

```
#
# https://www.iana.org/assignments/media-types/media-types.xhtml
# https://httpd.apache.org/docs/current/mod/mod\_mime.html#addtype

<IfModule mod_mime.c>

    # Data interchange

    AddType application/atom+xml          atom
    AddType application/json              json map topojson
    AddType application/ld+json           jsonld
    AddType application/rss+xml           rss
    AddType application/vnd.geo+json      geojson
    AddType application/xml               rdf xml

    # JavaScript

    # Normalize to standard type.
    # https://tools.ietf.org/html/rfc4329#section-7.2

    AddType application/javascript        js

    # Manifest files

    AddType application/manifest+json     webmanifest
    AddType application/x-web-app-manifest+json webapp
    AddType text/cache-manifest            appcache

    # Media files

    AddType audio/mp4                     f4a f4b m4a
    AddType audio/ogg                      oga ogg opus
    AddType image/bmp                      bmp
    AddType image/svg+xml                  svg svgz
    AddType image/webp                     webp
    AddType video/mp4                      f4v f4p m4v mp4
    AddType video/ogg                      ogv
    AddType video/webm                     webm
    AddType video/x-flv                    flv

    # Serving `.ico` image files with a different media type
```

```
# prevents Internet Explorer from displaying them as images:  
# https://github.com/h5bp/html5-  
boilerplate/commit/37b5fec090d00f38de64b591bcddcb205aadf8ee
```

```
AddType image/x-icon                cur ico
```

```
# Web fonts
```

```
AddType application/font-woff       woff  
AddType application/font-woff2       woff2  
AddType application/vnd.ms-fontobject eot
```

```
# Browsers usually ignore the font media types and simply sniff  
# the bytes to figure out the font type.  
# https://mimesniff.spec.whatwg.org/#matching-a-font-type-pattern  
#  
# However, Blink and WebKit based browsers will show a warning  
# in the console if the following font types are served with any  
# other media types.
```

```
AddType application/x-font-ttf       ttc ttf  
AddType font/opentype                 otf
```

```
# Other
```

```
AddType application/octet-stream     safariextz  
AddType application/x-bb-appworld     bbaw  
AddType application/x-chrome-extension crx  
AddType application/x-opera-extension oex  
AddType application/x-xpinstall        xpi  
AddType text/vcard                     vcard vcf  
AddType text/vnd.rim.location.xloc     xloc  
AddType text/vtt                       vtt  
AddType text/x-component               htc
```

```
</IfModule>
```

```
# -----  
# | Character encodings |  
# -----
```

```
# Serve all resources labeled as `text/html` or `text/plain`
# with the media type `charset` parameter set to `UTF-8`.
#
# https://httpd.apache.org/docs/current/mod/core.html#adddefaultcharset
```

```
AddDefaultCharset utf-8
```

```
# -----
```

```
# Serve the following file types with the media type `charset`
# parameter set to `UTF-8`.
#
# https://httpd.apache.org/docs/current/mod/mod_mime.html#addcharset
```

```
<IfModule mod_mime.c>
```

```
  AddCharset utf-8 .atom \
    .bbaw \
    .css \
    .geojson \
    .js \
    .json \
    .jsonld \
    .manifest \
    .rdf \
    .rss \
    .topojson \
    .vtt \
    .webapp \
    .webmanifest \
    .xloc \
    .xml
```

```
</IfModule>
```

```
# #####
# # REWRITES #
# #####
```

```
# -----
# | Rewrite engine |
# -----
```

```
# (1) Turn on the rewrite engine (this is necessary in order for
#     the `RewriteRule` directives to work),
#
#     https://httpd.apache.org/docs/current/mod/mod\_rewrite.html#RewriteEngine
#
# (2) Enable the `FollowSymLinks` option if it isn't already,
#
#     https://httpd.apache.org/docs/current/mod/core.html#options
#
# (3) If your web host doesn't allow the `FollowSymLinks` option,
#     you need to comment it out or remove it, and then uncomment
#     the `Options +SymLinksIfOwnerMatch` line (4), but be aware
#     of the performance impact,
#
#     https://httpd.apache.org/docs/current/misc/perf-tuning.html#symlinks
#
# (4) Some cloud hosting services will require you set `RewriteBase`,
#
#     https://www.rackspace.com/knowledge\_center/frequently-asked-question/why-is-modrewrite-not-working-on-my-site
#     https://httpd.apache.org/docs/current/mod/mod\_rewrite.html#rewritebase
#
# (5) Depending on how your server is set up, you may also need to
#     use the `RewriteOptions` directive to enable some options for
#     the rewrite engine,
#
#     https://httpd.apache.org/docs/current/mod/mod\_rewrite.html#rewriteoptions
#
# (6) Set %(ENV:PROTO) variable, to allow rewrites to redirect with the
#     appropriate schema automatically (http or https).
```

```
<IfModule mod_rewrite.c>
```

```
    # (1)
    RewriteEngine On

    # (2)
    Options +FollowSymLinks

    # (3)
    # Options +SymLinksIfOwnerMatch
```



```

# -----
# (4)
RewriteBase /

# (5)
# RewriteOptions <options>

# (6)
RewriteCond %{HTTPS} =on
RewriteRule ^ - [env=proto:https]
RewriteCond %{HTTPS} !=on
RewriteRule ^ - [env=proto:http]

</IfModule>

# -----
# | Forcing `https://` |
# -----

# Redirect from the `http://` to the `https://` version of the URL.
# https://wiki.apache.org/httpd/RewriteHTTPToHTTPS

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{HTTPS} !=on
    RewriteRule ^(.*)$ https://%{HTTP_HOST}/$1 [R=301,L]
</IfModule>

# -----
# | Suppressing / Forcing the `www.` at the beginning of URLs |
# -----

# The same content should never be available under two different
# URLs, especially not with and without `www.` at the beginning.
# This can cause SEO problems (duplicate content), and therefore,
# you should choose one of the alternatives and redirect the other
# one.
#
# By default `Option 1` (no `www.`) is activated.
# http://no-www.org/faq.php?q=class_b
#

```

```

"
# If you would prefer to use `Option 2`, just comment out all the
# lines from `Option 1` and uncomment the ones from `Option 2`.
#
# (!) NEVER USE BOTH RULES AT THE SAME TIME!

# -----

# Option 1: rewrite www.example.com → example.com

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{HTTPS} !=on
    RewriteCond %{HTTP_HOST} ^www\.(.+$) [NC]
    RewriteRule ^ %{ENV:PROTO}://%1%{REQUEST_URI} [R=301,L]
</IfModule>

# -----

# Option 2: rewrite example.com → www.example.com
#
# Be aware that the following might not be a good idea if you use "real"
# subdomains for certain parts of your website.

# <IfModule mod_rewrite.c>
#     RewriteEngine On
#     RewriteCond %{HTTPS} !=on
#     RewriteCond %{HTTP_HOST} !^www\. [NC]
#     RewriteCond %{SERVER_ADDR} !=127.0.0.1
#     RewriteCond %{SERVER_ADDR} !=::1
#     RewriteRule ^ %{ENV:PROTO}://www.%{HTTP_HOST}%{REQUEST_URI} [R=301,L]
# </IfModule>

# #####
# # SECURITY #
# #####

# -----
# | Clickjacking |
# -----

# -----

```

```
# Protect website against clickjacking.
#
# The example below sends the `X-Frame-Options` response header with
# the value `DENY`, informing browsers not to display the content of
# the web page in any frame.
#
# This might not be the best setting for everyone. You should read
# about the other two possible values the `X-Frame-Options` header
# field can have: `SAMEORIGIN` and `ALLOW-FROM`.
# https://tools.ietf.org/html/rfc7034#section-2.1.
#
# Keep in mind that while you could send the `X-Frame-Options` header
# for all of your website's pages, this has the potential downside that
# it forbids even non-malicious framing of your content (e.g.: when
# users visit your website using a Google Image Search results page).
#
# Nonetheless, you should ensure that you send the `X-Frame-Options`
# header for all pages that allow a user to make a state changing
# operation (e.g: pages that contain one-click purchase links, checkout
# or bank-transfer confirmation pages, pages that make permanent
# configuration changes, etc.).
#
# Sending the `X-Frame-Options` header can also protect your website
# against more than just clickjacking attacks:
# https://cure53.de/xfo-clickjacking.pdf.
#
# https://tools.ietf.org/html/rfc7034
# http://blogs.msdn.com/b/ieinternals/archive/2010/03/30/combating-clickjacking-with-x-frame-options.aspx
# https://www.owasp.org/index.php/Clickjacking

# <IfModule mod_headers.c>

#     Header set X-Frame-Options "DENY"

#     # `mod_headers` cannot match based on the content-type, however,
#     # the `X-Frame-Options` response header should be send only for
#     # HTML documents and not for the other resources.

#     <FilesMatch "\.(
(appendache|atom|bbaw|bmp|crx|css|curl|eot|f4[abpv]|flv|geo|json|gif|htcl|icol|jpe?g|jsl|json|ld)?
|png|svg|tiff|tif|vml|wasm|woff|woff2|xhtml?|xsl|xwt|yaml|zip|zopfli)$">

```

```
I m4[av]I mani festI mapI mp4I oexI og[agv]I opusI otfl pdfI pngI rdfI rssi safari extI svgz?
I swfl topojsonI tt[cf]I txtI vcardI vcfI vttI webappl web[mp]I webmani festI woff2?I xI ocl xmlI xpi> $">
#           Header unset X-Frame-Options
#       </FilesMatch>

# </IfModule>

# -----
# | Content Security Policy (CSP) |
# -----

# Mitigate the risk of cross-site scripting and other content-injection
# attacks.
#
# This can be done by setting a `Content Security Policy` which
# whitelists trusted sources of content for your website.
#
# The example header below allows ONLY scripts that are loaded from
# the current website's origin (no inline scripts, no CDN, etc).
# That almost certainly won't work as-is for your website!
#
# To make things easier, you can use an online CSP header generator
# such as: http://cspisawesome.com/.
#
# http://content-security-policy.com/
# http://www.html5rocks.com/en/tutorials/security/content-security-policy/
# https://w3c.github.io/webappsec-csp/

# <IfModule mod_headers.c>

#           Header set Content-Security-Policy "script-src 'self'; object-src 'self'"

#           # `mod_headers` cannot match based on the content-type, however,
#           # the `Content-Security-Policy` response header should be send
#           # only for HTML documents and not for the other resources.

#       <FilesMatch "\.
(<appcacheI atomI bbawI bmlI crxI cssI curlI eotI f4[abpv]I flvI geojsonI gifI htcl icol jpe?gl jsl json(1d)?
I m4[av]I mani festI mapI mp4I oexI og[agv]I opusI otfl pdfI pngI rdfI rssi safari extI svgz?
I swfl topojsonI tt[cf]I txtI vcardI vcfI vttI webappl web[mp]I webmani festI woff2?I xI ocl xmlI xpi> $">
#           Header unset Content-Security-Policy
```

```

#     </FilesMatch>

# </IfModule>

# -----
# | File access |
# -----

# Block access to directories without a default document.
#
# You should leave the following uncommented, as you shouldn't allow
# anyone to surf through every directory on your server (which may
# includes rather private places such as the CMS' s directories).

<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

# -----

# Block access to all hidden files and directories with the exception of
# the visible content from within the `/.well-known/` hidden directory.
#
# These types of files usually contain user preferences or the preserved
# state of an utility, and can include rather private places like, for
# example, the `.git` or `.svn` directories.
#
# The `/.well-known/` directory represents the standard (RFC 5785) path
# prefix for "well-known locations" (e.g.: `/.well-known/manifest.json`,
# `/.well-known/keybase.txt`), and therefore, access to its visible
# content should not be blocked.
#
# https://www.mnot.net/blog/2010/04/07/well-known
# https://tools.ietf.org/html/rfc5785

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{REQUEST_URI} "!(^/)\.well-known/([^. /]+/?.+)$" [NC]
    RewriteCond %{SCRIPT_FILENAME} -d [OR]
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^/)\." - [F]

```

```
</IfModule>
```

```
# -----  
  
# Block access to files that can expose sensitive information.  
#  
# By default, block access to backup and source files that may be  
# left by some text editors and can pose a security risk when anyone  
# has access to them.  
#  
# http://feross.org/cmsploit/  
#  
# (!) Update the `<FilesMatch>` regular expression from below to  
# include any files that might end up on your production server and  
# can expose sensitive information about your website. These files may  
# include: configuration files, files that contain metadata about the  
# project (e.g.: project dependencies), build scripts, etc..
```

```
<FilesMatch "(^#.#|\.|(bak|conf|dist|fla|in[ci]|log|psd|sh|sql|sw[op])|")$">
```

```
  # Apache < 2.3
```

```
  <IfModule !mod_authz_core.c>
```

```
    Order allow,deny
```

```
    Deny from all
```

```
    Satisfy All
```

```
  </IfModule>
```

```
  # Apache ≥ 2.3
```

```
  <IfModule mod_authz_core.c>
```

```
    Require all denied
```

```
  </IfModule>
```

```
</FilesMatch>
```

```
# -----  
# | HTTP Strict Transport Security (HSTS) |  
# -----
```

```
# Force client-side SSL redirection.
```

```
#  
# If a user types `example.com` in their browser, even if the server
```

```
# redirects them to the secure version of the website, that still leaves
# a window of opportunity (the initial HTTP connection) for an attacker
# to downgrade or redirect the request.
#
# The following header ensures that browser will ONLY connect to your
# server via HTTPS, regardless of what the users type in the browser's
# address bar.
#
# (!) Remove the `includeSubDomains` optional directive if the website's
# subdomains are not using HTTPS.
#
# http://www.html5rocks.com/en/tutorials/security/transport-layer-security/
# https://tools.ietf.org/html/draft-ietf-websec-strict-transport-sec-14#section-6.1
# http://blogs.msdn.com/b/ieinternals/archive/2014/08/18/hsts-strict-transport-security-
attacks-mitigations-deployment-https.aspx

# <IfModule mod_headers.c>
#     Header always set Strict-Transport-Security "max-age=16070400;"
# </IfModule>

# -----
# | Reducing MIME type security risks                                     |
# -----

# Prevent some browsers from MIME-sniffing the response.
#
# This reduces exposure to drive-by download attacks and cross-origin
# data leaks, and should be left uncommented, especially if the server
# is serving user-uploaded content or content that could potentially be
# treated as executable by the browser.
#
# http://www.slideshare.net/hasegawayosuke/owasp-hasegawa
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-v-comprehensive-
protection.aspx
# https://msdn.microsoft.com/en-us/library/ie/gg622941.aspx
# https://mimesniff.spec.whatwg.org/

<IfModule mod_headers.c>
    Header set X-Content-Type-Options "nosniff"
</IfModule>
```

```
# -----
# | Reflected Cross-Site Scripting (XSS) attacks |
# -----

# (1) Try to re-enable the cross-site scripting (XSS) filter built
#     into most web browsers.
#
#     The filter is usually enabled by default, but in some cases it
#     may be disabled by the user. However, in Internet Explorer for
#     example, it can be re-enabled just by sending the
#     `X-XSS-Protection` header with the value of `1`.
#
# (2) Prevent web browsers from rendering the web page if a potential
#     reflected (a.k.a. a non-persistent) XSS attack is detected by the
#     filter.
#
#     By default, if the filter is enabled and browsers detect a
#     reflected XSS attack, they will attempt to block the attack
#     by making the smallest possible modifications to the returned
#     web page.
#
#     Unfortunately, in some browsers (e.g.: Internet Explorer),
#     this default behavior may allow the XSS filter to be exploited,
#     thereby, it's better to inform browsers to prevent the rendering
#     of the page altogether, instead of attempting to modify it.
#
#     https://hackademix.net/2009/11/21/ies-xss-filter-creates-xss-vulnerabilities
#
# (!) Do not rely on the XSS filter to prevent XSS attacks! Ensure that
#     you are taking all possible measures to prevent XSS attacks, the
#     most obvious being: validating and sanitizing your website's inputs.
#
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-iv-the-xss-filter.aspx
# http://blogs.msdn.com/b/ieinternals/archive/2011/01/31/controlling-the-internet-explorer-xss-filter-with-the-x-xss-protection-http-header.aspx
# https://www.owasp.org/index.php/Cross-site\_Scripting\_%28XSS%29

# <IfModule mod_headers.c>

#     #                               (1)     (2)
#     Header set X-XSS-Protection "1; mode=block"
```



```
# # `mod_headers` cannot match based on the content-type, however,
# # the `X-XSS-Protection` response header should be send only for
# # HTML documents and not for the other resources.

# <FilesMatch "\.
(appache|atom|bbaul|bmpl|crl|cssl|curl|eot|f4[abpv]|flvl|geo|json|gif|htcl|icol|jpe?g|j|json|ld)?
|m4[av]|manifest|mapl|mp4|oexl|og[agv]|opusl|otfl|pdf|pngl|rdfl|rssl|safar|extz|svgz?
|swfl|topo|json|tt[cf]|txt|vcard|vcfl|vtfl|webappl|web[mp]|webmanifest|woff2?|x|oc|x|l|xpi)$">
#     Header unset X-XSS-Protection
# </FilesMatch>

# </IfModule>

# -----
# | Server-side technology information |
# -----

# Remove the `X-Powered-By` response header that:
#
# * is set by some frameworks and server-side languages
#   (e.g.: ASP.NET, PHP), and its value contains information
#   about them (e.g.: their name, version number)
#
# * doesn't provide any value to users, contributes to header
#   bloat, and in some cases, the information it provides can
#   expose vulnerabilities
#
# (!) If you can, you should disable the `X-Powered-By` header from the
# language / framework level (e.g.: for PHP, you can do that by setting
# `expose_php = off` in `php.ini`)
#
# https://php.net/manual/en/ini.core.php#ini.expose-php

<IfModule mod_headers.c>
    Header unset X-Powered-By
</IfModule>

# -----
# | Server software information |
# -----
```

```
..

# Prevent Apache from adding a trailing footer line containing
# information about the server to the server-generated documents
# (e.g.: error messages, directory listings, etc.)
#
# https://httpd.apache.org/docs/current/mod/core.html#serversignature
```

ServerSignature Off

```
# -----

# Prevent Apache from sending in the `Server` response header its
# exact version number, the description of the generic OS-type or
# information about its compiled-in modules.
#
# (!) The `ServerTokens` directive will only work in the main server
# configuration file, so don't try to enable it in the `.htaccess` file!
#
# https://httpd.apache.org/docs/current/mod/core.html#servertokens
```

#ServerTokens Prod

```
# #####
# # WEB PERFORMANCE #
# #####
```

```
# -----
# | Compression |
# -----
```

<IfModule mod\_deflate.c>

```
    # Force compression for mangled `Accept-Encoding` request headers
    # https://developer.yahoo.com/blogs/ydn/pushing-beyond-gzipping-25601.html
```

<IfModule mod\_setenvif.c>

<IfModule mod\_headers.c>

SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))\$

^((gzip|deflate)\s\*,\s\*\s\*\s\*)+([X"-]{4,13})\$ HAVE\_Accept-Encoding

RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE\_Accept-Encoding

</IfModule>



```
text/vcard \
"text/vnd.rim.location.xloc" \
"text/vtt" \
"text/x-component" \
"text/x-cross-domain-policy" \
"text/xml"
```

```
</IfModule>
```

```
# -----

# Map the following filename extensions to the specified
# encoding type in order to make Apache serve the file types
# with the appropriate `Content-Encoding` response header
# (do note that this will NOT make Apache compress them!).
#
# If these files types would be served without an appropriate
# `Content-Enable` response header, client applications (e.g.:
# browsers) wouldn't know that they first need to uncompress
# the response, and thus, wouldn't be able to understand the
# content.
#
# https://httpd.apache.org/docs/current/mod/mod\_mime.html#addencoding
```

```
<IfModule mod_mime.c>
```

```
    AddEncoding gzip          svgz
```

```
</IfModule>
```

```
</IfModule>
```

```
# -----
# | Content transformation |
# -----
```

```
# Prevent intermediate caches or proxies (e.g.: such as the ones
# used by mobile network providers) from modifying the website's
# content.
#
# https://tools.ietf.org/html/rfc2616#section-14.9.5
#
# (!) If you are using `mod_pagespeed`, please note that setting
# Cache-Control: no-cache is not sufficient to prevent the
# intermediate caches from caching the content.
```

```
# the Cache-Control: no-transform response header will prevent
# `PageSpeed` from rewriting `HTML` files, and, if the
# `ModPagespeedDisableRewriteOnNoTransform` directive isn't set
# to `off`, also from rewriting other resources.
#
# https://developers.google.com/speed/pagespeed/module/configuration#notransform
```

```
# <IfModule mod_headers.c>
#     Header merge Cache-Control "no-transform"
# </IfModule>
```

```
# -----
# | ETags                                                                    |
# -----
```

```
# Remove `ETags` as resources are sent with far-future expires headers.
#
# https://developer.yahoo.com/performance/rules.html#etags
# https://tools.ietf.org/html/rfc7232#section-2.3
```

```
# `FileETag None` doesn't work in all cases.
<IfModule mod_headers.c>
    Header unset ETag
</IfModule>
```

## FileETag None

```
# -----
# | Expires headers                                                            |
# -----
```

```
# Serve resources with far-future expires headers.
#
# (!) If you don't control versioning with filename-based
# cache busting, you should consider lowering the cache times
# to something like one week.
#
# https://httpd.apache.org/docs/current/mod/mod\_expires.html
```

```
<IfModule mod_expires.c>
```

```

ExpiresActive on
ExpiresDefault "access plus 1 month"

# CSS

ExpiresByType text/css "access plus 1 year"

# Data interchange

ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rdf+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

ExpiresByType application/json "access plus 0 seconds"
ExpiresByType application/ld+json "access plus 0 seconds"
ExpiresByType application/schema+json "access plus 0 seconds"
ExpiresByType application/vnd.geo+json "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"

# Favicon (cannot be renamed!) and cursor images

ExpiresByType image/vnd.microsoft.icon "access plus 1 week"
ExpiresByType image/x-icon "access plus 1 week"

# HTML

ExpiresByType text/html "access plus 0 seconds"

# JavaScript

ExpiresByType application/javascript "access plus 1 year"
ExpiresByType application/x-javascript "access plus 1 year"
ExpiresByType text/javascript "access plus 1 year"

# Manifest files

ExpiresByType application/manifest+json "access plus 1 week"
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"

```

## # Media files

```
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/bmp "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType image/webp "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
```

## # Web fonts

### # Embedded OpenType (EOT)

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType font/eot "access plus 1 month"
```

### # OpenType

```
ExpiresByType font/opentype "access plus 1 month"
```

### # TrueType

```
ExpiresByType application/x-font-ttf "access plus 1 month"
```

### # Web Open Font Format (WOFF) 1.0

```
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType font/woff "access plus 1 month"
```

### # Web Open Font Format (WOFF) 2.0

```
ExpiresByType application/font-woff2 "access plus 1 month"
```

## # Other

```
ExpiresByType text/x-cross-domain-policy "access plus 1 week"
```

</IfModule>

# -----

# | File concatenation |

```
# -----  
  
# Allow concatenation from within specific files.  
#  
# e. g. :  
#  
# If you have the following lines in a file called, for  
# example, `main.combined.js`:  
#  
#     <!--#include file="js/jquery.js" -->  
#     <!--#include file="js/jquery.timer.js" -->  
#  
# Apache will replace those lines with the content of the  
# specified files.  
  
# <IfModule mod_include.c>  
#     <FilesMatch "\.combined\.js$">  
#         Options +Includes  
#         AddOutputFilterByType INCLUDES application/javascript \\  
#             application/x-javascript \\  
#             text/javascript  
#         SetOutputFilter INCLUDES  
#     </FilesMatch>  
#     <FilesMatch "\.combined\.css$">  
#         Options +Includes  
#         AddOutputFilterByType INCLUDES text/css  
#         SetOutputFilter INCLUDES  
#     </FilesMatch>  
# </IfModule>  
  
# -----  
# | Filename-based cache busting |  
# -----  
  
# If you're not using a build process to manage your filename version  
# revving, you might want to consider enabling the following directives  
# to route all requests such as `/style.12345.css` to `/style.css`.  
#  
# To understand why this is important and even a better solution than  
# using something like `*.css?v231`, please see:  
# http://www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/
```



```
# <IfModule mod_rewrite.c>
#     RewriteEngine On
#     RewriteCond %{REQUEST_FILENAME} !-f
#     RewriteRule ^(.+)%\.(\d+)\. (bmp|css|curl|gif|ico|jpe?g|js|png|svgz?|webp|webmanifest)$
#1.$3 [L]
# </IfModule>

# #####
# # Ash's 301 redirects #
# #####
RewriteRule ^help-a-charity.html$ https://readymadebusiness4u.com/charity-sweet-box-
business.html [R=301,L]
RewriteRule ^hire-bar.html$ https://readymadebusiness4u.com/mobile-bar-business.html
[R=301,L]
RewriteRule ^multi-washroom-vending.html$ https://readymadebusiness4u.com/washroom-vending-
machines.html [R=301,L]
RewriteRule ^weight-loss-business-model.html$ https://readymadebusiness4u.com/weight-loss-
business-opportunity.html [R=301,L]
RewriteRule ^chauffeur-business-model.html$ https://readymadebusiness4u.com/how-to-start-a-
chauffeur-business.html [R=301,L]
RewriteRule ^snack-and-toy-vending.html$ https://readymadebusiness4u.com/snack-vending-toy-
vending.html [R=301,L]
RewriteRule ^food-menu-advertising.html$ https://readymadebusiness4u.com/ [R=301,L]
RewriteRule ^waste-collection-business-opportunity.html$
https://readymadebusiness4u.com/waste-collection-business-model.html [R=301,L]
RewriteRule ^chauffeur-business-opportunity.html$ https://readymadebusiness4u.com/how-to-
start-a-chauffeur-business.html [R=301,L]
RewriteRule ^teeth-whitening-business-opportunity.html$ https://readymadebusiness4u.com
[R=301,L]
RewriteRule ^Inserts/mobile_botox_information.pdf$ https://readymadebusiness4u.com [R=301,L]
RewriteRule ^cigarette-business-opportunity.html$ https://readymadebusiness4u.com/electronic
cigarette-business-model.html [R=301,L]
RewriteRule ^hangover-cure.html$ https://readymadebusiness4u.com/fresh-start.html [R=301,L]
RewriteRule ^pick-n-mix-multi-vend.html$ https://readymadebusiness4u.com [R=301,L]
RewriteRule ^electronic-cigarette-business-opportunity.html$
https://readymadebusiness4u.com/electronic-cigarette-business-model.html [R=301,L]
RewriteRule ^forever-young.html$ https://readymadebusiness4u.com [R=301,L]
RewriteRule ^cigarette-filter-business-opportunity.html$ https://readymadebusiness4u.com
[R=301,L]
RewriteRule ^drinks_sensations.html$ https://readymadebusiness4u.com [R=301,L]
```

RewriteRule ^mobile-drinks-business-opportunity.html\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^/Inserts/nail\_and\_flower\_information.pdf\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^safeseat.html\$ https://readymadebusiness4u.com/washroom-vending-machines.html [R=301,L]

RewriteRule ^nail-and-flower-printing.html\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^service\_please.html\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^cigarette-and-energy-shi-sha-business-opportunity.html\$ https://readymadebusiness4u.com/energy-shi-sha.html [R=301,L]

RewriteRule ^index.php?q=chauffeur-business-opportunity.html\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^154.html\$ https://readymadebusiness4u.com/home-help.html [R=301,L]

RewriteRule ^156.html\$ https://readymadebusiness4u.com/energy-shi-sha.html [R=301,L]

RewriteRule ^155.html\$ https://readymadebusiness4u.com/mixmo.html [R=301,L]

RewriteRule ^145.html\$ https://readymadebusiness4u.com/light-healing-clinic.html [R=301,L]

RewriteRule ^146.html\$ https://readymadebusiness4u.com/mobile-bar-business.html [R=301,L]

RewriteRule ^141.html\$ https://readymadebusiness4u.com/how-to-start-a-chauffeur-business.html [R=301,L]

RewriteRule ^158.html\$ https://readymadebusiness4u.com/fresh-start.html [R=301,L]

RewriteRule ^125.html\$ https://readymadebusiness4u.com/waste-collection-business-model.html [R=301,L]

RewriteRule ^159.html\$ https://readymadebusiness4u.com/multi-clean.html [R=301,L]

RewriteRule ^157.html\$ https://readymadebusiness4u.com/coffee-vending-franchise.html [R=301,L]

RewriteRule ^153.html\$ https://readymadebusiness4u.com/dj-karaoke.html [R=301,L]

RewriteRule ^upgrades\$ https://readymadebusiness4u.com/upgrades.html [R=301,L]

RewriteRule ^coffee-vending.html\$ https://readymadebusiness4u.com/coffee-vending-franchise.html [R=301,L]

RewriteRule ^anti-ageing-and-health.html\$ https://readymadebusiness4u.com/health-alert.html [R=301,L]

RewriteRule ^home-help.html\$ https://readymadebusiness4u.com/home-help-business-opportunity.html [R=301,L]

RewriteRule ^fresh-start.html\$ https://readymadebusiness4u.com/fresh-start-capsules.html [R=301,L]

RewriteRule ^waste-collection-business-model.html\$ https://readymadebusiness4u.com/waste-collection-franchise.html [R=301,L]

RewriteRule ^electronic-cigarette-business-model.html\$ https://readymadebusiness4u.com/ecig-franchise-electronic-cigarette-franchise.html [R=301,L]

RewriteRule ^dj-karaoke.html\$ https://readymadebusiness4u.com/mobile-dj-business-karaoke-franchise.html [R=301,L]

```
.....  
RewriteRule ^hire-bar$ https://readymadebusiness4u.com/mobile-bar-business.html [R=301,L]  
RewriteRule ^mixmo$ https://readymadebusiness4u.com/mixmo-franchise.html [R=301,L]  
RewriteRule ^mixmo.html$ https://readymadebusiness4u.com/mixmo-franchise.html [R=301,L]  
RewriteRule ^business-idea.html$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^franchise-opportunities.html$ https://readymadebusiness4u.com/franchise-  
opportunities-uk.html [R=301,L]  
RewriteRule ^multi-clean.html$ https://readymadebusiness4u.com/cleaning-franchise-  
opportunity.html [R=301,L]  
RewriteRule ^health-alert.html$ https://readymadebusiness4u.com/health-business-  
opportunity.html [R=301,L]  
RewriteRule ^light-healing-clinic.html$ https://readymadebusiness4u.com/healing-business-  
opportunity.html [R=301,L]  
RewriteRule ^148.html$ https://readymadebusiness4u.com/washroom-vending-machines.html  
[R=301,L]
```

#### *# Homepage*

```
RewriteRule ^index.html$ https://readymadebusiness4u.com [R=301,L]
```

#### *# Washroom*

```
RewriteRule ^washroom-vending-machines.html$ https://readymadebusiness4u.com/vending-  
business-opportunities-vending-machine-franchise.html [R=301,L]
```

#### *# Sandwich Deli*

```
RewriteRule ^sandwich$ https://readymadebusiness4u.com/mobile-catering-business-for-sale.ht  
[R=301,L]
```

```
RewriteRule ^sandwich-deli.html$ https://readymadebusiness4u.com/mobile-catering-business-  
for-sale.html [R=301,L]
```

```
RewriteRule ^sandwich-delivery-business.html$ https://readymadebusiness4u.com/mobile-  
catering-business-for-sale.html [R=301,L]
```

#### *# Alcohol*

```
RewriteRule ^alcohol-testing-business-opportunity.html$  
https://readymadebusiness4u.com/breathalyzer-vending-machine-business.html [R=301,L]
```

```
RewriteRule ^alcohol-testing-business-model.html$  
https://readymadebusiness4u.com/breathalyzer-vending-machine-business.html [R=301,L]
```

```
RewriteRule ^over_the_limit.html$ https://readymadebusiness4u.com/breathalyzer-vending-  
machine-business.html [R=301,L]
```

```
RewriteRule ^133.html$ https://readymadebusiness4u.com/breathalyzer-vending-machi  
ne-business.html [R=301,L]
```

```
RewriteRule ^pub-vending-business-opportunity.html$  
https://readymadebusiness4u.com/breathalyzer-vending-machine-business.html [R=301,L]
```

### # Coffee Vending

RewriteRule ^coffee-vending-franchise.html\$ <https://readymadebusiness4u.com/coffee-vending-machines-coffee-franchise.html> [R=301, L]

### # Tattoo Removal

RewriteRule ^index.php?q=tattoo-removal-business-opportunity.html\$ <https://readymadebusiness4u.com/laser-tattoo-removal-training-uk.html> [R=301, L]

RewriteRule ^tattoo-removal-business-opportunity.html\$ <https://readymadebusiness4u.com/laser-tattoo-removal-training-uk.html> [R=301, L]

RewriteRule ^tattoo-removal-business-model.html\$ <https://readymadebusiness4u.com/laser-tattoo-removal-training-uk.html> [R=301, L]

### # Mobile Phone

RewriteRule ^mobile-phone-business-model.html\$ <https://readymadebusiness4u.com/mobile-phone-charging-business.html> [R=301, L]

RewriteRule ^flat\_battery.html\$ <https://readymadebusiness4u.com/mobile-phone-charging-business.html> [R=301, L]

RewriteRule ^mobile-phone-business-opportunity.html\$ <https://readymadebusiness4u.com/mobile-phone-charging-business.html> [R=301, L]

RewriteRule ^127.html\$ <https://readymadebusiness4u.com/mobile-phone-charging-business.html> [R=301, L]

RewriteRule ^index.php?q=mobile-phone-business-opportunity.html\$ <https://readymadebusiness4u.com/mobile-phone-charging-business.html> [R=301, L]

### # PAT Testing

RewriteRule ^pat\_testers.html\$ <https://readymadebusiness4u.com/pat-testing-course-pat-tester-course.html> [R=301, L]

RewriteRule ^pat-testing-business-opportunity.html\$ <https://readymadebusiness4u.com/pat-testing-course-pat-tester-course.html> [R=301, L]

RewriteRule ^pat-testing-business-model.html\$ <https://readymadebusiness4u.com/pat-testing-course-pat-tester-course.html> [R=301, L]

RewriteRule ^132.html\$ <https://readymadebusiness4u.com/pat-testing-course-pat-tester-course.html> [R=301, L]

RewriteRule ^index.php?q=pat-testing-business-opportunity.html\$ <https://readymadebusiness4u.com/pat-testing-course-pat-tester-course.html> [R=301, L]

RewriteRule ^pat-testing-franchise.html\$ <https://readymadebusiness4u.com/pat-testing-course-pat-tester-course.html> [R=301, L]

### # Shop

RewriteRule ^shop/\$ <https://readymadebusiness4u.com/product/flat-battery-12v-100ah>

RewriteRule http://readymadebusiness4u.com/product/holding-deposit\$  
http://shop.readymadebusiness4u.com/product/holding-deposit [R=301,L]

### # Vending category page

RewriteRule ^vending-businesses.html\$ https://readymadebusiness4u.com/vending-machine-business-for-sale.html [R=301,L]

### # Blog

RewriteRule ^blog/\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^blog\$ https://readymadebusiness4u.com [R=301,L]

### # Random Crap

RewriteRule ^ramtechweb/mysimplechat\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/series-software\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^misc/caribbean-menu.pdf\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^news-su-cipro/f=\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^lasi-x-equivalent-of-bumex/f=\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/joomla-software\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^medco-cost-of-synthroid/f=\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^cdn-cgi/nexp/dok3v=1613a3a185/\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^cdn-cgi/1/\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^cdn-cgi/nexp/dok3v=1613a3a185/\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?

jid=66&view=chat&lang=zh&lang=sk\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?

jid=66&view=chat&lang=bg&lang=it\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^assets/images/small-business-opportunity%20\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^index.php?q=auto-repair-business-opportunity.html\$

https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/index.php?option=com\_aicontactsafe&stask=captcha&task=newCaptcha&pf=

https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?

jid=66&view=chat&lang=bg&lang=fr\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?

jid=66&view=chat&lang=el&lang=bg&lang=ro\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?

jid=66&view=chat&lang=bg&lang=sk\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?

jid=66&view=chat&lang=zh&lang=de&lang=fr\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^index.php?option=com\_content&view=article&id=54:something-new-under-the-

sun&catid=1:latest-news&Itemid=63\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=sk&lang=he\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=sk&lang=bg&lang=fi\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=pl&lang=ru&lang=fi\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=he\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^/ramtechweb/\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^/ramtechweb/ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/\*\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^/ramtechweb/\*\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/contact-us2\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=fr&lang=nl\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=zh&lang=es\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=bg&lang=el\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/series-software/54-izipit-for-ibm-system-i\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/payamr\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&ajax=true\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=nl\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=fi&lang=zh\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=ru&lang=nl\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=fi&lang=en\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=de&lang=es\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&lang=no&lang=sv\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=ar&lang=bp\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=es&lang=he\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=fr&lang=de\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=no&lang=bg\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=no&lang=bp\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=fi&lang=tr\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=pl&lang=he\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=bg&lang=zh\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=no&lang=it\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=fi&lang=bp\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=de&lang=no\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=bg&lang=nl\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=el&lang=he\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=el&lang=ro\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=el&lang=en\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=bp&lang=uk\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=el&lang=pl\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^index.php?option=com\_content&view=article&id=48&Itemid=30\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=el&lang=fr&lang=he\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?jid=66&view=chat&lang=fr&lang=sv&lang=he\$ https://readymadebusiness4u.com [R=301,L]

RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?

jid=66&view=chat&l ang=zh&l ang=he&l ang=uk\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&l ang=bg&l ang=en&l ang=zh\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/components/com\_mysimplechat/chatapp.php?  
jid=66&view=chat&l ang=zh&l ang=bg&l ang=ru\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^ramtechweb/index.php?  
option=com\_aicontactsafe&sTask=message&task=deleteUploadedFile&filename=\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^index.php?option=com\_content&view=article&id=55:how-much-does-it-cost-to-become  
a-member-of-businesswebzonecom-&catid=31:general&Itemid=41&l ang=en\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^recommendednews\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^preview/\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^go/\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^w/\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^preview/\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^Inserts/hot\_dog\_vending.pdf\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^duplicate-of-testimonials-page/coffee-vending.html\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^teeth-whitening-business-opportunity.html+teeth+whitening+cost&ct=clnk\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^testimonials/dj-karaoke.html\$ https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^teeth-whitening-business-  
opportunity.html+teeth+whitening+products+that+work&ct=clnk\$ https://readymadebusiness4u.com  
[R=301,L]  
RewriteRule ^teeth-whitening-business-opportunity.html+free+teeth+whitening&ct=clnk\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^http://www.readymadebusiness4u.com/tanning-business-opportunity.html\$  
https://readymadebusiness4u.com [R=301,L]  
RewriteRule ^http://readymadebusiness4u.com/tanning-business-opportunity.html\$  
https://readymadebusiness4u.com [R=301,L]