

```
# BEGIN WPSuperCache
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
#If you serve pages from behind a proxy you may want to change 'RewriteCond %{HTTPS} on' to
```

```
AddDefaultCharset UTF-8
```

```
RewriteCond %{REQUEST_URI} !^, #[^/]$
```

```
RewriteCond %{REQUEST_URI} !^, #//, #$.
```

```
RewriteCond %{REQUEST_METHOD} !POST
```

```
RewriteCond %{QUERY_STRING} !, #=, #
```

```
RewriteCond %{HTTP:Cookie} !^, #(<comment_author_|wordpress_logged_in|wp-postpass_), #$.
```

```
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
```

```
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
```

```
RewriteCond %{HTTP_USER_AGENT} !^, #(<2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
```

```
RewriteCond %{HTTP_user_agent} !^(w3c\ |w3c-|acs-|alav|alcal|amoil|audi|avan|benq|bird|blac|bl
```

```
RewriteCond %{HTTP:Accept-Encoding} gzip
```

```
RewriteCond %{HTTPS} on
```

```
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html,
```

```
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html.gz" [L]
```

```
RewriteCond %{REQUEST_URI} !^, #[^/]$
```

```
RewriteCond %{REQUEST_URI} !^, #//, #$.
```

```
RewriteCond %{REQUEST_METHOD} !POST
```

```
RewriteCond %{QUERY_STRING} !, #=, #
```

```
RewriteCond %{HTTP:Cookie} !^, #(<comment_author_|wordpress_logged_in|wp-postpass_), #$.
```

```
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
```

```
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
```

```
RewriteCond %{HTTP_USER_AGENT} !^, #(<2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
```

```
RewriteCond %{HTTP_user_agent} !^(w3c\ |w3c-|acs-|alav|alcal|amoil|audi|avan|benq|bird|blac|bl
```

```
RewriteCond %{HTTP:Accept-Encoding} gzip
```

```
RewriteCond %{HTTPS} !on
```

```
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html.gz -f
```

```
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html.gz" [L]
```

```
RewriteCond %{REQUEST_URI} !^, #[^/]$
```

```
RewriteCond %{REQUEST_URI} !^, #//, #$.
```

```
RewriteCond %{REQUEST_METHOD} !POST
```

```
RewriteCond %{QUERY_STRING} !, #=, #
```

```
RewriteCond %{HTTP:Cookie} !^, #(<comment_author_|wordpress_logged_in|wp-postpass_), #$.
```

```
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
```

```
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
```

```

RewriteCond %{HTTP: Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
RewriteCond %{HTTP_user_agent} !^(w3c\ | w3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| blac| bl
RewriteCond %{HTTPS} on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html" [L]

RewriteCond %{REQUEST_URI} !^.*[^\.]$
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP: Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP: X-Map-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP: Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
RewriteCond %{HTTP_user_agent} !^(w3c\ | w3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| blac| bl
RewriteCond %{HTTPS} !on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html" [L]
</IfModule>

```

END WPSuperCache

BEGIN Better WP Security

Options -Indexes

<files .htaccess>

Order allow,deny

Deny from all

</files>

<files readme.html>

Order allow,deny

Deny from all

</files>

<files readme.txt>

Order allow,deny

Deny from all

</files>

.....

```
<files install.php>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files wp-config.php>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteRule ^wp-admin/includes/ - [F,L]
```

```
RewriteRule !^wp-includes/ - [S=3]
```

```
RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
```

```
RewriteRule ^wp-includes/[^/]+\.\php$ - [F,L]
```

```
RewriteRule ^wp-includes/js/tinymce/langs/.+\.\php - [F,L]
```

```
RewriteRule ^wp-includes/theme-compat/ - [F,L]
```

```
RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
```

```
RewriteRule ^(.*)$ - [F,L]
```

```
RewriteRule ^login/?$ /wp-login.php?5o4gi te1 dqbnodm2csmh1 [R,L]
```

```
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in.*$
```

```
RewriteRule ^admin/?$ /wp-login.php?5o4gi te1 dqbnodm2csmh1 &redirect_to=/wp-admin/ [R,L]
```

```
RewriteRule ^admin/?$ /wp-admin/?5o4gi te1 dqbnodm2csmh1 [R,L]
```

```
RewriteRule ^register/?$ /wp-login.php?5o4gi te1 dqbnodm2csmh1 &action=register [R,L]
```

```
RewriteCond %{SCRIPT_FILENAME} !^(.*)admin-ajax\.\php
```

```
RewriteCond %{HTTP_REFERER} !^(.*)tappmd.com/wp-admin
```

```
RewriteCond %{HTTP_REFERER} !^(.*)tappmd.com/wp-login\.\php
```

```
RewriteCond %{HTTP_REFERER} !^(.*)tappmd.com/login
```

```
RewriteCond %{HTTP_REFERER} !^(.*)tappmd.com/admin
```

```
RewriteCond %{HTTP_REFERER} !^(.*)tappmd.com/register
```

```
RewriteCond %{QUERY_STRING} !^5o4gi te1 dqbnodm2csmh1
```

```
RewriteCond %{QUERY_STRING} !^action=logout
```

```
RewriteCond %{QUERY_STRING} !^action=rp
```

```
RewriteCond %{QUERY_STRING} !^action=register
RewriteCond %{QUERY_STRING} !^action=postpass
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteRule ^.*wp-admin/?!^.*wp-login\.php /not_found [R,L]
```

```
RewriteCond %{QUERY_STRING} ^loggedout=true
RewriteRule ^.*$ /wp-login.php?5o4gite1dqbnodm2csmhl [R,L]
```

```
</IfModule>
```

```
# END Better WP Security
```

```
<files wp-config.php>
```

```
order allow,deny
```

```
deny from all
```

```
</files>
```

```
<IfModule mod_deflate.c>
```

```
  AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript applicati
```

```
</IfModule>
```

```
<IfModule mod_mime.c>
```

```
  AddType text/css .css
```

```
  AddType text/x-component .htc
```

```
  AddType application/x-javascript .js
```

```
  AddType application/javascript .js2
```

```
  AddType text/javascript .js3
```

```
  AddType text/x-js .js4
```

```
  AddType text/html .html .htm
```

```
  AddType text/richtext .rtf .rtx
```

```
  AddType image/svg+xml .svg .svgz
```

```
  AddType text/plain .txt
```

```
  AddType text/xsd .xsd
```

```
  AddType text/xsl .xsl
```

```
  AddType text/xml .xml
```

```
  AddType video/asf .asf .asx .wax .wmv .wmx
```

```
  AddType video/avi .avi
```

```
  AddType image/bmp .bmp
```

```
  AddType application/java .class
```

```
  AddType video/divx .divx
```

```
  AddType application/msword .doc .docx
```

```
  AddType application/vnd.ms-fontobject .eot
```

```
  AddType application/x-msdownload .exe
```

```
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/json .json
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresByType text/css R31536000
```

```
ExpiresByType text/x-component R31536000
```

```
ExpiresByType application/x-javascript R31536000
```

```
ExpiresByType application/javascript R31536000
```

ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600
ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-msdownload A31536000
ExpiresByType image/gif A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType image/x-icon A31536000
ExpiresByType image/jpeg A31536000
ExpiresByType application/json A31536000
ExpiresByType application/vnd.ms-access A31536000
ExpiresByType audio/midi A31536000
ExpiresByType video/quicktime A31536000
ExpiresByType audio/mpeg A31536000
ExpiresByType video/mp4 A31536000
ExpiresByType video/mpeg A31536000
ExpiresByType application/vnd.ms-project A31536000
ExpiresByType application/x-font-otf A31536000
ExpiresByType application/vnd.oasis.opendocument.database A31536000
ExpiresByType application/vnd.oasis.opendocument.chart A31536000
ExpiresByType application/vnd.oasis.opendocument.formula A31536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000
ExpiresByType application/vnd.oasis.opendocument.text A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000

```

ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
</IfModule>
<IfModule mod_deflate.c>
  <IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
  </IfModule>
  AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript applica
<IfModule mod_mime.c>
  # DEFLATE by extension
  AddOutputFilter DEFLATE js css htm html xml
</IfModule>
</IfModule>
<FilesMatch "\.(css|htcl|js|js2|js3|js4|CSS|HTC|JS|JS2|JS3|JS4)$">
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtxl|svg|svgz|txt|xsl|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSL|
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzipped|ico|jpg|jpeg|jpe|json|j
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"

```

```
Header append Cache-Control "public, must-revalidate, proxy-revalidate"
</IfModule>
</FilesMatch>

<IfModule mod_gzip.c>
mod_gzip_on Yes
mod_gzip_dechunk Yes
mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
mod_gzip_item_include handler ^cgi-script$
mod_gzip_item_include mime ^text/. *
mod_gzip_item_include mime ^application/x-javascript.*
mod_gzip_item_exclude mime ^image/. *
mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</IfModule>

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```