

```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app.php
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    # Determine the RewriteBase automatically and set it as environment variable.
    # If you are using Apache aliases to do mass virtual hosting or installed the
    # project in a subdirectory, the base path will be prepended to allow proper
    # resolution of the app.php file and to redirect to the correct URI. It will
    # work in environments without path prefix as well, providing a safe, one-size
    # fits all solution. But as you do not need it in this case, you can comment
    # the following 2 lines to eliminate the overhead.
```

```
    RewriteCond %{REQUEST_URI}::$1 ^(/.+)/(.*):;\2$
```

```
    RewriteRule ^(.*) - [E=BASE:%1]
```

```
    # Redirect to URI without front controller to prevent duplicate content
    # (with and without `/app.php`). Only do this redirect on the initial
    # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
    # endless redirect loop (request -> rewrite to front controller ->
    # redirect -> request -> ...).
```

```
    # So in case you get a "too many redirects" error or you always get redirected
    # to the start page because your Apache does not expose the REDIRECT_STATUS
    # environment variable, you have 2 choices:
```

```
    # - disable this feature by commenting the following 2 lines or
```

```
    # - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
    # following RewriteCond (best solution)
```

```
    RewriteCond %{ENV:REDIRECT_STATUS} ^$
```

```
    RewriteRule ^app\.php(/(.*)|)$ %{ENV:BASE}/$2 [R=301,L]
```

```
    # If the requested filename exists, simply serve it.
```

```
    # We only want to let Apache serve files and not directories.
```

```
    RewriteCond %{REQUEST_FILENAME} -f
```

```
    RewriteRule .? - [L]
```

```
    # Rewrite all other queries to the front controller.
```

```
    RewriteRule !- [E=ENV:BASE:/app.php] [L]
```

```
RewriteRule .* %ENV{HOME}/app.php [L]
```

```
#Symfony
```

```
# skip "real" requests
```

```
RewriteCond %{REQUEST_FILENAME} -f
```

```
RewriteRule .* - [QSA,L]
```

```
# _wdt
```

```
RewriteCond %{REQUEST_URI} ^/_wdt/([^/]+)$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_wdt,E=_ROUTING_param_token:%1,E=_ROUTING_de
```

```
# _profiler_home
```

```
RewriteCond %{REQUEST_URI} ^/_profiler$
```

```
RewriteRule .* $0/ [QSA,L,R=301]
```

```
RewriteCond %{REQUEST_URI} ^/_profiler/$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_home,E=_ROUTING_default__control
```

```
# _profiler_search
```

```
RewriteCond %{REQUEST_URI} ^/_profiler/search$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_search,E=_ROUTING_default__control
```

```
# _profiler_search_bar
```

```
RewriteCond %{REQUEST_URI} ^/_profiler/search_bar$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_search_bar,E=_ROUTING_default__cor
```

```
# _profiler_purge
```

```
RewriteCond %{REQUEST_URI} ^/_profiler/purge$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_purge,E=_ROUTING_default__control]
```

```
# _profiler_info
```

```
RewriteCond %{REQUEST_URI} ^/_profiler/info/([^/]+)$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_info,E=_ROUTING_param_about:%1,E=
```

```
# _profiler_phpinfo
```

```
RewriteCond %{REQUEST_URI} ^/_profiler/phpinfo$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_phpinfo,E=_ROUTING_default__contr
```

```
# _profiler_search_results
```

```
RewriteCond %{REQUEST_URI} ^/_profiler/([^/]+)/search/results$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_search_results,E=_ROUTING_param_t
```

```
..
```

```

# _profiler
RewriteCond %{REQUEST_URI} ^/_profiler/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler,E=_ROUTING_param_token:%1,E=_ROUTI

# _profiler_router
RewriteCond %{REQUEST_URI} ^/_profiler/([^/]+)/router$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_router,E=_ROUTING_param_token:%1,E

# _profiler_exception
RewriteCond %{REQUEST_URI} ^/_profiler/([^/]+)/exception$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_exception,E=_ROUTING_param_token:

# _profiler_exception_css
RewriteCond %{REQUEST_URI} ^/_profiler/([^/]+)/exception\.css$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_profiler_exception_css,E=_ROUTING_param_tok

# _configurator_home
RewriteCond %{REQUEST_URI} ^/_configurator$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/_configurator/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_configurator_home,E=_ROUTING_default__contr

# _configurator_step
RewriteCond %{REQUEST_URI} ^/_configurator/step/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:_configurator_step,E=_ROUTING_param_index:%1,E=_ROUTING_default__cor

# _configurator_final
RewriteCond %{REQUEST_URI} ^/_configurator/final$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:_configurator_final,E=_ROUTING_default__cont

# homepage
RewriteCond %{REQUEST_URI} ^/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:homepage,E=_ROUTING_default__controller:Book

# nomenclador_homepage
RewriteCond %{REQUEST_URI} ^/nomencladores/hello/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:nomenclador_homepage,E=_ROUTING_param_name:%1,E=_ROUTING_default__cx

# agencia

```

```

RewriteCond %{REQUEST_URI} ^/nomencladores/agencia$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia,E=_ROUTING_default__controller: Gener

# agencia_show
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia_show,E=_ROUTING_param_id: %1,E=_ROUTI

# agencia_new
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia_new,E=_ROUTING_default__controller: (

# agencia_create
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/create$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/create$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia_create,E=_ROUTING_default__controller:

# agencia_edit
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia_edit,E=_ROUTING_param_id: %1,E=_ROUTI

# agencia_update
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/([^/]+)/update$
RewriteCond %{REQUEST_METHOD} !^(POST|PUT)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1,E=_ROUTING_allow_PUT: 1]
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/([^/]+)/update$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: agencia_update,E=_ROUTING_param_id: %1,E=_ROUTING_default__controller

# agencia_delete
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/([^/]+)/delete$
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1,E=_ROUTING_allow_DELETE: 1]
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/([^/]+)/delete$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: agencia_delete,E=_ROUTING_param_id: %1,E=_ROUTING_default__controller

# ajax_agencia_listar

```

```

RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/ajax/agencia/listar$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_agencia_listar,E=_ROUTING_default__cont

# agencia_ajax_add
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/ajax/agencia/add$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia_ajax_add,E=_ROUTING_default__control

# agencia_ajax_edit
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/ajax/agencia/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia_ajax_edit,E=_ROUTING_default__control

# agencia_ajax_delete
RewriteCond %{REQUEST_URI} ^/nomencladores/agencia/ajax/agencia/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: agencia_ajax_delete,E=_ROUTING_default__cont

# tipoactividad
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipoactividad,E=_ROUTING_default__controller

# tipoactividad_show
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/([^/]+)/show$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: tipoactividad_show,E=_ROUTING_param_id: %1,E=_ROUTING_default__control

# tipoactividad_new
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipoactividad_new,E=_ROUTING_default__control

# tipoactividad_create
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/create$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/create$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipoactividad_create,E=_ROUTING_default__cor

# tipoactividad_edit
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/([^/]+)/edit$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: tipoactividad_edit,E=_ROUTING_param_id: %1,E=_ROUTING_default__control

```

### *# tipoactividad\_update*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/([^/]+)/update$
```

```
RewriteCond %{REQUEST_METHOD} !^(POST|PUT)$ [NC]
```

```
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1,E=_ROUTING_allow_PUT:1]
```

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/([^/]+)/update$
```

```
RewriteRule .* app.php
```

```
[QSA,L,E=_ROUTING_route:tipoactividad_update,E=_ROUTING_param_id:%1,E=_ROUTING_default__cont
```

### *# tipoactividad\_delete*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/([^/]+)/delete$
```

```
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]
```

```
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1,E=_ROUTING_allow_DELETE:1]
```

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/([^/]+)/delete$
```

```
RewriteRule .* app.php
```

```
[QSA,L,E=_ROUTING_route:tipoactividad_delete,E=_ROUTING_param_id:%1,E=_ROUTING_default__cont
```

### *# tipoactividad\_ajax\_listar*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/ajax/agencia/listar$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:tipoactividad_ajax_listar,E=_ROUTING_default__cont
```

### *# tipoactividad\_ajax\_add*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/ajax/agencia/add$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:tipoactividad_ajax_add,E=_ROUTING_default__cont
```

### *# tipoactividad\_ajax\_edit*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/ajax/agencia/edit$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:tipoactividad_ajax_edit,E=_ROUTING_default__cont
```

### *# tipoactividad\_ajax\_delete*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipoactividad/ajax/agencia/delete$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:tipoactividad_ajax_delete,E=_ROUTING_default__cont
```

### *# tipohab*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab$
```

```
RewriteRule .* $0/ [QSA,L,R=301]
```

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:tipohab,E=_ROUTING_default__controller:Gener
```

### *# tipohab\_show*

```
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/([^/]+)/show$
```

```

RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipohab_show,E=_ROUTING_param_id: %1,E=_ROUTI

# tipohab_new
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipohab_new,E=_ROUTING_default__controller: (

# tipohab_create
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/create$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/create$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipohab_create,E=_ROUTING_default__controller: (

# tipohab_edit
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipohab_edit,E=_ROUTING_param_id: %1,E=_ROUTI

# tipohab_update
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/([^/]+)/update$
RewriteCond %{REQUEST_METHOD} !^(POST|PUT)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1,E=_ROUTING_allow_PUT: 1]
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/([^/]+)/update$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: tipohab_update,E=_ROUTING_param_id: %1,E=_ROUTING_default__controller

# tipohab_delete
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/([^/]+)/delete$
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1,E=_ROUTING_allow_DELETE: 1]
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/([^/]+)/delete$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: tipohab_delete,E=_ROUTING_param_id: %1,E=_ROUTING_default__controller

# ajax_tipohab_listar
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/ajax/agencia/listar$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_tipohab_listar,E=_ROUTING_default__cont

# tipohab_ajax_add
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/ajax/tipohab/add$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: tipohab_ajax_add,E=_ROUTING_default__control

```

```
# tipohab_ajax_edit
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/ajax/tipohab/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:tipohab_ajax_edit,E=_ROUTING_default__control]

# tipohab_ajax_delete
RewriteCond %{REQUEST_URI} ^/nomencladores/tipohab/ajax/tipohab/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:tipohab_ajax_delete,E=_ROUTING_default__control]

# report_homepage
RewriteCond %{REQUEST_URI} ^/reportes/hello/([^/]+)$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_homepage,E=_ROUTING_param_name:%1,E=_ROUTING_default__control]

# report_facturastour
RewriteCond %{REQUEST_URI} ^/reportes/facturasTour$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_facturastour,E=_ROUTING_default__control]

# report_listReserv
RewriteCond %{REQUEST_URI} ^/reportes/listReserv$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_listReserv,E=_ROUTING_default__control]

# report_facturasTour_view
RewriteCond %{REQUEST_URI} ^/reportes/viewFacturasTour$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_facturasTour_view,E=_ROUTING_default__control]

# report_listReserv_view
RewriteCond %{REQUEST_URI} ^/reportes/viewListReserv$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_listReserv_view,E=_ROUTING_default__control]

# report_facturastour_pdf
RewriteCond %{REQUEST_URI} ^/reportes/viewFacturasTour/pdf$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_facturastour_pdf,E=_ROUTING_default__control]

# report_listReserv_pdf
RewriteCond %{REQUEST_URI} ^/reportes/viewListReserv/pdf$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_listReserv_pdf,E=_ROUTING_default__control]

# report_options
RewriteCond %{REQUEST_URI} ^/reportes/options/export$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:report_options,E=_ROUTING_default__control]

# report_options_dauseek
```



```

# report_options_dayseek
RewriteCond %{REQUEST_URI} ^/reportes/options/dat$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: report_options_dayseek,E=_ROUTING_default__c

# report_options_book_house
RewriteCond %{REQUEST_URI} ^/reportes/options/book/house$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: report_options_book_house,E=_ROUTING_defaul

# report_options_book_month_pdf
RewriteCond %{REQUEST_URI} ^/reportes/options/book/month/([^/]+)/pdf$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: report_options_book_month_pdf,E=_ROUTING_param_mes: %1,E=_ROUTING_def

# report_options_book_house_month
RewriteCond %{REQUEST_URI} ^/reportes/options/book/month$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: report_options_book_house_month,E=_ROUTING_c

# report_options_tour_house_month
RewriteCond %{REQUEST_URI} ^/reportes/options/tour/month$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: report_options_tour_house_month,E=_ROUTING_default__controller: Booki

# report_custom_invoice
RewriteCond %{REQUEST_URI} ^/reportes/invoice/custom/booking$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: report_custom_invoice,E=_ROUTING_default__c

# report_custom_invoice_pdf
RewriteCond %{REQUEST_URI} ^/reportes/invoice/([^/]+)/custom/booking/pdf$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: report_custom_invoice_pdf,E=_ROUTING_param_id: %1,E=_ROUTING_defaul

# casa
RewriteCond %{REQUEST_URI} ^/booking/casa$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/booking/casa/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: casa,E=_ROUTING_default__controller: Booking`

# casa_show
RewriteCond %{REQUEST_URI} ^/booking/casa/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: casa_show,E=_ROUTING_param_id: %1,E=_ROUTING

# casa_new

```

```

# casa_new
RewriteCond %{REQUEST_URI} ^/booking/casa/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: casa_new,E=_ROUTING_default__controller: Book

# casa_create
RewriteCond %{REQUEST_URI} ^/booking/casa/create$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/booking/casa/create$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: casa_create,E=_ROUTING_default__controller: B

# casa_edit
RewriteCond %{REQUEST_URI} ^/booking/casa/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: casa_edit,E=_ROUTING_param_id: %1,E=_ROUTING

# casa_update
RewriteCond %{REQUEST_URI} ^/booking/casa/([^/]+)/update$
RewriteCond %{REQUEST_METHOD} !^(POST|PUT)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1,E=_ROUTING_allow_PUT: 1]
RewriteCond %{REQUEST_URI} ^/booking/casa/([^/]+)/update$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: casa_update,E=_ROUTING_param_id: %1,E=_ROUTIT

# casa_delete
RewriteCond %{REQUEST_URI} ^/booking/casa/delete/issue$
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1,E=_ROUTING_allow_DELETE: 1]
RewriteCond %{REQUEST_URI} ^/booking/casa/delete/issue$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: casa_delete,E=_ROUTING_default__controller: B

# ajax_casa_listar
RewriteCond %{REQUEST_URI} ^/booking/casa/listar$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_casa_listar,E=_ROUTING_default__control

# ajax_form
RewriteCond %{REQUEST_URI} ^/booking/casa/form/fetch$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_form,E=_ROUTING_default__controller: Book

# ajax_tabs
RewriteCond %{REQUEST_URI} ^/booking/casa/tabs/serve$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_tabs,E=_ROUTING_default__controller: Book

# ajax_tabs

```

```

# ajax_type
RewriteCond %{REQUEST_URI} ^/booking/casa/hab/type$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_type,E=_ROUTING_default__controller: Book

# ajax_habsByhouse
RewriteCond %{REQUEST_URI} ^/booking/casa/habs/by/house$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_habsByhouse,E=_ROUTING_default__control

# ajax_room_add
RewriteCond %{REQUEST_URI} ^/booking/casa/ajax/room/add$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_room_add,E=_ROUTING_default__controller

# ajax_room_delete
RewriteCond %{REQUEST_URI} ^/booking/casa/ajax/room/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_room_delete,E=_ROUTING_default__control

# cliente
RewriteCond %{REQUEST_URI} ^/booking/cliente$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/booking/cliente/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: cliente,E=_ROUTING_default__controller: Booki

# cliente_show
RewriteCond %{REQUEST_URI} ^/booking/cliente/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: cliente_show,E=_ROUTING_param_id: %1,E=_ROUTI

# cliente_new
RewriteCond %{REQUEST_URI} ^/booking/cliente/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: cliente_new,E=_ROUTING_default__controller: E

# cliente_create
RewriteCond %{REQUEST_URI} ^/booking/cliente/create$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/booking/cliente/create$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: cliente_create,E=_ROUTING_default__controlle

# cliente_edit
RewriteCond %{REQUEST_URI} ^/booking/cliente/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: cliente_edit,E=_ROUTING_param_id: %1,E=_ROUTI

```

```

# cliente_update
RewriteCond %{REQUEST_URI} ^/booking/cliente/([^/]+)/update$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1]
RewriteCond %{REQUEST_URI} ^/booking/cliente/([^/]+)/update$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:cliente_update,E=_ROUTING_param_id:%1,E=RO

# cliente_delete
RewriteCond %{REQUEST_URI} ^/booking/cliente/([^/]+)/delete$
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1,E=_ROUTING_allow_DELETE:1]
RewriteCond %{REQUEST_URI} ^/booking/cliente/([^/]+)/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:cliente_delete,E=_ROUTING_param_id:%1,E=RO

# ajax_cliente_listar
RewriteCond %{REQUEST_URI} ^/booking/cliente/ajax/agencia/listar$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:ajax_cliente_listar,E=_ROUTING_default__cont

# cliente_ajax_add
RewriteCond %{REQUEST_URI} ^/booking/cliente/ajax/cliente/add$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:cliente_ajax_add,E=_ROUTING_default__control

# cliente_ajax_edit
RewriteCond %{REQUEST_URI} ^/booking/cliente/ajax/cliente/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:cliente_ajax_edit,E=_ROUTING_default__contr

# cliente_ajax_delete
RewriteCond %{REQUEST_URI} ^/booking/cliente/ajax/cliente/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:cliente_ajax_delete,E=_ROUTING_default__cont

# cliente_edit_form
RewriteCond %{REQUEST_URI} ^/booking/cliente/editar/form/cliente$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:cliente_edit_form,E=_ROUTING_default__contr

# ajax_habitacion_listar
RewriteCond %{REQUEST_URI} ^/booking/habitacion/ajax/habitacion$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:ajax_habitacion_listar,E=_ROUTING_default__c

# habitacion
RewriteCond %{REQUEST_URI} ^/booking/habitacion$
RewriteRule .* $0/ [QSA,L,R=301]

```

```
RewriteCond %{REQUEST_URI} ^/booking/habitacion/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: habitacion,E=_ROUTING_default__controller: Bk

# habitacion_crear
RewriteCond %{REQUEST_URI} ^/booking/habitacion/adiccionar/habitacion$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/booking/habitacion/adiccionar/habitacion$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: habitacion_crear,E=_ROUTING_default__control

# habitacion_edit
RewriteCond %{REQUEST_URI} ^/booking/habitacion/editar/habitacion$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: habitacion_edit,E=_ROUTING_default__control

# habitacion_actualizar
RewriteCond %{REQUEST_URI} ^/booking/habitacion/actualizar/([^/]+)/habitacion$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: habitacion_actualizar,E=_ROUTING_param_id: %1,E=_ROUTING_default__cor

# habitacion_delete
RewriteCond %{REQUEST_URI} ^/booking/habitacion/eliminar/habitacion$
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1,E=_ROUTING_allow_DELETE: 1]
RewriteCond %{REQUEST_URI} ^/booking/habitacion/eliminar/habitacion$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: habitacion_delete,E=_ROUTING_default__contr

# reservacion_index
RewriteCond %{REQUEST_URI} ^/booking/reservacion/index$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: reservacion_index,E=_ROUTING_default__contr

# reservacion_crear
RewriteCond %{REQUEST_URI} ^/booking/reservacion/crear$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: reservacion_crear,E=_ROUTING_default__contr

# reservacion_editar
RewriteCond %{REQUEST_URI} ^/booking/reservacion/editar$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: reservacion_editar,E=_ROUTING_default__contr

# reservacion_actualizar
RewriteCond %{REQUEST_URI} ^/booking/reservacion/([^/]+)/actualizar$
RewriteRule .* app.php
```

```

[QSA, L, E=_ROUTING_route: reservacion_actualizar, E=_ROUTING_param_id: %1, E=_ROUTING_default__co

# reservacion_cancelar
RewriteCond %(REQUEST_URI) ^/booking/reservacion/cancelar$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: reservacion_cancelar, E=_ROUTING_default__co

# reservacion_listar
RewriteCond %(REQUEST_URI) ^/booking/reservacion/listar$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: reservacion_listar, E=_ROUTING_default__cont

# reservacion_mostrar
RewriteCond %(REQUEST_URI) ^/booking/reservacion/mostrar$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: reservacion_mostrar, E=_ROUTING_default__cont

# reservacion_casas_disponibles
RewriteCond %(REQUEST_URI) ^/booking/reservacion/casas_disponibles$
RewriteRule .* app.php
[QSA, L, E=_ROUTING_route: reservacion_casas_disponibles, E=_ROUTING_default__controller: Booking

# reservacion_associate
RewriteCond %(REQUEST_URI) ^/booking/reservacion/associate/activity$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: reservacion_associate, E=_ROUTING_default__co

# reservacion_activity_form
RewriteCond %(REQUEST_URI) ^/booking/reservacion/activity/custom/form$
RewriteRule .* app.php
[QSA, L, E=_ROUTING_route: reservacion_activity_form, E=_ROUTING_default__controller: Booking\\Bx

# propietario
RewriteCond %(REQUEST_URI) ^/booking/propietario$
RewriteRule .* %0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/booking/propietario/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: propietario, E=_ROUTING_default__controller: {

# propietario_show
RewriteCond %(REQUEST_URI) ^/booking/propietario/([^/]+)/show$
RewriteRule .* app.php
[QSA, L, E=_ROUTING_route: propietario_show, E=_ROUTING_param_id: %1, E=_ROUTING_default__control]

# propietario_new
RewriteCond %(REQUEST_URI) ^/booking/propietario/new$

```

```

RewriteRule .* app.php [QSA,L,E=_ROUTING_route: propietario_new,E=_ROUTING_default__control]

# propietario_create
RewriteCond %{REQUEST_URI} ^/booking/propietario/create$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1]
RewriteCond %{REQUEST_URI} ^/booking/propietario/create$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: propietario_create,E=_ROUTING_default__control]

# propietario_edit
RewriteCond %{REQUEST_URI} ^/booking/propietario/([^/]+)/edit$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: propietario_edit,E=_ROUTING_param_id: %1,E=_ROUTING_default__control]

# propietario_update
RewriteCond %{REQUEST_URI} ^/booking/propietario/([^/]+)/update$
RewriteCond %{REQUEST_METHOD} !^(POST|PUT)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1,E=_ROUTING_allow_PUT:1]
RewriteCond %{REQUEST_URI} ^/booking/propietario/([^/]+)/update$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: propietario_update,E=_ROUTING_param_id: %1,E=_ROUTING_default__control]

# propietario_delete
RewriteCond %{REQUEST_URI} ^/booking/propietario/([^/]+)/delete$
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1,E=_ROUTING_allow_DELETE:1]
RewriteCond %{REQUEST_URI} ^/booking/propietario/([^/]+)/delete$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: propietario_delete,E=_ROUTING_param_id: %1,E=_ROUTING_default__control]

# ajax_propietario_listar
RewriteCond %{REQUEST_URI} ^/booking/propietario/ajax/agencia/listar$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: ajax_propietario_listar,E=_ROUTING_default__control]

# propietario_ajax_add
RewriteCond %{REQUEST_URI} ^/booking/propietario/ajax/propietario/add$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: propietario_ajax_add,E=_ROUTING_default__control]

# propietario_ajax_edit
RewriteCond %{REQUEST_URI} ^/booking/propietario/ajax/propietario/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: propietario_ajax_edit,E=_ROUTING_default__control]

```

```

# propietario_ajax_delete
RewriteCond %{REQUEST_URI} ^/booking/propietario/ajax/propietario/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: propietario_ajax_delete,E=_ROUTING_default__

# actividad
RewriteCond %{REQUEST_URI} ^/booking/actividad$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/booking/actividad/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: actividad,E=_ROUTING_default__controller: Box

# actividad_show
RewriteCond %{REQUEST_URI} ^/booking/actividad/([^/]+)/show$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: actividad_show,E=_ROUTING_param_id: %1,E=_ROU

# actividad_new
RewriteCond %{REQUEST_URI} ^/booking/actividad/new$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: actividad_new,E=_ROUTING_default__controller

# actividad_create
RewriteCond %{REQUEST_URI} ^/booking/actividad/create$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/booking/actividad/create$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: actividad_create,E=_ROUTING_default__control

# actividad_edit
RewriteCond %{REQUEST_URI} ^/booking/actividad/([^/]+)/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: actividad_edit,E=_ROUTING_param_id: %1,E=_ROU

# actividad_update
RewriteCond %{REQUEST_URI} ^/booking/actividad/([^/]+)/update$
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST: 1]
RewriteCond %{REQUEST_URI} ^/booking/actividad/([^/]+)/update$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: actividad_update,E=_ROUTING_param_id: %1,E=_ROUTING_default__control

# actividad_delete
RewriteCond %{REQUEST_URI} ^/booking/actividad/delete$
RewriteCond %{REQUEST_METHOD} !^(POST|DELETE)$ [NC]

```



```

RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1,E=_ROUTING_allow_DELETE:1]
RewriteCond %(REQUEST_URI) ^/booking/actividad/delete$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:actividad_delete,E=_ROUTING_default__control

# actividad_listar
RewriteCond %(REQUEST_URI) ^/booking/actividad/listar$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:actividad_listar,E=_ROUTING_default__control

# actividad_new_form
RewriteCond %(REQUEST_URI) ^/booking/actividad/nueva/form$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:actividad_new_form,E=_ROUTING_default__control

# actividad_edit_form
RewriteCond %(REQUEST_URI) ^/booking/actividad/editar/form$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:actividad_edit_form,E=_ROUTING_default__control

# actividad_closest
RewriteCond %(REQUEST_URI) ^/booking/actividad/activity/closest$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:actividad_closest,E=_ROUTING_default__control

# fos_user_security_login
RewriteCond %(REQUEST_URI) ^/login$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:fos_user_security_login,E=_ROUTING_default__control

# fos_user_security_check
RewriteCond %(REQUEST_URI) ^/login_check$
RewriteCond %(REQUEST_METHOD) !^(POST)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_POST:1]
RewriteCond %(REQUEST_URI) ^/login_check$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:fos_user_security_check,E=_ROUTING_default__control

# fos_user_security_logout
RewriteCond %(REQUEST_URI) ^/logout$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:fos_user_security_logout,E=_ROUTING_default__control

# fos_user_profile_show
RewriteCond %(REQUEST_URI) ^/profile/$
RewriteCond %(REQUEST_METHOD) !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=2,E=_ROUTING_allow_GET:1,E=_ROUTING_allow_HEAD:1]
RewriteCond %(REQUEST_URI) ^/profile$
RewriteRule .* $0/ [QSA,L,R=301]

```

```

RewriteCond %{REQUEST_URI} ^/profile/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: fos_user_profile_show,E=_ROUTING_default__c

# fos_user_profile_edit
RewriteCond %{REQUEST_URI} ^/profile/edit$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: fos_user_profile_edit,E=_ROUTING_default__c

# fos_user_registration_register
RewriteCond %{REQUEST_URI} ^/register$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %{REQUEST_URI} ^/register/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: fos_user_registration_register,E=_ROUTING_d

# fos_user_registration_check_email
RewriteCond %{REQUEST_URI} ^/register/check\-email$
RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_GET: 1,E=_ROUTING_allow_HEAD: 1]
RewriteCond %{REQUEST_URI} ^/register/check\-email$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: fos_user_registration_check_email,E=_ROUTING

# fos_user_registration_confirm
RewriteCond %{REQUEST_URI} ^/register/confirm/([^/]+)$
RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_GET: 1,E=_ROUTING_allow_HEAD: 1]
RewriteCond %{REQUEST_URI} ^/register/confirm/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route: fos_user_registration_confirm,E=_ROUTING_param_token: %1,E=_ROUTING_c

# fos_user_registration_confirmed
RewriteCond %{REQUEST_URI} ^/register/confirmed$
RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_GET: 1,E=_ROUTING_allow_HEAD: 1]
RewriteCond %{REQUEST_URI} ^/register/confirmed$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: fos_user_registration_confirmed,E=_ROUTING_c

# fos_user_resetting_request
RewriteCond %{REQUEST_URI} ^/resetting/request$
RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [NC]
RewriteRule .* - [S=1,E=_ROUTING_allow_GET: 1,E=_ROUTING_allow_HEAD: 1]
RewriteCond %{REQUEST_URI} ^/resetting/request$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route: fos_user_resetting_request,E=_ROUTING_default__c

```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__allow_POST:1,E=_ROUTING__allow_PUT:1,E=_ROUTING__allow_DELETE:1,E=_ROUTING__allow_GET:1]
```

```
# fos_user_resetting_send_email
```

```
RewriteCond %{REQUEST_URI} ^/resetting/send\-email$
```

```
RewriteCond %{REQUEST_METHOD} !^(POST)$ [NC]
```

```
RewriteRule .* - [S=1,E=_ROUTING__allow_POST:1]
```

```
RewriteCond %{REQUEST_URI} ^/resetting/send\-email$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:fos_user_resetting_send_email,E=_ROUTING__default:1]
```

```
# fos_user_resetting_check_email
```

```
RewriteCond %{REQUEST_URI} ^/resetting/check\-email$
```

```
RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [NC]
```

```
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_HEAD:1]
```

```
RewriteCond %{REQUEST_URI} ^/resetting/check\-email$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:fos_user_resetting_check_email,E=_ROUTING__default:1]
```

```
# fos_user_resetting_reset
```

```
RewriteCond %{REQUEST_URI} ^/resetting/reset/([^\./]+)$
```

```
RewriteCond %{REQUEST_METHOD} !^(GET|POST|HEAD)$ [NC]
```

```
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_POST:1,E=_ROUTING__allow_HEAD:1]
```

```
RewriteCond %{REQUEST_URI} ^/resetting/reset/([^\./]+)$
```

```
RewriteRule .* app.php
```

```
[QSA,L,E=_ROUTING__route:fos_user_resetting_reset,E=_ROUTING__param_token:%1,E=_ROUTING__default:1]
```

```
# fos_user_change_password
```

```
RewriteCond %{REQUEST_URI} ^/profile/change\-password$
```

```
RewriteCond %{REQUEST_METHOD} !^(GET|POST|HEAD)$ [NC]
```

```
RewriteRule .* - [S=1,E=_ROUTING__allow_GET:1,E=_ROUTING__allow_POST:1,E=_ROUTING__allow_HEAD:1]
```

```
RewriteCond %{REQUEST_URI} ^/profile/change\-password$
```

```
RewriteRule .* app.php [QSA,L,E=_ROUTING__route:fos_user_change_password,E=_ROUTING__default:1]
```

```
# fos_js_routing_js
```

```
RewriteCond %{REQUEST_URI} ^/js/routing(?:\.(\.json))?$
```

```
RewriteRule .* app.php
```

```
[QSA,L,E=_ROUTING__route:fos_js_routing_js,E=_ROUTING__param__format:%1,E=_ROUTING__default__content_type:application/javascript]
```

```
# 405 Method Not Allowed
```

```
RewriteCond %{ENV:_ROUTING__allow_POST} =1 [OR]
```

```
RewriteCond %{ENV:_ROUTING__allow_PUT} =1 [OR]
```

```
RewriteCond %{ENV:_ROUTING__allow_DELETE} =1 [OR]
```

```
RewriteCond %{ENV:_ROUTING__allow_GET} =1 [OR]
```

```
RewriteRule .* - [S=1,E=_ROUTING__allow_POST:1,E=_ROUTING__allow_PUT:1,E=_ROUTING__allow_DELETE:1,E=_ROUTING__allow_GET:1]
```

```
RewriteCond %{ENV:_ROUTING__ALLOW_HEADERS} =1
```

```
RewriteRule .* app.php [QSA,L]
```

```
#End Symfony
```

```
</IfModule>
```

```
<IfModule !mod_rewrite.c>
```

```
  <IfModule mod_alias.c>
```

```
    # When mod_rewrite is not available, we instruct a temporary redirect of  
    # the start page to the front controller explicitly so that the website  
    # and the generated links can still be used.
```

```
    RedirectMatch 302 ^/$ /app.php/
```

```
    # RedirectTemp cannot be used instead
```

```
  </IfModule>
```

```
</IfModule>
```