

```
# This file is part of BotQueue.
#
# BotQueue is free software: you can redistribute it and/or modify
# it under the terms of the GNU General Public License as published by
# the Free Software Foundation, either version 3 of the License, or
# (at your option) any later version.
#
# BotQueue is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
# GNU General Public License for more details.
#
# You should have received a copy of the GNU General Public License
# along with BotQueue. If not, see <http://www.gnu.org/licenses/>.
```

```
#setup our site configuration
```

```
Options -Indexes
```

```
DirectoryIndex dispatcher.php
```

```
RewriteEngine on
```

```
#does it exist?
```

```
RewriteCond %{REQUEST_FILENAME} -f
```

```
RewriteRule ^(.*)$ $1 [NC,L]
```

```
#this brings the site down
```

```
#RewriteCond %{REQUEST_URI} !^/admin
```

```
#RewriteCond %{REQUEST_URI} !^/ajax/admin
```

```
#RewriteRule (.*) down.html [NC,L]
```

```
#Secure our cookies a little better
```

```
php_flag session.cookie_httponly on
```

```
# make php handle local uploads up to 500M
```

```
php_value upload_max_filesize 500M
```

```
php_value post_max_size 500M
```

```
php_value memory_limit 512M
```

```
#ajax rule!
```

```
#RewriteRule ^ajax/([_a-zA-Z0-9]+)/([_a-zA-Z0-9]+)$ dispatcher.php?
```

```
mode=ajax&controller=$1&view=$2 [NC,L]
```

Dashboard ajax and templates

```
RewriteRule ^ajax/main/dashboard$ di spatcher. php?
mode=ajax&controller=main&view=dashboard_data [NC, L]
RewriteRule
^ajax/main/dashboard/style/(list|large_thumbnails|medium_thumbnails|small_thumbnails)
di spatcher. php?mode=ajax&controller=main&view=dashboard_style&style=$1 [NC, L]
RewriteRule ^ajax/queue/update_sort$ di spatcher. php?
mode=ajax&controller=queue&view=update_sort [NC, L]
RewriteRule ^ajax/bot/slice_config_select$ di spatcher. php?
mode=ajax&controller=bot_edit&view=slice_config_select [NC, L]
```

#random stuff

```
RewriteRule ^$ di spatcher. php?controller=main&view=home [NC, L]
RewriteRule ^home$ di spatcher. php?controller=user&view=home [NC, L]
RewriteRule ^about$ di spatcher. php?controller=main&view=about [NC, L]
RewriteRule ^activity(/page: ([0-9]+))?$ di spatcher. php?
controller=main&view=activity&page=$2 [NC, L]
```

#user login action

```
RewriteRule ^login$ di spatcher. php?controller=user&view=loginandregister [NC, L]
RewriteRule ^login/([A-Za-z0-9+/=]+)$ di spatcher. php?
controller=user&view=loginandregister&payload=$1 [NC, L]
RewriteRule ^token/([A-Za-z0-9+/=]+)$ di spatcher. php?
controller=user&view=loginandregister&token=$1 [NC, L]
RewriteRule ^logout$ di spatcher. php?controller=auth&view=logout [NC, L]
RewriteRule ^forgotpass$ di spatcher. php?controller=auth&view=forgotpass [NC, L]
RewriteRule ^register$ di spatcher. php?controller=user&view=loginandregister [NC, L]
RewriteRule ^preferences$ di spatcher. php?controller=user&view=preferences [NC, L]
```

#admin area

```
RewriteRule ^admin$ di spatcher. php?controller=admin&view=home
[NC, L]
```

#Local file storage

```
RewriteRule ^local$ di spatcher. php?controller=file&view=local
[NC, L]
RewriteRule ^local/(.*)$ di spatcher. php?
controller=file&view=download&id=$1 [NC, L]
```

#queue stuff.

```
RewriteRule ^queue/([A-Za-z0-9+/=]+)$ di spatcher. php?controller=queue&view=$1 [NC, L]
```

```

RewriteRule ^queues(/page: ([0-9]+))?$                di_dispatcher.php?
controller=queue&view=home&page=$2 [NC, L]

RewriteRule ^queue/create$                            di_dispatcher.php?
controller=queue&view=create [NC, L]

RewriteRule ^queue: ([0-9]+)$                          di_dispatcher.php?
controller=queue&view=view&id=$1 [NC, L]

RewriteRule ^queue: ([0-9]+)/empty$                   di_dispatcher.php?
controller=queue&view=flush&id=$1 [NC, L]

RewriteRule ^queue: ([0-9]+)/edit$                    di_dispatcher.php?
controller=queue&view=edit&id=$1 [NC, L]

RewriteRule ^queue: ([0-9]+)/delete$                  di_dispatcher.php?
controller=queue&view=delete&id=$1 [NC, L]

RewriteRule ^queue: ([0-9]+)/jobs/(available|taken|qal|failure|complete)(/page: ([0-9]+))?$
di_dispatcher.php?controller=queue&view=listjobs&id=$1&status=$2&page=$4 [NC, L]

#uploader
RewriteRule ^upload$                                  di_dispatcher.php?controller=upload&view=home
[NC, L]
RewriteRule ^upload/url$                              di_dispatcher.php?controller=upload&view=url
[NC, L, QSA]
RewriteRule ^upload/success$                          di_dispatcher.php?
controller=upload&view=success [NC, L, QSA]

#bot stuff.
RewriteRule ^bots(/page: ([0-9]+))?$                 di_dispatcher.php?
controller=bot&view=home&page=$2 [NC, L]
RewriteRule ^bots/live$                              di_dispatcher.php?controller=bot&view=live
[NC, L]
RewriteRule ^bot/register$                            di_dispatcher.php?
controller=bot&view=register [NC, L]
RewriteRule ^bot: ([0-9]+)$                           di_dispatcher.php?
controller=bot&view=view&id=$1 [NC, L]
RewriteRule ^bot: ([0-9]+)/driverform:(dummy|printcore|s3g)/token: ([0-9]+)$
di_dispatcher.php?controller=bot_edit&mode=ajax&view=driver_form&id=$1&driver=$2&token_id=$3
[NC, L]
RewriteRule ^bot: ([0-9]+)/setstatus/(idle|offline)$ di_dispatcher.php?
controller=bot&view=set_status&id=$1&status=$2 [NC, L]
RewriteRule ^bot: ([0-9]+)/edit$                      di_dispatcher.php?
controller=bot_edit&view=edit&id=$1 [NC, L]
RewriteRule ^bot: ([0-9]+)/edit/setup$               di_dispatcher.php?
controller=bot_edit&view=edit&id=$1&setup=true [NC, L]

```

```

RewriteRule ^bot: ([0-9]+)/delete$ di spatcher. php?
controller=bot&view=delete&id=$1 [NC, L]
RewriteRule ^bot: ([0-9]+)/dropjob$ di spatcher. php?
controller=bot&view=dropjob&id=$1 [NC, L]
RewriteRule ^bot: ([0-9]+)/error$ di spatcher. php?
controller=bot&view=error&id=$1 [NC, L]
RewriteRule ^bot: ([0-9]+)/jobs(/page: ([0-9]+))?$ di spatcher. php?
controller=bot&view=listjobs&id=$1&page=$3 [NC, L]
RewriteRule ^bot: ([0-9]+)/play$ di spatcher. php?
controller=bot&view=play&id=$1 [NC, L]
RewriteRule ^bot: ([0-9]+)/pause$ di spatcher. php?
controller=bot&view=pause&id=$1 [NC, L]
RewriteRule ^bot: ([0-9]+)/retire$ di spatcher. php?
controller=bot&view=retire&id=$1

#jobs stuff.
RewriteRule ^jobs$ di spatcher. php?controller=job&view=home [NC, L]
RewriteRule ^jobs/pretty$ di spatcher. php?controller=job&view=pretty
[NC, L]
RewriteRule ^jobs/(available|taken|failure|complete)(/page: ([0-9]+))?$
di spatcher. php?controller=job&view=listjobs&status=$1&page=$3 [NC, L]
RewriteRule ^job: ([0-9]+)$ di spatcher. php?
controller=job&view=view&id=$1 [NC, L]
RewriteRule ^job: ([0-9]+)/edit$ di spatcher. php?
controller=job&view=edit&id=$1 [NC, L]
RewriteRule ^job: ([0-9]+)/delete$ di spatcher. php?
controller=job&view=delete&id=$1 [NC, L]
RewriteRule ^job: ([0-9]+)/cancel$ di spatcher. php?
controller=job&view=cancel&id=$1 [NC, L]
RewriteRule ^job: ([0-9]+)/qa$ di spatcher. php?
controller=job&view=qa&id=$1 [NC, L]
RewriteRule ^job: ([0-9]+)/qa/pass$ di spatcher. php?
controller=job&view=qa_pass&id=$1 [NC, L]
RewriteRule ^job: ([0-9]+)/qa/fail$ di spatcher. php?
controller=job&view=qa_fail&id=$1 [NC, L]
RewriteRule ^job: ([0-9]+)/bump$ di spatcher. php?
controller=job&view=bump&id=$1 [NC, L]
RewriteRule ^job/create/file: ([0-9]+)$ di spatcher. php?
controller=job&view=create&file_id=$1 [NC, L]
RewriteRule ^job/create/job: ([0-9]+)$ di spatcher. php?
controller=job&view=create&job_id=$1 [NC, L]

```

#file stuff

```
RewriteRule ^file:([0-9]+)$ di spatcher.php?  
controller=job&view=file&id=$1 [NC, L]  
RewriteRule ^file:([0-9]+)/jobs(/page:([0-9]+))?$ di spatcher.php?  
controller=job&view=file_jobs&id=$1&page=$3 [NC, L]  
RewriteRule ^file:([0-9]+)/render$ di spatcher.php?  
mode=ajax&controller=job&view=render_frame&id=$1 [NC, L, QSA]  
RewriteRule ^passthru:([0-9]+)$ di spatcher.php?  
controller=job&view=passthru&id=$1 [NC, L]
```

#help stuff.

```
RewriteRule ^help$ di spatcher.php?controller=help&view=home [NC, L]  
RewriteRule ^help/raspberry-pi-installation$ di spatcher.php?  
controller=help&view=raspberry_pi_installation [NC, L]
```

#shortcode parsing

```
RewriteRule ^shortcode/([0-9a-zA-Z]+)?$ di spatcher.php?  
controller=main&view=shortcode&code=$1 [NC, L]
```

#apps stuff.

```
RewriteRule ^apps$ di spatcher.php?controller=app&view=home  
[NC, L]  
RewriteRule ^app/register$ di spatcher.php?  
controller=app&view=register_app [NC, L]  
RewriteRule ^app:([0-9]+)$ di spatcher.php?  
controller=app&view=view_app&app_id=$1 [NC, L]  
RewriteRule ^app:([0-9]+)/edit$ di spatcher.php?  
controller=app&view=edit_app&app_id=$1 [NC, L]  
RewriteRule ^app:([0-9]+)/delete$ di spatcher.php?  
controller=app&view=delete_app&app_id=$1 [NC, L]  
RewriteRule ^app/authorize$ di spatcher.php?  
controller=app&view=authorize_app [NC, L, QSA]  
RewriteRule ^app/token:([0-9]+)$ di spatcher.php?  
controller=app&view=view_token&id=$1 [NC, L]  
RewriteRule ^app/token:([0-9]+)/edit$ di spatcher.php?  
controller=app&view=edit_token&id=$1 [NC, L]  
RewriteRule ^app/token:([0-9]+)/revoke$ di spatcher.php?  
controller=app&view=revoke_app&id=$1 [NC, L]
```

#slicer stuff.

```

RewriteRule ^slicers$                               di spatcher. php?
controller=slicer&view=home [NC, L]
RewriteRule ^slicer/create$                          di spatcher. php?
controller=slicer&view=create [NC, L]
RewriteRule ^slicer/import$                          di spatcher. php?
controller=slicer&view=import [NC, L]
RewriteRule ^slicer/createconfig$                   di spatcher. php?
controller=slicer&view=config_create [NC, L]
RewriteRule ^slicer: ([0-9]+)$                       di spatcher. php?
controller=slicer&view=view&id=$1 [NC, L]
RewriteRule ^slicer: ([0-9]+)/edit$                 di spatcher. php?
controller=slicer&view=edit&id=$1 [NC, L]
RewriteRule ^slicer: ([0-9]+)/delete$               di spatcher. php?
controller=slicer&view=delete&id=$1 [NC, L]
RewriteRule ^slicer: ([0-9]+)/createconfig$         di spatcher. php?
controller=slicer&view=config_create&id=$1 [NC, L]

#slice config stuff
RewriteRule ^sliceconfig: ([0-9]+)$                 di spatcher. php?
controller=slicer&view=config_view&id=$1 [NC, L]
RewriteRule ^sliceconfig: ([0-9]+)/edit$           di spatcher. php?
controller=slicer&view=config_edit&id=$1 [NC, L]
RewriteRule ^sliceconfig: ([0-9]+)/delete$         di spatcher. php?
controller=slicer&view=config_delete&id=$1 [NC, L]

#slice config stuff
RewriteRule ^slicejob: ([0-9]+)$                    di spatcher. php?
controller=slicer&view=job_view&id=$1 [NC, L]
RewriteRule ^slicejob: ([0-9]+)/pass$               di spatcher. php?
controller=slicer&view=job_update&id=$1&pass=1 [NC, L]
RewriteRule ^slicejob: ([0-9]+)/fail$               di spatcher. php?
controller=slicer&view=job_update&id=$1&fail=1 [NC, L]

#ugh, legal stuff
RewriteRule ^tos$                                    di spatcher. php?controller=main&view=tos [NC, L]
RewriteRule ^privacy$                                di spatcher. php?controller=main&view=privacy
[NC, L]
RewriteRule ^stats$                                  di spatcher. php?controller=main&view=stats [NC, L]

#comments
RewriteRule ^comment/add$                            di spatcher. php?

```

controller=comment&view=add_comment [NC, L]

#thingiverse

RewriteRule ^thingiverse\$ di spatcher. php?

controller=thingiverse&view=main [NC, L]

RewriteRule ^thingiverse/url/([A-Za-z0-9+/=]+)\$ di spatcher. php?

controller=thingiverse&view=main&payload=\$1 [NC, L]

RewriteRule ^thingiverse/callback\$ di spatcher. php?

controller=thingiverse&view=thingiverse_callback [NC, L, QSA]

#api v1.

RewriteRule ^api/v1\$ di spatcher. php?controller=api v1&view=home
[NC, L]

RewriteRule ^api/v1/endpoint\$ api v1. php [NC, L, QSA]

#notifications

RewriteRule ^notifications\$ di spatcher. php?

controller=notifications&view=home [NC, L]

RewriteRule ^notifications/all\$ di spatcher. php?

controller=notifications&view=all [NC, L]

RewriteRule ^notification/count\$ di spatcher. php?

mode=ajax&controller=notifications&view=count [NC, L]

#user profile stuff.

RewriteRule ^user:([0-9]+)\$ di spatcher. php?

controller=user&view=profile&id=\$1 [NC, L]

RewriteRule ^user/edit\$ di spatcher. php?controller=user&view=edit
[NC, L]

RewriteRule ^user/changepass\$ di spatcher. php?

controller=user&view=changepass [NC, L]

RewriteRule ^user:([0-9]+)/changepass\$ di spatcher. php?

controller=user&view=changepass&id=\$1 [NC, L]

RewriteRule ^user:([0-9]+)/edit\$ di spatcher. php?

controller=user&view=edit&id=\$1 [NC, L]

RewriteRule ^user:([0-9]+)/delete\$ di spatcher. php?

controller=user&view=delete&id=\$1 [NC, L]

RewriteRule ^user:([0-9]+)/resetpass:([0-9a-zA-Z]{40})\$ di spatcher. php?

controller=user&view=resetpass&id=\$1&hash=\$2 [NC, L]

RewriteRule ^user:([0-9]+)/activity(/page:([0-9]+))?\$ di spatcher. php?

controller=user&view=activity&id=\$1&page=\$3 [NC, L]

#username wildcard pages. must be at the very end to avoid conflicting with other pages

```
RewriteRule ^([\_a-zA-Z0-9]+)$ di spatcher. php?
controller=user&view=profile&username=$1 [NC, L]
RewriteRule ^([\_a-zA-Z0-9]+)/changePass$ di spatcher. php?
controller=user&view=changePass&username=$1 [NC, L]
RewriteRule ^([\_a-zA-Z0-9]+)/edit$ di spatcher. php?
controller=user&view=edit&username=$1 [NC, L]
RewriteRule ^([\_a-zA-Z0-9]+)/delete$ di spatcher. php?
controller=user&view=delete&username=$1 [NC, L]
RewriteRule ^([\_a-zA-Z0-9]+)/resetPass:([\_0-9a-zA-Z]{40})$ di spatcher. php?
controller=user&view=resetPass&username=$1 &hash=$2 [NC, L]
RewriteRule ^([\_a-zA-Z0-9]+)/activity(/page:([\_0-9]+))?$ di spatcher. php?
controller=user&view=activity&id=username&page=$3 [NC, L]
```