



```
RewriteCond %{HTTP_USER_AGENT} id-search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\ com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ISC\ Systems\ iRc\ Search\ 2\,1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww-perl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Link [NC,OR]
RewriteCond %{HTTP_USER_AGENT} LinksManager\ com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} lwp-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Maxthon\$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^microsoft\ url [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MI Down\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ Pix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Missigual\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\.*Indy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\.*NEWT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Nutch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} pamsclient.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PECL::HTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PeoplePal [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PHP_Crawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PleaseCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^psbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Rippers\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SBIder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SeaMonkey$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^sitecheck\.internetseer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Snoopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Steeler [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragoste\ mea\ pentru\ diavola [NC,OR]
RewriteCond %{HTTP_USER_AGENT} URI::Fetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} urllib [NC,OR]
RewriteCond %{HTTP_USER_AGENT} User-Agent [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^[Ww]eb[Bb]andit [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WEPA\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^(.*)Zeus(.*)Webster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
RewriteRule ^.* - [F,L]
# Abuse bot blocking rule end
# End HackRepair.com Blacklist
Order Allow,Deny
Deny from env=DenyAccess
Allow from all
SetEnvIf REMOTE_ADDR "^189\.36\.161\.217$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^189\.36\.161\.217$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^189\.36\.161\.217$" DenyAccess
SetEnvIf REMOTE_ADDR "^213\.238\.171\.41$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^213\.238\.171\.41$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^213\.238\.171\.41$" DenyAccess
SetEnvIf REMOTE_ADDR "^216\.139\.245\.97$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^216\.139\.245\.97$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^216\.139\.245\.97$" DenyAccess
SetEnvIf REMOTE_ADDR "^216\.246\.8\.215$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^216\.246\.8\.215$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^216\.246\.8\.215$" DenyAccess
SetEnvIf REMOTE_ADDR "^63\.246\.128\.204$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^63\.246\.128\.204$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^63\.246\.128\.204$" DenyAccess
SetEnvIf REMOTE_ADDR "^77\.72\.148\.118$" DenyAccess
```

```
SetEnvIf X-FORWARDED-FOR "^77\, 72\, 148\, 118$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^77\, 72\, 148\, 118$" DenyAccess
SetEnvIf REMOTE_ADDR "^78\, 187\, 82\, 198$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^78\, 187\, 82\, 198$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^78\, 187\, 82\, 198$" DenyAccess
SetEnvIf REMOTE_ADDR "^88\, 228\, 9\, 186$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^88\, 228\, 9\, 186$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^88\, 228\, 9\, 186$" DenyAccess
SetEnvIf REMOTE_ADDR "^88\, 228\, 9\, 252$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^88\, 228\, 9\, 252$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^88\, 228\, 9\, 252$" DenyAccess
SetEnvIf REMOTE_ADDR "^91\, 200\, 13\, 46$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^91\, 200\, 13\, 46$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^91\, 200\, 13\, 46$" DenyAccess
SetEnvIf REMOTE_ADDR "^92\, 243\, 11\, 185$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^92\, 243\, 11\, 185$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^92\, 243\, 11\, 185$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\, 9\, 106\, 132$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\, 9\, 106\, 132$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\, 9\, 106\, 132$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\, 9\, 166\, 103$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\, 9\, 166\, 103$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\, 9\, 166\, 103$" DenyAccess
SetEnvIf REMOTE_ADDR "^96\, 30\, 5\, 88$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^96\, 30\, 5\, 88$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^96\, 30\, 5\, 88$" DenyAccess
SetEnvIf REMOTE_ADDR "^173\, 236\, 176\, 125$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^173\, 236\, 176\, 125$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^173\, 236\, 176\, 125$" DenyAccess
<files .htaccess>
Order allow,deny
Deny from all
</files>

<files readme.html>
Order allow,deny
Deny from all
</files>

<files readme.txt>
Order allow,deny
```

```
Deny from all
</files>

<files install.php>
Order allow,deny
Deny from all
</files>

<files wp-config.php>
Order allow,deny
Deny from all
</files>

<IfModule mod_rewrite.c>
RewriteEngine On

RewriteRule ^wp-admin/includes/ - [F,L]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %{SCRIPT_FILENAME} !^(.*)_wp-includes/ms-files.php
RewriteRule ^wp-includes/[^/]+\.php$ - [F,L]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F,L]
RewriteRule ^wp-includes/theme-compat/ - [F,L]

RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE) [NC]
RewriteRule ^(.*)$ - [F,L]

</IfModule>
# END Better WP Security

# BEGIN W3TC Browser Cache
<IfModule mod_mime.c>
AddType text/css .css
AddType text/x-component .htc
AddType application/x-javascript .js
AddType application/javascript .js2
AddType text/javascript .js3
AddType text/x-js .js4
AddType text/html .html .htm
AddType text/richtext .rtf .rtx
AddType image/svg+xml .svg .svgz
AddType text/plain .txt
```

```
AddType text/xsd .xsd
AddType text/xsl .xsl
AddType text/xml .xml
AddType video/asf .asf .asx .wax .wmv .wmx
AddType video/avi .avi
AddType image/bmp .bmp
AddType application/java .class
AddType video/divx .divx
AddType application/msword .doc .docx
AddType application/vnd.ms-fontobject .eot
AddType application/x-msdownload .exe
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/json .json
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
```

```
--  
AddType audio/wma .wma  
AddType application/vnd.ms-write .wri  
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw  
AddType application/zip .zip  
</IfModule>  
<IfModule mod_expires.c>  
ExpiresActive On  
ExpiresByType text/css A31536000  
ExpiresByType text/x-component A31536000  
ExpiresByType application/x-javascript A31536000  
ExpiresByType application/javascript A31536000  
ExpiresByType text/javascript A31536000  
ExpiresByType text/x-js A31536000  
ExpiresByType text/html A3600  
ExpiresByType text/richtext A3600  
ExpiresByType image/svg+xml A3600  
ExpiresByType text/plain A3600  
ExpiresByType text/xsd A3600  
ExpiresByType text/xsl A3600  
ExpiresByType text/xml A3600  
ExpiresByType video/asf A31536000  
ExpiresByType video/avi A31536000  
ExpiresByType image/bmp A31536000  
ExpiresByType application/java A31536000  
ExpiresByType video/divx A31536000  
ExpiresByType application/msword A31536000  
ExpiresByType application/vnd.ms-fontobject A31536000  
ExpiresByType application/x-msdownload A31536000  
ExpiresByType image/gif A31536000  
ExpiresByType application/x-gzip A31536000  
ExpiresByType image/x-icon A31536000  
ExpiresByType image/jpeg A31536000  
ExpiresByType application/json A31536000  
ExpiresByType application/vnd.ms-access A31536000  
ExpiresByType audio/midi A31536000  
ExpiresByType video/quicktime A31536000  
ExpiresByType audio/mpeg A31536000  
ExpiresByType video/mp4 A31536000  
ExpiresByType video/mpeg A31536000  
ExpiresByType application/vnd.ms-project A31536000  
ExpiresByType application/x-font-otf A31536000
```

```
-----  
ExpiresByType application/vnd.oasis.opendocument.database A31536000  
ExpiresByType application/vnd.oasis.opendocument.chart A31536000  
ExpiresByType application/vnd.oasis.opendocument.formula A31536000  
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000  
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000  
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000  
ExpiresByType application/vnd.oasis.opendocument.text A31536000  
ExpiresByType audio/ogg A31536000  
ExpiresByType application/pdf A31536000  
ExpiresByType image/png A31536000  
ExpiresByType application/vnd.ms-powerpoint A31536000  
ExpiresByType audio/x-realaudio A31536000  
ExpiresByType image/svg+xml A31536000  
ExpiresByType application/x-shockwave-flash A31536000  
ExpiresByType application/x-tar A31536000  
ExpiresByType image/tiff A31536000  
ExpiresByType application/x-font-ttf A31536000  
ExpiresByType audio/wav A31536000  
ExpiresByType audio/wma A31536000  
ExpiresByType application/vnd.ms-write A31536000  
ExpiresByType application/vnd.ms-excel A31536000  
ExpiresByType application/zip A31536000  
</IfModule>  
<IfModule mod_deflate.c>  
<IfModule mod_headers.c>  
Header append Vary User-Agent env=!dont-vary  
</IfModule>  
AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript application  
<IfModule mod_mime.c>  
# DEFLATE by extension  
AddOutputFilter DEFLATE js css htm html xml  
</IfModule>  
</IfModule>  
<FilesMatch "\.(css|html|js|js2|js3|js4|CSS|HTC|JS|JS2|JS3|JS4)$">  
FileETag MTime Size  
<IfModule mod_headers.c>  
Header set Pragma "public"  
Header append Cache-Control "public"  
</IfModule>  
</FilesMatch>  
<FilesMatch "\.(htm|html|rtf|rtv|swf|swz|txt|ved|vei|vm|HTML|HTM|RTF|RTV|SWF|SWZ|TXT|VEI|VED|VEI|VM)$">
```

```
<FileETag MTime Size>
<IfModule mod_headers.c>
Header set Pragma "public"
Header append Cache-Control "public"
</IfModule>
</FilesMatch>
<FilesMatch "\.
(asf|asxl|waxl|wmvl|wmxl|avil|btpl|classl|divxl|docl|docxl|eotl|exel|gifl|gzl|gzipl|icol|jpgl|jpegl|jpegl|jsonl|r
FileETag MTime Size
<IfModule mod_headers.c>
Header set Pragma "public"
Header append Cache-Control "public"
</IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteCond %{HTTP:Accept-Encoding} gzip
RewriteRule . * - [E=W3TC_ENC:_gzip]
RewriteCond %{REQUEST_METHOD} !=POST
RewriteCond %{QUERY_STRING} =""
RewriteCond %{REQUEST_URI} !/$
RewriteCond %{HTTP_COOKIE} !(comment_author|wp\\-postpass|w3tc_logged_out|wordpress_logged_in)
RewriteCond "%{DOCUMENT_ROOT}/wp-content/cache/page_enhanced/%{HTTP_HOST}/{REQUEST_URI}/_index.html" !-f
RewriteRule . */wp-content/cache/page_enhanced/%{HTTP_HOST}/{REQUEST_URI}/_index.html [CEN]
</IfModule>
# END W3TC Page Cache core
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```