

```
#####
# File:          .htaccess
# Author:        Pierre-Henry Soria <ph7software@gmail.com>
# Copyright:     (c) 2012-2015, Pierre-Henry Soria. All Rights Reserved.
# License:       GNU General Public License; See PH7_LICENSE.txt and PH7_COPYRIGHT.txt in
the root directory.
#####

## Remove a line below if your Apache server already supports one of the parameters below
(this will relieve Apache since this file is read on every request). ##
## Also, if your host allows it, you are strongly advised to put these settings in your
Apache configuration file (httpd.conf). ##

Options -MultiViews -Indexes
Options +FollowSymLinks

<IfModule mod_rewrite.c>
    RewriteEngine On
    ## Uncomment "#RewriteBase /" line below (remove "#") if pH7CMS is installed in a
folder and so add the folder name after the slash "/"
    ## Example: If pH7CMS is installed in "/public_html/ph7cms/", then it should be
"RewriteBase /ph7cms/", however it may depends of your Apache configuration.

    #RewriteBase /
</IfModule>

<IfModule mod_php5.c>
    php_flag allow_url_include Off
    php_flag expose_php Off
</IfModule>

### Security and Spam ###

# Protect the repository directory
<IfModule mod_rewrite.c>
    RewriteRule "(^|/)\.git" - [F,L]
</IfModule>

# Remove Apache version
#ServerTokens Prod
# Remove the version number and installed modules in the list at the bottom of the
```

```
# Remove the version number and installed module versions in the list at the bottom error pages (404, 403, ...)
```

```
ServerSignature Off
```

```
# Deny access to all CGI, Perl, Python, Bash, SQL, Template, INI configuration, cache, log, temporary and text files
```

```
<FilesMatch "\.(cgi|pl|py|sh|sql|tpl|ini|cache|log|tmp|txt)">
```

```
Deny from all
```

```
</FilesMatch>
```

```
# Leave open the humans.txt and robots.txt file
```

```
<FilesMatch humans.txt|robots.txt>
```

```
Allow from all
```

```
</FilesMatch>
```

```
# Prevent downloading files .htaccess (Default configuration of Apache)
```

```
<Files ~ "\.ht">
```

```
Order allow,deny
```

```
Deny from all
```

```
Satisfy All
```

```
</Files>
```

```
# block bots spam
```

```
SetEnvIfNoCase User-Agent "^aesop_com_spiderman" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BackWeb" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Bandit" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BatchFTP" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Buddy" bad_bot
```

```
SetEnvIfNoCase User-Agent "^[\W]eb[B]andi t" bad_bot
```

```
SetEnvIfNoCase User-Agent "^2i commerce" bad_bot
```

```
SetEnvIfNoCase User-Agent "^80legs.com" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Accoona" bad_bot
```

```
SetEnvIfNoCase User-Agent "^ActiveTouristBot" bad_bot
```

```
SetEnvIfNoCase User-Agent "^adressendeutschland" bad_bot
```

```
SetEnvIfNoCase User-Agent "^aipbot" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Alexibot" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Alligator" bad_bot
```

```
SetEnvIfNoCase User-Agent "^AllSubmitter" bad_bot
```

```
SetEnvIfNoCase User-Agent "^almaden" bad_bot
```

```
SetEnvIfNoCase User-Agent "^anarchie" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Anonymous" bad_bot
```

```
SetEnvIfNoCase User-Agent "^anonymousemail" bad_bot
```

```
SetEnvIfNoCase User-Agent ""Apexoo" bad_bot
SetEnvIfNoCase User-Agent "^Aqua_Products" bad_bot
SetEnvIfNoCase User-Agent "^libWeb/cisHTTP" bad_bot
SetEnvIfNoCase User-Agent "^asterias" bad_bot
SetEnvIfNoCase User-Agent "^ASSORT" bad_bot
SetEnvIfNoCase User-Agent "^ATHENS" bad_bot
SetEnvIfNoCase User-Agent "^AtHome" bad_bot
SetEnvIfNoCase User-Agent "^Atomz" bad_bot
SetEnvIfNoCase User-Agent "^attache" bad_bot
SetEnvIfNoCase User-Agent "^autoemailspider" bad_bot
SetEnvIfNoCase User-Agent "^autohttp" bad_bot
SetEnvIfNoCase User-Agent "^b2w" bad_bot
SetEnvIfNoCase User-Agent "^bew" bad_bot
SetEnvIfNoCase User-Agent "^BackDoorBot" bad_bot
SetEnvIfNoCase User-Agent "^Badass" bad_bot
SetEnvIfNoCase User-Agent "^Baiduspider" bad_bot
SetEnvIfNoCase User-Agent "^Baiduspider+" bad_bot
SetEnvIfNoCase User-Agent "^BecomeBot" bad_bot
SetEnvIfNoCase User-Agent "^berts" bad_bot
SetEnvIfNoCase User-Agent "^Bitacle" bad_bot
SetEnvIfNoCase User-Agent "^bigfoot" bad_bot
SetEnvIfNoCase User-Agent "^Biz360" bad_bot
SetEnvIfNoCase User-Agent "^Black.Hole" bad_bot
SetEnvIfNoCase User-Agent "^Blackwidow" bad_bot
SetEnvIfNoCase User-Agent "^bladder\ fusion" bad_bot
SetEnvIfNoCase User-Agent "^Blog\ Checker" bad_bot
SetEnvIfNoCase User-Agent "^BlogPeople" bad_bot
SetEnvIfNoCase User-Agent "^Blogshares\ Spiders" bad_bot
SetEnvIfNoCase User-Agent "^Bloodhound" bad_bot
SetEnvIfNoCase User-Agent "^BlowFish" bad_bot
SetEnvIfNoCase User-Agent "^Board\ Bot" bad_bot
SetEnvIfNoCase User-Agent "^Bookmark\ search\ tool" bad_bot
SetEnvIfNoCase User-Agent "^BotALot" bad_bot
SetEnvIfNoCase User-Agent "^BotRightHere" bad_bot
SetEnvIfNoCase User-Agent "^Bot\ mailto:craftbot@yahoo.com" bad_bot
SetEnvIfNoCase User-Agent "^Bropwers" bad_bot
SetEnvIfNoCase User-Agent "^Browsezilla" bad_bot
SetEnvIfNoCase User-Agent "^BTWebClient" bad_bot
SetEnvIfNoCase User-Agent "^BuiltBotTough" bad_bot
SetEnvIfNoCase User-Agent "^Bullseye" bad_bot
SetEnvIfNoCase User-Agent "^BunnySlippers" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Cegbfeieh" bad_bot
SetEnvIfNoCase User-Agent "^CFNetwork" bad_bot
SetEnvIfNoCase User-Agent "^CheeseBot" bad_bot
SetEnvIfNoCase User-Agent "^CherryPicker" bad_bot
SetEnvIfNoCase User-Agent "^Crescent" bad_bot
SetEnvIfNoCase User-Agent "^charlotte/" bad_bot
SetEnvIfNoCase User-Agent "^ChinaClaw" bad_bot
SetEnvIfNoCase User-Agent "^Convera" bad_bot
SetEnvIfNoCase User-Agent "^Copernic" bad_bot
SetEnvIfNoCase User-Agent "^Copier" bad_bot
SetEnvIfNoCase User-Agent "^CopyRightCheck" bad_bot
SetEnvIfNoCase User-Agent "^cosmos" bad_bot
SetEnvIfNoCase User-Agent "^cr4nk" bad_bot
SetEnvIfNoCase User-Agent "^Crescent" bad_bot
SetEnvIfNoCase User-Agent "^c-spider" bad_bot
SetEnvIfNoCase User-Agent "^Winnie Poh" bad_bot
SetEnvIfNoCase User-Agent "^curl" bad_bot
SetEnvIfNoCase User-Agent "^Akregator" bad_bot
SetEnvIfNoCase User-Agent "^ac-baidu" bad_bot
SetEnvIfNoCase User-Agent "^(Ubuntu-feisty)$" bad_bot
SetEnvIfNoCase User-Agent "^Yandex*" bad_bot
SetEnvIfNoCase User-Agent "^Baidu*" bad_bot
SetEnvIfNoCase User-Agent "^Custo" bad_bot
SetEnvIfNoCase User-Agent "^botpaidtoclick" bad_bot
SetEnvIfNoCase User-Agent "^Security Kol" bad_bot
SetEnvIfNoCase User-Agent "^CyberPatrol" bad_bot
SetEnvIfNoCase User-Agent "^Cyberz" bad_bot
SetEnvIfNoCase User-Agent "^DataChaos" bad_bot
SetEnvIfNoCase User-Agent "^Grazer" bad_bot
SetEnvIfNoCase User-Agent "^lwp-request" bad_bot
SetEnvIfNoCase User-Agent "^lwp-trivial" bad_bot
SetEnvIfNoCase User-Agent "^Morpheus" bad_bot
SetEnvIfNoCase User-Agent "^Site Sniper" bad_bot
SetEnvIfNoCase User-Agent "^URLy Warning" bad_bot
SetEnvIfNoCase User-Agent "^Daum" bad_bot
SetEnvIfNoCase User-Agent "^Deweb" bad_bot
SetEnvIfNoCase User-Agent "^Digger" bad_bot
SetEnvIfNoCase User-Agent "^Digimarc" bad_bot
SetEnvIfNoCase User-Agent "^digout4uagent" bad_bot
SetEnvIfNoCase User-Agent "^DIIbot" bad_bot
SetEnvIfNoCase User-Agent "^DISCo" bad_bot
```

SetEnvIfNoCase User-Agent "^DittoSpyder" bad_bot
SetEnvIfNoCase User-Agent "^DnloadMage" bad_bot
SetEnvIfNoCase User-Agent "^Download" bad_bot
SetEnvIfNoCase User-Agent "^DotBot" bad_bot
SetEnvIfNoCase User-Agent "^dragonfly" bad_bot
SetEnvIfNoCase User-Agent "^DreamPassport" bad_bot
SetEnvIfNoCase User-Agent "^drip" bad_bot
SetEnvIfNoCase User-Agent "^DSurf" bad_bot
SetEnvIfNoCase User-Agent "^DTS\ Agent" bad_bot
SetEnvIfNoCase User-Agent "^dumbot" bad_bot
SetEnvIfNoCase User-Agent "^DynaWeb" bad_bot
SetEnvIfNoCase User-Agent "^e-collector" bad_bot
SetEnvIfNoCase User-Agent "^EasyDL" bad_bot
SetEnvIfNoCase User-Agent "^EBrowse" bad_bot
SetEnvIfNoCase User-Agent "^ebingbong" bad_bot
SetEnvIfNoCase User-Agent "^eCatch" bad_bot
SetEnvIfNoCase User-Agent "^ecollector" bad_bot
SetEnvIfNoCase User-Agent "^edgeio" bad_bot
SetEnvIfNoCase User-Agent "^efp@gmx.net" bad_bot
SetEnvIfNoCase User-Agent "^EirGrabber" bad_bot
SetEnvIfNoCase User-Agent "^Email\ Extractor" bad_bot
SetEnvIfNoCase User-Agent "^EmailCollector" bad_bot
SetEnvIfNoCase User-Agent "^EmailSiphon" bad_bot
SetEnvIfNoCase User-Agent "^EmailWolf" bad_bot
SetEnvIfNoCase User-Agent "^EmeraldShield" bad_bot
SetEnvIfNoCase User-Agent "^Enterprise_Search" bad_bot
SetEnvIfNoCase User-Agent "^EroCrawler" bad_bot
SetEnvIfNoCase User-Agent "^ESurf" bad_bot
SetEnvIfNoCase User-Agent "^Eval" bad_bot
SetEnvIfNoCase User-Agent "^Everest-Vulcan" bad_bot
SetEnvIfNoCase User-Agent "^Exabot" bad_bot
SetEnvIfNoCase User-Agent "^Express" bad_bot
SetEnvIfNoCase User-Agent "^Extractor" bad_bot
SetEnvIfNoCase User-Agent "^ExtractorPro" bad_bot
SetEnvIfNoCase User-Agent "^EyeNetIE" bad_bot
SetEnvIfNoCase User-Agent "^FairAd" bad_bot
SetEnvIfNoCase User-Agent "^fastluspider" bad_bot
SetEnvIfNoCase User-Agent "^fetch" bad_bot
SetEnvIfNoCase User-Agent "^FEZhead" bad_bot
SetEnvIfNoCase User-Agent "^FileHound" bad_bot
SetEnvIfNoCase User-Agent "^findlinks" bad_bot

SetEnvIfNoCase User-Agent "^Flaming\ AttackBot" bad_bot
SetEnvIfNoCase User-Agent "^FlashGet" bad_bot
SetEnvIfNoCase User-Agent "^FlickBot" bad_bot
SetEnvIfNoCase User-Agent "^flunky" bad_bot
SetEnvIfNoCase User-Agent "^Foobot" bad_bot
SetEnvIfNoCase User-Agent "^Forex" bad_bot
SetEnvIfNoCase User-Agent "^Franklin\ Locator" bad_bot
SetEnvIfNoCase User-Agent "^FreshDownload" bad_bot
SetEnvIfNoCase User-Agent "^FrontPage" bad_bot
SetEnvIfNoCase User-Agent "^FSurf" bad_bot
SetEnvIfNoCase User-Agent "^Gaisbot" bad_bot
SetEnvIfNoCase User-Agent "^Gamespy_Arcade" bad_bot
SetEnvIfNoCase User-Agent "^genieBot" bad_bot
SetEnvIfNoCase User-Agent "^GetBot" bad_bot
SetEnvIfNoCase User-Agent "^Getleft" bad_bot
SetEnvIfNoCase User-Agent "^GetRight" bad_bot
SetEnvIfNoCase User-Agent "^GetWeb!" bad_bot
SetEnvIfNoCase User-Agent "^Gigabot" bad_bot
SetEnvIfNoCase User-Agent "^Go! Zilla" bad_bot
SetEnvIfNoCase User-Agent "^Go-Ahead-Got-It" bad_bot
SetEnvIfNoCase User-Agent "^GOFORITBOT" bad_bot
SetEnvIfNoCase User-Agent "^gotit" bad_bot
SetEnvIfNoCase User-Agent "^GrabNet" bad_bot
SetEnvIfNoCase User-Agent "^Grafula" bad_bot
SetEnvIfNoCase User-Agent "^grub" bad_bot
SetEnvIfNoCase User-Agent "^Harvest" bad_bot
SetEnvIfNoCase User-Agent "^Hatena\ Antenna" bad_bot
SetEnvIfNoCase User-Agent "^heritrix" bad_bot
SetEnvIfNoCase User-Agent "^HLoader" bad_bot
SetEnvIfNoCase User-Agent "^HMView" bad_bot
SetEnvIfNoCase User-Agent "^holmes" bad_bot
SetEnvIfNoCase User-Agent "^HookWwwer" bad_bot
SetEnvIfNoCase User-Agent "^HouxouCrawler" bad_bot
SetEnvIfNoCase User-Agent "^HTMLParser" bad_bot
SetEnvIfNoCase User-Agent "^HTTPGet" bad_bot
SetEnvIfNoCase User-Agent "^httplib" bad_bot
SetEnvIfNoCase User-Agent "^HTTPRetriever" bad_bot
SetEnvIfNoCase User-Agent "^HTTrack" bad_bot
SetEnvIfNoCase User-Agent "^humanlinks" bad_bot
SetEnvIfNoCase User-Agent "^IBM_Planetwide" bad_bot
SetEnvIfNoCase User-Agent "^iCCrawler" bad_bot

```
SetEnvIfNoCase User-Agent "^ichiro" bad_bot
SetEnvIfNoCase User-Agent "^iGetter" bad_bot
SetEnvIfNoCase User-Agent "^Image\ Stripper" bad_bot
SetEnvIfNoCase User-Agent "^Indy\ Library" bad_bot
SetEnvIfNoCase User-Agent "^Image\ Sucker" bad_bot
SetEnvIfNoCase User-Agent "^imagefetch" bad_bot
SetEnvIfNoCase User-Agent "^imds_monitor" bad_bot
SetEnvIfNoCase User-Agent "^IncyWincy" bad_bot
SetEnvIfNoCase User-Agent "^Industry\ Program" bad_bot
SetEnvIfNoCase User-Agent "^Indy" bad_bot
SetEnvIfNoCase User-Agent "^InetURL" bad_bot
SetEnvIfNoCase User-Agent "^InfoNaviRobot" bad_bot
SetEnvIfNoCase User-Agent "^InstallShield\ DigitalWizard" bad_bot
SetEnvIfNoCase User-Agent "^InterGET" bad_bot
SetEnvIfNoCase User-Agent "^Iria" bad_bot
SetEnvIfNoCase User-Agent "^IRLbot" bad_bot
SetEnvIfNoCase User-Agent "^Iron33" bad_bot
SetEnvIfNoCase User-Agent "^ISSpider" bad_bot
SetEnvIfNoCase User-Agent "^IUPUI\ Research\ Bot" bad_bot
SetEnvIfNoCase User-Agent "^Jakarta" bad_bot
SetEnvIfNoCase User-Agent "^java" bad_bot
SetEnvIfNoCase User-Agent "^JBH\ Agent" bad_bot
SetEnvIfNoCase User-Agent "^JennyBot" bad_bot
SetEnvIfNoCase User-Agent "^JetCar" bad_bot
SetEnvIfNoCase User-Agent "^libhttp" bad_bot
SetEnvIfNoCase User-Agent "^jeteye" bad_bot
SetEnvIfNoCase User-Agent "^jeteyebot" bad_bot
SetEnvIfNoCase User-Agent "^JoBo" bad_bot
SetEnvIfNoCase User-Agent "^JOC\ Web\ Spider" bad_bot
SetEnvIfNoCase User-Agent "^JustView" bad_bot
SetEnvIfNoCase User-Agent "^Jyxobot" bad_bot
SetEnvIfNoCase User-Agent "^KaloogaBot" bad_bot
SetEnvIfNoCase User-Agent "^Kapere" bad_bot
SetEnvIfNoCase User-Agent "^Kenjin" bad_bot
SetEnvIfNoCase User-Agent "^Keyword\ Density" bad_bot
SetEnvIfNoCase User-Agent "^KRetrieve" bad_bot
SetEnvIfNoCase User-Agent "^ksoap" bad_bot
SetEnvIfNoCase User-Agent "^KWebGet" bad_bot
SetEnvIfNoCase User-Agent "^LapozzBot" bad_bot
SetEnvIfNoCase User-Agent "^larbin" bad_bot
SetEnvIfNoCase User-Agent "^leech" bad_bot
```

```
SetEnvIfNoCase User-Agent "^LeechFTP" bad_bot
SetEnvIfNoCase User-Agent "^LeechGet" bad_bot
SetEnvIfNoCase User-Agent "^leipzig.de" bad_bot
SetEnvIfNoCase User-Agent "^Mata Hari" bad_bot
SetEnvIfNoCase User-Agent "^LexiBot" bad_bot
SetEnvIfNoCase User-Agent "^libWeb" bad_bot
SetEnvIfNoCase User-Agent "^libwww-FM" bad_bot
SetEnvIfNoCase User-Agent "^libwww-perl" bad_bot
SetEnvIfNoCase User-Agent "^LightningDownload" bad_bot
SetEnvIfNoCase User-Agent "^Linguee\ Bot" bad_bot
SetEnvIfNoCase User-Agent "^LinkExaminer" bad_bot
SetEnvIfNoCase User-Agent "^LinkextractorPro" bad_bot
SetEnvIfNoCase User-Agent "^Offline Explorer" bad_bot
SetEnvIfNoCase User-Agent "^Web Image Collector" bad_bot
SetEnvIfNoCase User-Agent "^lftp" bad_bot
SetEnvIfNoCase User-Agent "^Linkie" bad_bot
SetEnvIfNoCase User-Agent "^LinkScan" bad_bot
SetEnvIfNoCase User-Agent "^linktiger" bad_bot
SetEnvIfNoCase User-Agent "^LinkWalker" bad_bot
SetEnvIfNoCase User-Agent "^likse" bad_bot
SetEnvIfNoCase User-Agent "^lmcrawler" bad_bot
SetEnvIfNoCase User-Agent "^LNSpiderguy" bad_bot
SetEnvIfNoCase User-Agent "^LocalcomBot" bad_bot
SetEnvIfNoCase User-Agent "^looksmart" bad_bot
SetEnvIfNoCase User-Agent "^LWP" bad_bot
SetEnvIfNoCase User-Agent "^Mac\ Finder" bad_bot
SetEnvIfNoCase User-Agent "^Magnet" bad_bot
SetEnvIfNoCase User-Agent "^Mag-Net" bad_bot
SetEnvIfNoCase User-Agent "^MagpieRSS" bad_bot
SetEnvIfNoCase User-Agent "^Mail.Ru" bad_bot
SetEnvIfNoCase User-Agent "^Mail\ Sweeper" bad_bot
SetEnvIfNoCase User-Agent "^mark.blonin" bad_bot
SetEnvIfNoCase User-Agent "^markwatch" bad_bot
SetEnvIfNoCase User-Agent "^MaSagool" bad_bot
SetEnvIfNoCase User-Agent "^Mass" bad_bot
SetEnvIfNoCase User-Agent "^Mass\ Downloader" bad_bot
SetEnvIfNoCase User-Agent "^Mata\ Hari" bad_bot
SetEnvIfNoCase User-Agent "^MCspider" bad_bot
SetEnvIfNoCase User-Agent "^MetaProducts\ Download\ Express" bad_bot
SetEnvIfNoCase User-Agent "^Microsoft\ Data\ Access" bad_bot
SetEnvIfNoCase User-Agent "^Microsoft\ URL\ Control" bad_bot
```



```
----- Agent -----
SetEnvIfNoCase User-Agent "^MIDown" bad_bot
SetEnvIfNoCase User-Agent "^MIIXpc" bad_bot
SetEnvIfNoCase User-Agent "^Mirror" bad_bot
SetEnvIfNoCase User-Agent "^Missauga" bad_bot
SetEnvIfNoCase User-Agent "^missigua" bad_bot
SetEnvIfNoCase User-Agent "^Missouri\ College\ Browse" bad_bot
SetEnvIfNoCase User-Agent "^Mister" bad_bot
SetEnvIfNoCase User-Agent "^MJ12bot" bad_bot
SetEnvIfNoCase User-Agent "^Monster" bad_bot
SetEnvIfNoCase User-Agent "^mkdb" bad_bot
SetEnvIfNoCase User-Agent "^moget" bad_bot
SetEnvIfNoCase User-Agent "^Moreoverbot" bad_bot
SetEnvIfNoCase User-Agent "^mothra/netscan" bad_bot
SetEnvIfNoCase User-Agent "^MovableType" bad_bot
SetEnvIfNoCase User-Agent "^Mozi!" bad_bot
SetEnvIfNoCase User-Agent "^mozilla.?newt" bad_bot
SetEnvIfNoCase User-Agent "^Mozilla/22" bad_bot
SetEnvIfNoCase User-Agent "^Mozilla/3.0 (compatible)" bad_bot
SetEnvIfNoCase User-Agent "^Mozilla/5.0 (compatible; MSIE 5.0)" bad_bot
SetEnvIfNoCase User-Agent "^MSIE_6.0" bad_bot
SetEnvIfNoCase User-Agent "^MSIECrawler" bad_bot
SetEnvIfNoCase User-Agent "^MSPProxy" bad_bot
SetEnvIfNoCase User-Agent "^MVAClient" bad_bot
SetEnvIfNoCase User-Agent "^MyFamilyBot" bad_bot
SetEnvIfNoCase User-Agent "^MyGetRight" bad_bot
SetEnvIfNoCase User-Agent "^nameprotect" bad_bot
SetEnvIfNoCase User-Agent "^NASA\ Search" bad_bot
SetEnvIfNoCase User-Agent "^NaverBot" bad_bot
SetEnvIfNoCase User-Agent "^Navroad" bad_bot
SetEnvIfNoCase User-Agent "^NearSite" bad_bot
SetEnvIfNoCase User-Agent "^NetAnts" bad_bot
SetEnvIfNoCase User-Agent "^netattache" bad_bot
SetEnvIfNoCase User-Agent "^NetCarta" bad_bot
SetEnvIfNoCase User-Agent "^netcraft" bad_bot
SetEnvIfNoCase User-Agent "^NetMechanic" bad_bot
SetEnvIfNoCase User-Agent "^NetResearchServer" bad_bot
SetEnvIfNoCase User-Agent "^NetSpider" bad_bot
SetEnvIfNoCase User-Agent "^NetZIP" bad_bot
SetEnvIfNoCase User-Agent "^Net\ Vampire" bad_bot
SetEnvIfNoCase User-Agent "^NEWT\ ActiveX" bad_bot
SetEnvIfNoCase User-Agent "^nextnensearchbot" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Nextopia" bad_bot
SetEnvIfNoCase User-Agent "^NICERSPRO" bad_bot
SetEnvIfNoCase User-Agent "^ninja" bad_bot
SetEnvIfNoCase User-Agent "^NimbleCrawler" bad_bot
SetEnvIfNoCase User-Agent "^noxtrumbot" bad_bot
SetEnvIfNoCase User-Agent "^NPBot" bad_bot
SetEnvIfNoCase User-Agent "^Nutch" bad_bot
SetEnvIfNoCase User-Agent "^Octopus" bad_bot
SetEnvIfNoCase User-Agent "^Offline" bad_bot
SetEnvIfNoCase User-Agent "^OK\ Mozilla" bad_bot
SetEnvIfNoCase User-Agent "^OmniExplorer" bad_bot
SetEnvIfNoCase User-Agent "^Opal" bad_bot
SetEnvIfNoCase User-Agent "^Openbot" bad_bot
SetEnvIfNoCase User-Agent "^Openfind" bad_bot
SetEnvIfNoCase User-Agent "^OpenTextSiteCrawler" bad_bot
SetEnvIfNoCase User-Agent "^Oracle\ Ultra\ Search" bad_bot
SetEnvIfNoCase User-Agent "^OutfoxBot" bad_bot
SetEnvIfNoCase User-Agent "^P3P" bad_bot
SetEnvIfNoCase User-Agent "^PackRat" bad_bot
SetEnvIfNoCase User-Agent "^PageGrabber" bad_bot
SetEnvIfNoCase User-Agent "^PagmaIEDownload" bad_bot
SetEnvIfNoCase User-Agent "^panscient" bad_bot
SetEnvIfNoCase User-Agent "^Papa\ Foto" bad_bot
SetEnvIfNoCase User-Agent "^pavuk" bad_bot
SetEnvIfNoCase User-Agent "^pcBrowser" bad_bot
SetEnvIfNoCase User-Agent "^perl" bad_bot
SetEnvIfNoCase User-Agent "^PerMan" bad_bot
SetEnvIfNoCase User-Agent "^PersonaPilot" bad_bot
SetEnvIfNoCase User-Agent "^PHP\ version" bad_bot
SetEnvIfNoCase User-Agent "^PlantyNet_WebRobot" bad_bot
SetEnvIfNoCase User-Agent "^playstarmusic" bad_bot
SetEnvIfNoCase User-Agent "^Plucker" bad_bot
SetEnvIfNoCase User-Agent "^Pockey" bad_bot
SetEnvIfNoCase User-Agent "^Port\ Huron" bad_bot
SetEnvIfNoCase User-Agent "^Program\ Shareware" bad_bot
SetEnvIfNoCase User-Agent "^Progressive\ Download" bad_bot
SetEnvIfNoCase User-Agent "^ProPowerBot" bad_bot
SetEnvIfNoCase User-Agent "^prospector" bad_bot
SetEnvIfNoCase User-Agent "^ProWebWalker" bad_bot
SetEnvIfNoCase User-Agent "^Prozilla" bad_bot
SetEnvIfNoCase User-Agent "^psbot" bad_bot
```

```
SetEnvIfNoCase User-Agent pspot bad_bot
SetEnvIfNoCase User-Agent "^psychec1one" bad_bot
SetEnvIfNoCase User-Agent "^puf" bad_bot
SetEnvIfNoCase User-Agent "^Pump" bad_bot
SetEnvIfNoCase User-Agent "^PushSite" bad_bot
SetEnvIfNoCase User-Agent "^PussyCat" bad_bot
SetEnvIfNoCase User-Agent "^PuxaRapido" bad_bot
SetEnvIfNoCase User-Agent "^Python-urllib" bad_bot
SetEnvIfNoCase User-Agent "^QuepasaCreep" bad_bot
SetEnvIfNoCase User-Agent "^QueryN" bad_bot
SetEnvIfNoCase User-Agent "^Radiation" bad_bot
SetEnvIfNoCase User-Agent "^RealDownload" bad_bot
SetEnvIfNoCase User-Agent "^recorder" bad_bot
SetEnvIfNoCase User-Agent "^RedCarpet" bad_bot
SetEnvIfNoCase User-Agent "^RedKernel" bad_bot
SetEnvIfNoCase User-Agent "^ReGet" bad_bot
SetEnvIfNoCase User-Agent "^relevantnoise" bad_bot
SetEnvIfNoCase User-Agent "^RepoMonkey" bad_bot
SetEnvIfNoCase User-Agent "^RMA" bad_bot
SetEnvIfNoCase User-Agent "^Rover" bad_bot
SetEnvIfNoCase User-Agent "^Rsync" bad_bot
SetEnvIfNoCase User-Agent "^RTG30" bad_bot
SetEnvIfNoCase User-Agent "^Rufus" bad_bot
SetEnvIfNoCase User-Agent "^SAPO" bad_bot
SetEnvIfNoCase User-Agent "^SBIder" bad_bot
SetEnvIfNoCase User-Agent "^scooter" bad_bot
SetEnvIfNoCase User-Agent "^ScoutAbout" bad_bot
SetEnvIfNoCase User-Agent "^script" bad_bot
SetEnvIfNoCase User-Agent "^searchpreview" bad_bot
SetEnvIfNoCase User-Agent "^searchterms" bad_bot
SetEnvIfNoCase User-Agent "^Seekbot" bad_bot
SetEnvIfNoCase User-Agent "^Seekbot" bad_bot
SetEnvIfNoCase User-Agent "^Serious" bad_bot
SetEnvIfNoCase User-Agent "^Shai" bad_bot
SetEnvIfNoCase User-Agent "^shelob" bad_bot
SetEnvIfNoCase User-Agent "^Shim-Crawler" bad_bot
SetEnvIfNoCase User-Agent "^SickleBot" bad_bot
SetEnvIfNoCase User-Agent "^sitecheck" bad_bot
SetEnvIfNoCase User-Agent "^SiteSnagger" bad_bot
SetEnvIfNoCase User-Agent "^Slurpy\ Verifier" bad_bot
SetEnvIfNoCase User-Agent "^SlySearch" bad_bot
```

```
SetEnvIfNoCase User-Agent ""SmartDownload" bad_bot
SetEnvIfNoCase User-Agent "^sna-" bad_bot
SetEnvIfNoCase User-Agent "^seexie.com" bad_bot
SetEnvIfNoCase User-Agent "^Snoopy" bad_bot
SetEnvIfNoCase User-Agent "^sogou" bad_bot
SetEnvIfNoCase User-Agent "^sootle" bad_bot
SetEnvIfNoCase User-Agent "^SolomonoBot" bad_bot
SetEnvIfNoCase User-Agent "^Sosospider" bad_bot
SetEnvIfNoCase User-Agent "^So-net" bat_bot" bad_bot
SetEnvIfNoCase User-Agent "^SpankBot" bat_bot" bad_bot
SetEnvIfNoCase User-Agent "^spanner" bat_bot" bad_bot
SetEnvIfNoCase User-Agent "^SpeedDownload" bad_bot
SetEnvIfNoCase User-Agent "^Speedy" bad_bot
SetEnvIfNoCase User-Agent "^Spegla" bad_bot
SetEnvIfNoCase User-Agent "^Sphere" bad_bot
SetEnvIfNoCase User-Agent "^Sphider" bad_bot
SetEnvIfNoCase User-Agent "^SpiderBot" bad_bot
SetEnvIfNoCase User-Agent "^sproose" bad_bot
SetEnvIfNoCase User-Agent "^SQ\ Webscanner" bad_bot
SetEnvIfNoCase User-Agent "^Sqworm" bad_bot
SetEnvIfNoCase User-Agent "^Stamina" bad_bot
SetEnvIfNoCase User-Agent "^Stanford" bad_bot
SetEnvIfNoCase User-Agent "^studybot" bad_bot
SetEnvIfNoCase User-Agent "^SuperBot" bad_bot
SetEnvIfNoCase User-Agent "^SuperHTTP" bad_bot
SetEnvIfNoCase User-Agent "^Surfbot" bad_bot
SetEnvIfNoCase User-Agent "^SurfWalker" bad_bot
SetEnvIfNoCase User-Agent "^suzuran" bad_bot
SetEnvIfNoCase User-Agent "^Szukacz" bad_bot
SetEnvIfNoCase User-Agent "^tAkeOut" bad_bot
SetEnvIfNoCase User-Agent "^tarspider" bad_bot
SetEnvIfNoCase User-Agent "^Tasapspider" bad_bot
SetEnvIfNoCase User-Agent "^Teleport" bad_bot
SetEnvIfNoCase User-Agent "^Telesoft" bad_bot
SetEnvIfNoCase User-Agent "^Templeton" bad_bot
SetEnvIfNoCase User-Agent "^TestBED" bad_bot
SetEnvIfNoCase User-Agent "^The\ Intraformant" bad_bot
SetEnvIfNoCase User-Agent "^TheNomad" bad_bot
SetEnvIfNoCase User-Agent "^TightTwatBot" bad_bot
SetEnvIfNoCase User-Agent "^Titan" bad_bot
SetEnvIfNoCase User-Agent "^toCrawl/Ur1Dispatcher" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Toplistbot" bad_bot
SetEnvIfNoCase User-Agent "^True_Robot" bad_bot
SetEnvIfNoCase User-Agent "^turingos" bad_bot
SetEnvIfNoCase User-Agent "^TurnitinBot" bad_bot
SetEnvIfNoCase User-Agent "^Twiceler" bad_bot
SetEnvIfNoCase User-Agent "^Twisted PageGetter" bad_bot
SetEnvIfNoCase User-Agent "^UCmore" bad_bot
SetEnvIfNoCase User-Agent "^UdmSearch" bad_bot
SetEnvIfNoCase User-Agent "^UMBC" bad_bot
SetEnvIfNoCase User-Agent "^UniversalFeedParser" bad_bot
SetEnvIfNoCase User-Agent "^URL\ Control" bad_bot
SetEnvIfNoCase User-Agent "^URLGetFile" bad_bot
SetEnvIfNoCase User-Agent "^URLy\ Warning" bad_bot
SetEnvIfNoCase User-Agent "^URL_Spider_Pro" bad_bot
SetEnvIfNoCase User-Agent "^UtilMind" bad_bot
SetEnvIfNoCase User-Agent "^vacuum" bad_bot
SetEnvIfNoCase User-Agent "^vayala" bad_bot
SetEnvIfNoCase User-Agent "^vobsub" bad_bot
SetEnvIfNoCase User-Agent "^VCI" bad_bot
SetEnvIfNoCase User-Agent "^VoidEYE" bad_bot
SetEnvIfNoCase User-Agent "^VoilaBot" bad_bot
SetEnvIfNoCase User-Agent "^voyager" bad_bot
SetEnvIfNoCase User-Agent "^W3CRobot" bad_bot
SetEnvIfNoCase User-Agent "^w3mir" bad_bot
SetEnvIfNoCase User-Agent "^Web\ Image\ Collector" bad_bot
SetEnvIfNoCase User-Agent "^Web\ Sucker" bad_bot
SetEnvIfNoCase User-Agent "^Web2WAP" bad_bot
SetEnvIfNoCase User-Agent "^WebaltBot" bad_bot
SetEnvIfNoCase User-Agent "^WebAuto" bad_bot
SetEnvIfNoCase User-Agent "^WebBandit" bad_bot
SetEnvIfNoCase User-Agent "^WebCapture" bad_bot
SetEnvIfNoCase User-Agent "^webcollage" bad_bot
SetEnvIfNoCase User-Agent "^WebCopier" bad_bot
SetEnvIfNoCase User-Agent "^WebCopy" bad_bot
SetEnvIfNoCase User-Agent "^WebEMailExtrac.*" bad_bot
SetEnvIfNoCase User-Agent "^WebEnhancer" bad_bot
SetEnvIfNoCase User-Agent "^WebFetch" bad_bot
SetEnvIfNoCase User-Agent "^WebFilter" bad_bot
SetEnvIfNoCase User-Agent "^WebFountain" bad_bot
SetEnvIfNoCase User-Agent "^WebGo" bad_bot
SetEnvIfNoCase User-Agent "^WebLeacher" bad_bot
```

```
SetEnvIfNoCase User-Agent "^WebMiner" bad_bot
SetEnvIfNoCase User-Agent "^WebMirror" bad_bot
SetEnvIfNoCase User-Agent "^WebReaper" bad_bot
SetEnvIfNoCase User-Agent "^WebSauger" bad_bot
SetEnvIfNoCase User-Agent "^WebSnake" bad_bot
SetEnvIfNoCase User-Agent "^Website" bad_bot
SetEnvIfNoCase User-Agent "^WebStripper" bad_bot
SetEnvIfNoCase User-Agent "^WebVac" bad_bot
SetEnvIfNoCase User-Agent "^webwalk" bad_bot
SetEnvIfNoCase User-Agent "^WebWhacker" bad_bot
SetEnvIfNoCase User-Agent "^WebZIP" bad_bot
SetEnvIfNoCase User-Agent "^Wells\ Search" bad_bot
SetEnvIfNoCase User-Agent "^WEP\ Search\ 00" bad_bot
SetEnvIfNoCase User-Agent "^WeRelateBot" bad_bot
SetEnvIfNoCase User-Agent "^Wget" bad_bot
SetEnvIfNoCase User-Agent "^WhosTalking" bad_bot
SetEnvIfNoCase User-Agent "^Widow" bad_bot
SetEnvIfNoCase User-Agent "^Wildsoft\ Surfer" bad_bot
SetEnvIfNoCase User-Agent "^WinHTTP" bad_bot
SetEnvIfNoCase User-Agent "^WinHTTrack" bad_bot
SetEnvIfNoCase User-Agent "^wisenuitbot" bad_bot
SetEnvIfNoCase User-Agent "^WUMPUS" bad_bot
SetEnvIfNoCase User-Agent "^WWWOFFLE" bad_bot
SetEnvIfNoCase User-Agent "^wwwster" bad_bot
SetEnvIfNoCase User-Agent "^WWW-Collector" bad_bot
SetEnvIfNoCase User-Agent "^Xaldon" bad_bot
SetEnvIfNoCase User-Agent "^Xenu's" bad_bot
SetEnvIfNoCase User-Agent "^Xenus" bad_bot
SetEnvIfNoCase User-Agent "^XGET" bad_bot
SetEnvIfNoCase User-Agent "^xpymep.exe" bad_bot
SetEnvIfNoCase User-Agent "^Y! Tunnel Pro" bad_bot
SetEnvIfNoCase User-Agent "^yacybot" bad_bot
SetEnvIfNoCase User-Agent "^YahooYSMcm" bad_bot
SetEnvIfNoCase User-Agent "^YaDirectBot" bad_bot
SetEnvIfNoCase User-Agent "^Yeti" bad_bot
SetEnvIfNoCase User-Agent "^Zade" bad_bot
SetEnvIfNoCase User-Agent "^ZBot" bad_bot
SetEnvIfNoCase User-Agent "^zerxbot" bad_bot
SetEnvIfNoCase User-Agent "^Zeus" bad_bot
SetEnvIfNoCase User-Agent "^ZyBorg" bad_bot
```

Order Deny, Allow

```
Deny from env=bad_bot
```

```
<Limit GET POST PUT DELETE HEAD>
```

```
Order Allow,Deny
```

```
Allow from All
```

```
Deny from env=bad_bot
```

```
</Limit>
```

```
ErrorDocument 400 /error/http/index?code=400
```

```
ErrorDocument 401 /error/http/index?code=401
```

```
ErrorDocument 402 /error/http/index?code=402
```

```
ErrorDocument 403 /error/http/index?code=403
```

```
ErrorDocument 404 /error
```

```
ErrorDocument 405 /error/http/index?code=405
```

```
ErrorDocument 500 /error/http/index?code=500
```

```
ErrorDocument 501 /error/http/index?code=501
```

```
ErrorDocument 502 /error/http/index?code=502
```

```
ErrorDocument 504 /error/http/index?code=504
```

```
ErrorDocument 505 /error/http/index?code=505
```

```
# URL Rewrite
```

```
<IfModule mod_rewrite.c>
```

```
# Tell PHP that the mod_rewrite module is ENABLED.
```

```
SetEnv HTTP_MOD_REWRITE On
```

```
# Remove www subdomain in the URL
```

```
RewriteCond %{HTTP_HOST} ^www\.(.+$) [NC]
```

```
RewriteRule ^(.*)$ http://%1/$1 [R=301,L]
```

```
### For pH7CMS's URL router (DO NOT REMOVE THESE FOLLOWING CODE) ###
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule ^(.*)$ index.php?$1 [L,QSA]
```

```
#RewriteRule ^(.*)$ init.php?$1 [L,QSA]
```

```
# Start Bad Bot Prvention
```

```
RewriteCond %{HTTP_USER_AGENT} ^BackWeb [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Bandit [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^BatchFTP [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Buddy [OR]
```

RewriteCond %{HTTP_USER_AGENT} ^Collector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Copier [OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\Wonder [OR]
RewriteCond %{HTTP_USER_AGENT} ^Downloader [OR]
RewriteCond %{HTTP_USER_AGENT} ^LinkWalker [OR]
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [OR]
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot@yahoo.com [OR]
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [OR]
RewriteCond %{HTTP_USER_AGENT} ^Custo [OR]
RewriteCond %{HTTP_USER_AGENT} ^DISCO [OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [OR]
RewriteCond %{HTTP_USER_AGENT} ^eCatch [OR]
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Crescent [OR]
RewriteCond %{HTTP_USER_AGENT} ^CherryPicker [OR]
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [OR]
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [OR]
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [OR]
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetRight [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [OR]
RewriteCond %{HTTP_USER_AGENT} ^gotit [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [OR]
RewriteCond %{HTTP_USER_AGENT} ^libghttp [OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [OR]

RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [OR]
RewriteCond %{HTTP_USER_AGENT} libwww-perl.* [OR]
RewriteCond %{HTTP_USER_AGENT} ^Pockey [OR]
RewriteCond %{HTTP_USER_AGENT} ^Pump [OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [OR]

```

RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [OR]
RewriteCond %{HTTP_USER_AGENT} ^WWOFFLE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus
RewriteRule ^.* - [F,L]
# End Bad Bot Prevention
</IfModule>

# Modify Headers
<IfModule mod_headers.c>
    # Cache files
    <FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|swf|mp3|mp4)$">
        Header set Cache-Control "public"
        Header set Expires "Mon, 20 Apr 2060 20:00:00 GMT"
        Header unset Last-Modified
    </FilesMatch>

    # Cache JavaScript & CSS
    <FilesMatch "\.(js|css)$">
        Header set Cache-Control "public"
        Header set Expires "Mon, 20 Apr 2060 20:00:00 GMT"
        Header unset Last-Modified
    </FilesMatch>
</IfModule>

# Compress files
<IfModule mod_deflate.c>
    # Insert filter
    SetOutputFilter DEFLATE
    <IfModule mod_setenvif.c>
        # Netscape 4.x has some problems...
        BrowserMatch ^Mozilla/4 gzip-only-text/html
        # Netscape 4.06-4.08 have some more problems
        BrowserMatch ^Mozilla/4\.0[678] no-gzip
        # MSIE masquerades as Netscape, but it is fine
        BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
        # Don't compress images/archives/music/video/etc
        SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont_vary
    </IfModule>
</IfModule>

```

```

<IfModule mod_mime>
    SetEnvIfNoCase Request_URI \.(?:gif|jpeg|png|?no-gzip|dont-vary)
    SetEnvIfNoCase Request_URI \.(?:exe|t?gz|zip|bz2|sit|rar)$ no-gzip dont-vary
    SetEnvIfNoCase Request_URI \.(?:avi|mov|mp3|mp4|rm|flv|swf|mp?g)$ no-gzip dont-
vary
</IfModule>
<IfModule mod_headers.c>
    # Make sure proxies don't deliver the wrong content
    Header append Vary User-Agent env=!dont-vary
</IfModule>
</IfModule>

# Enable Expirations
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresDefault "access plus 1 month"
    # expire images/css/js/swf files after a month in the client's cache
    ExpiresByType text/css "access plus 31 days"
    ExpiresByType text/javascript "access plus 31 days"
    ExpiresByType application/javascript "access plus 31 days"
    ExpiresByType application/x-javascript "access plus 31 days"
    ExpiresByType application/x-gzip "access plus 31 days"
    ExpiresByType image/gif "access plus 31 days"
    ExpiresByType image/jpeg "access plus 31 days"
    ExpiresByType image/png "access plus 31 days"
    ExpiresByType application/x-shockwave-flash "access plus 31 days"
    ExpiresByType image/vnd.microsoft.icon "access plus 31 days"
    ExpiresByType image/x-icon "access plus 1 year"
</IfModule>

# For the videos extensions
#AddType video/ogg .ogg
AddType video/webm .webm
AddType video/mp4 .mp4

# Personal pH7CMS extension file
#AddType application/x-httpd-php .ph7
#DirectoryIndex init.ph7

```