

```
# start Do not remove this comment, Prestashop will keep automatically the code
outside this comment when .htaccess will be generated again
# .htaccess automatically generated by PrestaShop e-commerce open-source solution
# http://www.prestashop.com - http://www.prestashop.com/forums
```

```
<IfModule mod_rewrite.c>
<IfModule mod_env.c>
SetEnv HTTP_MOD_REWRITE On
</IfModule>
```

RewriteEngine on

*#Domain: localhost*

```
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule . - [E=REWRITEBASE:/prestashop/]
RewriteRule ^api$ api/ [L]
```

```
RewriteRule ^api/(.*)$ %{ENV:REWRITEBASE}webservice/dispatcher.php?url=$1 [QSA,L]
```

*# Images*

```
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
{ENV:REWRITEBASE}img/p/$1/$1$2$3.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
{ENV:REWRITEBASE}img/p/$1/$2/$1$2$3$4.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
{ENV:REWRITEBASE}img/p/$1/$2/$3/$1$2$3$4$5.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
{ENV:REWRITEBASE}img/p/$1/$2/$3/$4/$1$2$3$4$5$6.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
{ENV:REWRITEBASE}img/p/$1/$2/$3/$4/$5/$1$2$3$4$5$6$7.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
{ENV:REWRITEBASE}img/p/$1/$2/$3/$4/$5/$6/$1$2$3$4$5$6$7$8.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
{ENV:REWRITEBASE}img/p/$1/$2/$3/$4/$5/$6/$7/$1$2$3$4$5$6$7$8$9.jpg [L]
```



```

RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)(-[0-9]+)?/.\.jpg$ %
(ENV: REWRITEBASE)img/p/$1/$2/$3/$4/$5/$1$2$3$4$5$6$7.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)(-[0-
9]+)?/.\.jpg$ %(ENV: REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$1$2$3$4$5$6$7$8.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)(-[0-
9]+)?/.\.jpg$ %(ENV: REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$1$2$3$4$5$6$7$8$9.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)(-
[0-9]+)?/.\.jpg$ %
(ENV: REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$8/$1$2$3$4$5$6$7$8$9$10.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^c/([0-9]+)(\[_[a-zA-Z0-9-]*\)(-[0-9]+)?/.\.jpg$ %
(ENV: REWRITEBASE)img/c/$1$2$3.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^c/([a-zA-Z_-]+)(-[0-9]+)?/.\.jpg$ %(ENV: REWRITEBASE)img/c/$1$2.jpg [L]
# AlphaImageLoader for IE and fancybox
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^images_ie/?(^[^/]+)\.(jpe?g|png|gif)$ js/jquery/plugins/fancybox/images/$1.$2
[L]

#Domain: localhost
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule . - [E=REWRITEBASE: /prestashop1/]
RewriteRule ^api$ api/ [L]

RewriteRule ^api/(.*)$ %(ENV: REWRITEBASE)webservice/dispatcher.php?url=$1 [QSA, L]

RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^irely$ /prestashop1/irely/ [L, R]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^irely/(.*) /prestashop1/$1 [L]

# Images
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])(\[_[a-zA-Z0-9-]*\)(-[0-9]+)?/.\.jpg$ %
(ENV: REWRITEBASE)img/p/$1/$1$2$3.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)(-[0-9]+)?/.\.jpg$ %
(ENV: REWRITEBASE)img/p/$1/$2/$1$2$3$4.jpg [L]

```

```

RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV: REWRITEBASE>img/p/$1/$2/$3/$1$2$3$4$5.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV: REWRITEBASE>img/p/$1/$2/$3/$4/$1$2$3$4$5$6.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV: REWRITEBASE>img/p/$1/$2/$3/$4/$5/$1$2$3$4$5$6$7.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV: REWRITEBASE>img/p/$1/$2/$3/$4/$5/$6/$1$2$3$4$5$6$7$8.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV: REWRITEBASE>img/p/$1/$2/$3/$4/$5/$6/$7/$8/$1$2$3$4$5$6$7$8$9$10.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^c/([0-9]+)(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV: REWRITEBASE>img/c/$1$2$3.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^c/([a-zA-Z_-]+)(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV: REWRITEBASE>img/c/$1$2.jpg [L]
# AlphaImageLoader for IE and fancybox
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^images_ie/?([^\/]+)\.(jpe?g|png|gif)$ js/jquery/plugins/fancybox/images/$1.$2
[L]

#Domain: localhost
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule . - [E=REWRITEBASE: /prestashop/]
RewriteRule ^api$ api/ [L]

RewriteRule ^api/<.*>$ %
<ENV: REWRITEBASE>webservice/di spatcher.php?url=$1 [QSA, L]

RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^peppertab$ /prestashop/peppertab/ [L, R]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^peppertab/<.*> /prestashop/$1 [L]

```

### *# Images*

```
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$1$2$3.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$2/$1$2$3$4.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$2/$3/$1$2$3$4$5.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$2/$3/$4/$1$2$3$4$5$6.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$2/$3/$4/$5/$1$2$3$4$5$6$7.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$2/$3/$4/$5/$6/$1$2$3$4$5$6$7$8.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$2/$3/$4/$5/$6/$7/$8/$1$2$3$4$5$6$7$8$9.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/p/$1/$2/$3/$4/$5/$6/$7/$8/$9/$1$2$3$4$5$6$7$8$9$10.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^c/([0-9]+)(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/c/$1$2$3.jpg [L]
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^c/([a-zA-Z_-]+)(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/\.+\.jpg$ %
<ENV:REWRITEBASE>img/c/$1$2.jpg [L]
# AlphaImageLoader for IE and fancybox
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule ^images_ie/?([^\^/]+)\.(jpe?g|png|gif)$ js/jquery/plugins/fancybox/images/$1.$2
[L]

#Domain: localhost
RewriteCond %{HTTP_HOST} ^localhost$
RewriteRule . - [E=REWRITEBASE:/prestashop/]
RewriteRule ^api$ api/ [L]
```

```

RewriteRule ^api/(.*)$ %(ENV:REWRITEBASE)webservice/dispatcher.php?url=$1 [QSA,L]

RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^askmegrocery$ /prestashop1/askmegrocery/ [L,R]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^askmegrocery/(.*) /prestashop1/$1 [L]

# Images
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$1$2$3.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$2/$1$2$3$4.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$2/$3/$1$2$3$4$5.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$1$2$3$4$5$6.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$1$2$3$4$5$6$7.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$1$2$3$4$5$6$7$8.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$8/$1$2$3$4$5$6$7$8$9.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$8/$9/$1$2$3$4$5$6$7$8$9$10.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^c/([0-9]+)(\[_a-zA-Z0-9-\])?(-[0-9]+)?/.\.jpg$ %
%(ENV:REWRITEBASE)img/c/$1$2$3.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^c/([a-zA-Z_-]+)(-[0-9]+)?/.\.jpg$ %(ENV:REWRITEBASE)img/c/$1$2.jpg [L]

# AlphaImageLoader for IE and fancybox
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^images_ie/(?([^/]+)\.(jpe?g|png|gif))$ js/jquery/plugins/fancybox/images/$1.$2

```

[L]

*#Domain: localhost*

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule . - [E=REWRITEBASE: /prestashop/]

RewriteRule ^api\$ api/ [L]

RewriteRule ^api/(.\*)\$ %{ENV:REWRITEBASE}webservice/dispatcher.php?url=\$1 [QSA,L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^sangamdirect\$ /prestashop/sangamdirect/ [L,R]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^sangamdirect/(.\*) /prestashop/\$1 [L]

*# Images*

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$1\$2\$3.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$2/\$1\$2\$3\$4.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])([0-9])([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$2/\$3/\$1\$2\$3\$4\$5.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])([0-9])([0-9])([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$2/\$3/\$4/\$1\$2\$3\$4\$5\$6.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$2/\$3/\$4/\$5/\$1\$2\$3\$4\$5\$6\$7.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$2/\$3/\$4/\$5/\$6/\$1\$2\$3\$4\$5\$6\$7\$8.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$2/\$3/\$4/\$5/\$6/\$7/\$1\$2\$3\$4\$5\$6\$7\$8\$9.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[\_[a-zA-Z0-9-]\*\)?(-[0-9]+)?/.\.jpg\$ %

{ENV:REWRITEBASE}img/p/\$1/\$2/\$3/\$4/\$5/\$6/\$7/\$8/\$1\$2\$3\$4\$5\$6\$7\$8\$9\$10.jpg [L]

RewriteCond %{HTTP\_HOST} ^localhost\$

```

RewriteRule ^c/([0-9]+)(\[^\.\*_a-zA-Z0-9]*)(-[0-9]+)?/\.\.jpg$ %
<ENV:REWRITEBASE>img/c/$1$2$3.jpg [L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^c/([a-zA-Z_]+)(-[0-9]+)?/\.\.jpg$ %(ENV:REWRITEBASE)img/c/$1$2.jpg [L]
# AlphaImageLoader for IE and fancybox
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^images_ie/?([^\./]+)\.(jpe?g|png|gif)$ js/jquery/plugins/fancybox/images/$1.$2
[L]

# Dispatcher
RewriteCond %(REQUEST_FILENAME) -s [OR]
RewriteCond %(REQUEST_FILENAME) -l [OR]
RewriteCond %(REQUEST_FILENAME) -d
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^.*$ - [NC,L]
RewriteCond %(HTTP_HOST) ^localhost$
RewriteRule ^.*$ %(ENV:REWRITEBASE)index.php [NC,L]
</IfModule>

AddType application/vnd.ms-fontobject .eot
AddType font/ttf .ttf
AddType font/otf .otf
AddType application/x-font-woff .woff
<IfModule mod_headers.c>
  <FilesMatch "\.(ttf|ttd|otf|eot|woff|svg)$">
    Header add Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

#If rewrite mod isn't enabled
ErrorDocument 404 /prestashop1/index.php?controller=404

# ""end"" Do not remove this comment, Prestashop will keep automatically the code outside
this comment when .htaccess will be generated again

```