

BEGIN iThemes Security

BEGIN Ban Users

Begin HackRepair.com Blacklist

RewriteEngine on

RewriteCond %{HTTP_USER_AGENT} ^\$ [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^[Ww]eb[Bb]andit [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Acunetix [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^binlar [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Bolt\ 0 [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot\@yahoo\.com [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^BOT\ for\ JCE [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^casper [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^checkprivacy [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^clshhttp [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^cmsworldmap [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^comodo [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Custo [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Default\ Browser\ 0 [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^diavol [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^DIIBot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^DISCO [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^dotbot [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^eCatch [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^extract [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^feedfinder [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^FHscan [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^FlashGet [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^flicky [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GetRight [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^Gp-ghash-get-11 [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} ^GO-HHEAD-GO[-IT] [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^g00gle [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^grab [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^harvest [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ia_archiver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^jakarta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^kanagawa [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^kmccrew [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Maxthon$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^microsoft\.url [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^miner [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *Indy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *NEWT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^nutch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
```

RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^PeoplePal [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^planetnetwork [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^psbot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^purebot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^pycurl [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Rippers\ 0 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SeaMonkey\$ [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^sitecheck\.internetseer\.com [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^skygrid [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^sucker [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^takeOut [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^turnit [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^vikspider [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WPScan [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC, OR]

RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Yandex [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^zmeu [NC,OR]
RewriteCond %{HTTP_USER_AGENT} AhrefsBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} CazoodleBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} discobot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ecxi [NC,OR]
RewriteCond %{HTTP_USER_AGENT} GT: : WWW [NC,OR]
RewriteCond %{HTTP_USER_AGENT} heritrix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTP: : Lite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ia_archiver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} id-search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} id-search\.org [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IDBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ISC\ Systems\ iRc\ Search\ 2\.1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} LinksManager.com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} lup-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Missigua\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MJ12bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} panscient.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PECL: : HTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PHPcrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PleaseCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SBIder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Snoopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Steeler [NC,OR]
RewriteCond %{HTTP_USER_AGENT} URI: : Fetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} urllib [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair
SetEnvIF REMOTE_ADDR "^188\.65\.115\.128$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.65\.115\.128$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.65\.115\.128$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\.9\.18\.147$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^5\.9\.18\.147$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^5\.9\.18\.147$" DenyAccess

order allow,deny
deny from env=DenyAccess
deny from 188.65.115.128
deny from 5.9.18.147
allow from all

# END Ban Users
# BEGIN Hide Backend
# Rules to hide the dashboard
RewriteRule ^/wplogin/?$ /wp-login.php [QSA,L]

# END Hide Backend
# BEGIN Tweaks
# Rules to block access to WordPress specific files
<files .htaccess>
    Order allow,deny
    Deny from all
</files>
<files readme.html>
    Order allow,deny
    Deny from all
</files>
<files readme.txt>
    Order allow,deny
```

```

    Deny from all
</files>
<files install.php>
    Order allow,deny
    Deny from all
</files>
<files wp-config.php>
    Order allow,deny
    Deny from all
</files>

# Rules to disable XML-RPC
<files xmlrpc.php>
    Order allow,deny
    Deny from all
</files>

# Rules to disable directory browsing
Options -Indexes

<IfModule mod_rewrite.c>
    RewriteEngine On

    # Rules to protect wp-includes
    RewriteRule ^wp-admin/includes/ - [F]
    RewriteRule !^wp-includes/ - [S=3]
    RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
    RewriteRule ^wp-includes/[^/]+\.(php)$ - [F]
    RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
    RewriteRule ^wp-includes/theme-compat/ - [F]

    # Rules to prevent php execution in uploads
    RewriteRule ^(.*)/uploads/(.*)\.php(?:.*) - [F]

    # Rules to block unneeded HTTP methods
    RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
    RewriteRule ^(.*)$ - [F]

    # Rules to block suspicious URIs
    RewriteCond %{QUERY_STRING} \.\.\/ [NC,OR]
    RewriteCond %{QUERY_STRING} ^\.(bash|git|hg|log|svn|svn|cvs) [NC,OR]

```

```

RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
RewriteCond %{QUERY_STRING} ftp\:[ \t]* [NC,OR]
RewriteCond %{QUERY_STRING} http\:[ \t]* [NC,OR]
RewriteCond %{QUERY_STRING} https\:[ \t]* [NC,OR]
RewriteCond %{QUERY_STRING} <\<| %3C>.*script.*>\>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z_]{1,21}(=|%3D) [NC,OR]
RewriteCond %{QUERY_STRING} base64_encode.*\(|.*\)| [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(\\|\/|:|<|>|@|"|"|'| \?| \*| =$). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(##x22;| ##x27;| ##x3C;| ##x3E;| ##x5C;| ##x7B;| ##x7C;|). *
[NC,OR]
RewriteCond %{QUERY_STRING} ^.*( %24&x). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(127\.\.0). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(global|ssl|encode|localhost|loopback). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(request|concat|insert|union|declare). * [NC]
RewriteCond %{QUERY_STRING} !^loggedout=true
RewriteCond %{QUERY_STRING} !^action=jetpack-ss0
RewriteCond %{QUERY_STRING} !^action=rp
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteCond %{HTTP_REFERER} !^http://maps\.googleapis\.com(.)*$
RewriteRule ^(.)*$ - [F]

# Rules to block foreign characters in URLs
RewriteCond %{QUERY_STRING} ^.*( %0| %A| %B| %C| %D| %E| %F). * [NC]
RewriteRule ^(.)*$ - [F]

# Rules to help reduce spam
RewriteCond %{REQUEST_METHOD} POST
RewriteCond %{REQUEST_URI} ^(.)*wp-comments-post\.php*
RewriteCond %{HTTP_REFERER} !^(.)*co.uk.*
RewriteCond %{HTTP_REFERER} !^http://jetpack\.wordpress\.com/jetpack-comment/ [OR]
RewriteCond %{HTTP_USER_AGENT} ^$
RewriteRule ^(.)*$ - [F]
</IfModule>
# END Tweaks
# END iThemes Security
#RewriteCond %{HTTP_HOST} !^(www|hosting|hpbl|dev)\.tailoredmarketing\.co.uk [NC]
#RewriteRule ^(.)*$ http://www.tailoredmarketing.co.uk/$1 [R=301,L]

RewriteEngine On
RewriteBase /

```

```
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
```