

BEGIN iThemes Security - Do not modify or remove this line

iThemes Security Config Details: 2

Quick ban IP. Will be updated on next formal rules save.

SetEnvIF REMOTE_ADDR "^80\.26\.90\.106\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^80\.26\.90\.106\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^80\.26\.90\.106\$" DenyAccess

<IfModule mod_authz_core.c>

<RequireAll>

Require all granted

Require not env DenyAccess

Require not ip 80.26.90.106

</RequireAll>

</IfModule>

<IfModule !mod_authz_core.c>

Order allow,deny

Deny from env=DenyAccess

Deny from 80.26.90.106

Allow from all

</IfModule>

END iThemes Security - Do not modify or remove this line

BEGIN iThemes Security - Do not modify or remove this line

iThemes Security Config Details: 2

Enable HackRepair.com's blacklist feature - Security > Settings > Banned Users > Default Blacklist

Start HackRepair.com Blacklist

RewriteEngine on

Start Abuse Agent Blocking

RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*Indy" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*NEWT" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^\$" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^Maxthon\$" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^SeaMonkey\$" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^Acunetix" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^binlar" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^BlackWidow" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^Bolt 0" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^BOT for JCE" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^Bot mailto\:craftbot@yahoo\.com" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^casper" [NC,OR]

RewriteCond %{HTTP_USER_AGENT} "^Cerberus" [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} !checkprivacy [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^ChinaClaw" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^clshhttp" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^cmsworldmap" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^comodo" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Custo" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Default Browser 0" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^diavol" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^DIIBot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^DISCo" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^dotbot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Download Demon" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^eCatch" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^EirGrabber" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailCollector" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailSiphon" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailWolf" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Express WebPictures" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^extract" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^ExtractorPro" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^EyeNetIE" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^feedfinder" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^FHscan" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^FlashGet" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^flicky" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^g00gle" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^GetRight" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^GetWeb\!" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\! Zilla" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\~Ahead\~Got\~It" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^grab" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^GrabNet" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Grafula" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^harvest" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^HMView" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^ia_archiver" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Stripper" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Sucker" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^InterGET" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Internet Ninja" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^InternetSeer\.com" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^InternetVista" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^InternetVista" [NC, OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ""jakarta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Java" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JetCar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JOC Web Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kanagawa" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kmccrew" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^larbin" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^LeechFTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^libwww" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mass Downloader" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^microsoft\.url" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MIDown tool" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^miner" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mister PiX" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MSFrontPage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Navroad" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NearSite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Net Vampire" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetAnts" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^nutch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Octopus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Explorer" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Navigator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PageGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Papa Foto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pavuk" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pcBrowser" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PeoplePal" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^planetnetwork" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^psbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^purebot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pycurl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^RealDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ReGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Rippers 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sitecheck\.internetseer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SiteSnagger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^skygrid" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SmartDownload" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperHTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Surfbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^tAkeOut" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Teleport Pro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Toata dragostea mea pentru diavola" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^turnit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^vikspider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^VoidEYE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Image Collector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebAuto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebBandit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebCopier" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebFetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebGo IS" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebLeacher" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebReaper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebSauger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website extractor" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website Quester" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebStripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebWhacker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Wget" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Widow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WPScan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWW-Mechanize" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWWOFFLE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Xaldon WebSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Yandex" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Zeus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^zmeu" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "360Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "AhrefsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "CazoodleBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "discobot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EasouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ecxi" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "GT\:\:\ WWW" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "heritrix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTP\:\:Lite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTrack" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "id\~search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IDBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Indy Library" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IRLbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ISC Systems iRc Search 2\..1" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksCrawler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksManager\.com_bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "linkwalker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "lwp\~trivial" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MFC_Tear_Sample" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Microsoft URL Control" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Missigua Locator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MJ12bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "panscient\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PECL\:\:HTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PHPCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PleaseCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SBIder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SearchmetricsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeznamBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Snoopy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Sogou" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Steeler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "URI\:\:Fetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "urllib" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "webalta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebCollage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wells Search II" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WEP Search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "XoviBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Yi souSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zermelo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ZyBorg" [NC,OR]
# End Abuse Agent Blocking
# Start Abuse HTTP Referrer Blocking
RewriteCond %{HTTP_REFERER} "^https?: //(? : [^/]+\.)?semalt\.com" [NC,OR]
```

```
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\./]+\.)?kambasoft\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\./]+\.)?savetubevideo\.com" [NC]
# End Abuse HTTP Referrer Blocking
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair

# Ban Hosts - Security > Settings > Banned Users
SetEnvIF REMOTE_ADDR "^78\.85\.227\.148$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\.85\.227\.148$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.85\.227\.148$" DenyAccess

SetEnvIF REMOTE_ADDR "^183\.138\.175\.168$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^183\.138\.175\.168$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^183\.138\.175\.168$" DenyAccess

SetEnvIF REMOTE_ADDR "^37\.57\.25\.225$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\.57\.25\.225$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\.57\.25\.225$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.131\.14\.100$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.131\.14\.100$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.131\.14\.100$" DenyAccess

SetEnvIF REMOTE_ADDR "^194\.28\.112\.157$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^194\.28\.112\.157$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^194\.28\.112\.157$" DenyAccess

SetEnvIF REMOTE_ADDR "^183\.138\.151\.36$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^183\.138\.151\.36$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^183\.138\.151\.36$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.175\.184\.156$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.175\.184\.156$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.175\.184\.156$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.175\.184\.167$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.175\.184\.167$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.175\.184\.167$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.208\.218\.63$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.208\.218\.63$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP "^188\. 208\. 218\. 63\$" DenyAccess

SetEnvIF REMOTE_ADDR "^189\. 31\. 62\. 201\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^189\. 31\. 62\. 201\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^189\. 31\. 62\. 201\$" DenyAccess

SetEnvIF REMOTE_ADDR "^193\. 200\. 60\. 28\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^193\. 200\. 60\. 28\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^193\. 200\. 60\. 28\$" DenyAccess

SetEnvIF REMOTE_ADDR "^192\. 237\. 253\. 225\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^192\. 237\. 253\. 225\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^192\. 237\. 253\. 225\$" DenyAccess

SetEnvIF REMOTE_ADDR "^183\. 159\. 77\. 65\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^183\. 159\. 77\. 65\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^183\. 159\. 77\. 65\$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\. 45\. 79\. 44\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\. 45\. 79\. 44\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\. 45\. 79\. 44\$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\. 153\. 10\. 239\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^94\. 153\. 10\. 239\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 153\. 10\. 239\$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\. 226\. 212\. 104\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^88\. 226\. 212\. 104\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^88\. 226\. 212\. 104\$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\. 151\. 143\. 163\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^178\. 151\. 143\. 163\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^178\. 151\. 143\. 163\$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\. 185\. 145\. 225\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^39\. 185\. 145\. 225\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 185\. 145\. 225\$" DenyAccess

SetEnvIF REMOTE_ADDR "^46\. 118\. 119\. 63\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^46\. 118\. 119\. 63\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 118\. 119\. 63\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^88\.241\.194\.5$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^88\.241\.194\.5$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^88\.241\.194\.5$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.200\.12\.65$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.200\.12\.65$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.200\.12\.65$" DenyAccess

SetEnvIF REMOTE_ADDR "^212\.252\.167\.218$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.252\.167\.218$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.252\.167\.218$" DenyAccess

SetEnvIF REMOTE_ADDR "^212\.252\.167\.116$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.252\.167\.116$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.252\.167\.116$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.137\.163\.42$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.137\.163\.42$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.137\.163\.42$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.143\.234\.25$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.143\.234\.25$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.143\.234\.25$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.241\.177\.61$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.241\.177\.61$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.241\.177\.61$" DenyAccess

SetEnvIF REMOTE_ADDR "^82\.155\.77\.5$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^82\.155\.77\.5$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^82\.155\.77\.5$" DenyAccess

SetEnvIF REMOTE_ADDR "^191\.112\.79\.22$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^191\.112\.79\.22$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^191\.112\.79\.22$" DenyAccess

SetEnvIF REMOTE_ADDR "^105\.236\.232\.213$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.236\.232\.213$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.236\.232\.213$" DenyAccess
```



```
SetEnvIf REMOTE_ADDR "^123\. 63\. 221\. 121$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^123\. 63\. 221\. 121$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^123\. 63\. 221\. 121$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^84\. 252\. 38\. 248$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^84\. 252\. 38\. 248$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^84\. 252\. 38\. 248$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^78\. 92\. 9\. 49$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^78\. 92\. 9\. 49$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^78\. 92\. 9\. 49$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^79\. 118\. 2\. 76$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^79\. 118\. 2\. 76$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^79\. 118\. 2\. 76$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^93\. 22\. 159\. 114$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^93\. 22\. 159\. 114$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^93\. 22\. 159\. 114$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^172\. 218\. 181\. 12$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^172\. 218\. 181\. 12$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^172\. 218\. 181\. 12$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^110\. 169\. 71\. 221$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^110\. 169\. 71\. 221$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^110\. 169\. 71\. 221$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^83\. 28\. 230\. 47$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^83\. 28\. 230\. 47$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^83\. 28\. 230\. 47$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^39\. 33\. 98\. 60$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^39\. 33\. 98\. 60$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^39\. 33\. 98\. 60$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^41\. 57\. 111\. 189$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^41\. 57\. 111\. 189$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^41\. 57\. 111\. 189$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^85\. 103\. 191\. 175$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "001.100.1.101-1.104" DenyAccess
SetEnvIf X-FORWARDED-FOR "^85\.103\.191\.175$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^85\.103\.191\.175$" DenyAccess

SetEnvIf REMOTE_ADDR "^92\.87\.13\.201$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^92\.87\.13\.201$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^92\.87\.13\.201$" DenyAccess

SetEnvIf REMOTE_ADDR "^182\.185\.168\.253$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^182\.185\.168\.253$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^182\.185\.168\.253$" DenyAccess

SetEnvIf REMOTE_ADDR "^41\.87\.178\.200$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^41\.87\.178\.200$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^41\.87\.178\.200$" DenyAccess

SetEnvIf REMOTE_ADDR "^50\.118\.162\.141$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^50\.118\.162\.141$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^50\.118\.162\.141$" DenyAccess

SetEnvIf REMOTE_ADDR "^92\.87\.210\.7$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^92\.87\.210\.7$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^92\.87\.210\.7$" DenyAccess

SetEnvIf REMOTE_ADDR "^77\.250\.231\.58$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^77\.250\.231\.58$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^77\.250\.231\.58$" DenyAccess

SetEnvIf REMOTE_ADDR "^109\.66\.195\.123$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^109\.66\.195\.123$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^109\.66\.195\.123$" DenyAccess

SetEnvIf REMOTE_ADDR "^81\.66\.234\.57$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^81\.66\.234\.57$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^81\.66\.234\.57$" DenyAccess

SetEnvIf REMOTE_ADDR "^175\.136\.89\.81$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^175\.136\.89\.81$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^175\.136\.89\.81$" DenyAccess

SetEnvIf REMOTE_ADDR "^119\.160\.181\.104$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^119\.160\.181\.104$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "119\.160\.161\.164$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^119\.160\.161\.164$" DenyAccess

SetEnvIF REMOTE_ADDR "^112\.134\.80\.186$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^112\.134\.80\.186$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^112\.134\.80\.186$" DenyAccess

SetEnvIF REMOTE_ADDR "^124\.82\.80\.26$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^124\.82\.80\.26$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^124\.82\.80\.26$" DenyAccess

SetEnvIF REMOTE_ADDR "^93\.86\.5\.133$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^93\.86\.5\.133$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\.86\.5\.133$" DenyAccess

SetEnvIF REMOTE_ADDR "^105\.210\.87\.220$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.210\.87\.220$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.210\.87\.220$" DenyAccess

SetEnvIF REMOTE_ADDR "^86\.121\.80\.194$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^86\.121\.80\.194$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^86\.121\.80\.194$" DenyAccess

SetEnvIF REMOTE_ADDR "^175\.215\.148\.230$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^175\.215\.148\.230$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^175\.215\.148\.230$" DenyAccess

SetEnvIF REMOTE_ADDR "^85\.187\.177\.243$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\.187\.177\.243$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\.187\.177\.243$" DenyAccess

SetEnvIF REMOTE_ADDR "^42\.60\.195\.234$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^42\.60\.195\.234$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^42\.60\.195\.234$" DenyAccess

SetEnvIF REMOTE_ADDR "^114\.78\.2\.11$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^114\.78\.2\.11$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^114\.78\.2\.11$" DenyAccess

SetEnvIF REMOTE_ADDR "^118\.233\.70\.30$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^118\.233\.70\.30$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^118\.233\.70\.30$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP ""118\, 233\, 70\, 30\$" DenyAccess

SetEnvIF REMOTE_ADDR "^31\, 47\, 7\, 143\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^31\, 47\, 7\, 143\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^31\, 47\, 7\, 143\$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\, 10\, 23\, 60\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^103\, 10\, 23\, 60\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^103\, 10\, 23\, 60\$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\, 13\, 178\, 193\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\, 13\, 178\, 193\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\, 13\, 178\, 193\$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\, 249\, 89\, 94\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^103\, 249\, 89\, 94\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^103\, 249\, 89\, 94\$" DenyAccess

SetEnvIF REMOTE_ADDR "^180\, 191\, 154\, 3\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^180\, 191\, 154\, 3\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^180\, 191\, 154\, 3\$" DenyAccess

SetEnvIF REMOTE_ADDR "^213\, 186\, 188\, 245\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^213\, 186\, 188\, 245\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^213\, 186\, 188\, 245\$" DenyAccess

SetEnvIF REMOTE_ADDR "^87\, 207\, 120\, 167\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^87\, 207\, 120\, 167\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^87\, 207\, 120\, 167\$" DenyAccess

SetEnvIF REMOTE_ADDR "^187\, 244\, 203\, 113\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^187\, 244\, 203\, 113\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^187\, 244\, 203\, 113\$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\, 236\, 34\, 243\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^88\, 236\, 34\, 243\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^88\, 236\, 34\, 243\$" DenyAccess

SetEnvIF REMOTE_ADDR "^161\, 0\, 114\, 2\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^161\, 0\, 114\, 2\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^161\, 0\, 114\, 2\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^83\.249\.238\.52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^83\.249\.238\.52$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^83\.249\.238\.52$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^74\.139\.42\.208$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^74\.139\.42\.208$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^74\.139\.42\.208$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^119\.95\.71\.75$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^119\.95\.71\.75$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^119\.95\.71\.75$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^109\.226\.15\.199$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.226\.15\.199$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.226\.15\.199$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^31\.201\.184\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^31\.201\.184\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^31\.201\.184\.37$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^109\.97\.83\.34$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.97\.83\.34$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.97\.83\.34$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^197\.79\.15\.117$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^197\.79\.15\.117$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^197\.79\.15\.117$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^89\.205\.94\.233$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\.205\.94\.233$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\.205\.94\.233$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^196\.26\.87\.2$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^196\.26\.87\.2$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^196\.26\.87\.2$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^150\.107\.88\.38$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^150\.107\.88\.38$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^150\.107\.88\.38$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^46\.107\.122\.46$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\.107\.122\.46$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\.107\.122\.46$" DenyAccess

SetEnvIF REMOTE_ADDR "^84\.0\.188\.102$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^84\.0\.188\.102$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^84\.0\.188\.102$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.222\.203\.6$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.222\.203\.6$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.222\.203\.6$" DenyAccess

SetEnvIF REMOTE_ADDR "^105\.228\.174\.72$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.228\.174\.72$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.228\.174\.72$" DenyAccess

SetEnvIF REMOTE_ADDR "^210\.195\.148\.31$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^210\.195\.148\.31$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^210\.195\.148\.31$" DenyAccess

SetEnvIF REMOTE_ADDR "^112\.144\.68\.146$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^112\.144\.68\.146$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^112\.144\.68\.146$" DenyAccess

SetEnvIF REMOTE_ADDR "^182\.181\.150\.27$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^182\.181\.150\.27$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^182\.181\.150\.27$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.222\.207\.84$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.222\.207\.84$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.222\.207\.84$" DenyAccess

SetEnvIF REMOTE_ADDR "^175\.136\.210\.3$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^175\.136\.210\.3$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^175\.136\.210\.3$" DenyAccess

SetEnvIF REMOTE_ADDR "^80\.197\.157\.110$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^80\.197\.157\.110$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^80\.197\.157\.110$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\.32\.14\.106$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^5\. 32\. 14\. 106$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^5\. 32\. 14\. 106$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^92\. 81\. 205\. 147$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^92\. 81\. 205\. 147$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^92\. 81\. 205\. 147$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^202\. 44\. 228\. 1$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^202\. 44\. 228\. 1$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^202\. 44\. 228\. 1$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^89\. 157\. 121\. 174$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\. 157\. 121\. 174$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\. 157\. 121\. 174$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^105\. 227\. 109\. 92$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\. 227\. 109\. 92$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\. 227\. 109\. 92$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^112\. 173\. 143\. 222$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^112\. 173\. 143\. 222$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^112\. 173\. 143\. 222$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^220\. 94\. 250\. 100$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^220\. 94\. 250\. 100$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^220\. 94\. 250\. 100$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^103\. 255\. 8\. 129$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\. 255\. 8\. 129$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\. 255\. 8\. 129$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^94\. 231\. 224\. 96$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\. 231\. 224\. 96$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 231\. 224\. 96$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^58\. 123\. 73\. 177$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^58\. 123\. 73\. 177$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^58\. 123\. 73\. 177$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^196\. 31\. 40\. 34$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^196\. 31\. 40\. 34$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP "^196\. 31\. 40\. 34\$" DenyAccess

SetEnvIF REMOTE_ADDR "^79\. 116\. 234\. 21\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^79\. 116\. 234\. 21\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^79\. 116\. 234\. 21\$" DenyAccess

SetEnvIF REMOTE_ADDR "^212\. 200\. 65\. 242\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^212\. 200\. 65\. 242\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^212\. 200\. 65\. 242\$" DenyAccess

SetEnvIF REMOTE_ADDR "^75\. 143\. 208\. 206\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^75\. 143\. 208\. 206\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^75\. 143\. 208\. 206\$" DenyAccess

SetEnvIF REMOTE_ADDR "^220\. 87\. 53\. 251\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^220\. 87\. 53\. 251\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^220\. 87\. 53\. 251\$" DenyAccess

SetEnvIF REMOTE_ADDR "^190\. 28\. 96\. 28\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^190\. 28\. 96\. 28\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^190\. 28\. 96\. 28\$" DenyAccess

SetEnvIF REMOTE_ADDR "^24\. 135\. 121\. 249\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^24\. 135\. 121\. 249\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^24\. 135\. 121\. 249\$" DenyAccess

SetEnvIF REMOTE_ADDR "^46\. 185\. 190\. 55\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^46\. 185\. 190\. 55\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 185\. 190\. 55\$" DenyAccess

SetEnvIF REMOTE_ADDR "^12\. 222\. 248\. 212\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^12\. 222\. 248\. 212\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^12\. 222\. 248\. 212\$" DenyAccess

SetEnvIF REMOTE_ADDR "^202\. 142\. 67\. 20\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^202\. 142\. 67\. 20\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^202\. 142\. 67\. 20\$" DenyAccess

SetEnvIF REMOTE_ADDR "^125\. 60\. 252\. 162\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^125\. 60\. 252\. 162\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^125\. 60\. 252\. 162\$" DenyAccess


```
SetEnvIF REMOTE_ADDR "^196\.201\.229\.58$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^196\.201\.229\.58$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^196\.201\.229\.58$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^105\.102\.100\.32$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.102\.100\.32$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.102\.100\.32$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^39\.32\.195\.164$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\.32\.195\.164$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\.32\.195\.164$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^109\.64\.149\.253$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.64\.149\.253$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.64\.149\.253$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^49\.150\.234\.31$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^49\.150\.234\.31$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^49\.150\.234\.31$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^41\.188\.46\.82$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\.188\.46\.82$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\.188\.46\.82$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^80\.236\.206\.40$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^80\.236\.206\.40$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^80\.236\.206\.40$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^86\.122\.49\.9$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^86\.122\.49\.9$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^86\.122\.49\.9$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^124\.182\.135\.248$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^124\.182\.135\.248$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^124\.182\.135\.248$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^145\.132\.127\.39$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^145\.132\.127\.39$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^145\.132\.127\.39$" DenyAccess
```

SetEnvIF REMOTE_ADDR "^182\. 93\. 90\. 51\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^182\. 93\. 90\. 51\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^182\. 93\. 90\. 51\$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\. 4\. 147\. 190\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\. 4\. 147\. 190\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\. 4\. 147\. 190\$" DenyAccess

SetEnvIF REMOTE_ADDR "^89\. 47\. 214\. 200\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\. 47\. 214\. 200\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\. 47\. 214\. 200\$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\. 32\. 36\. 82\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\. 32\. 36\. 82\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 32\. 36\. 82\$" DenyAccess

SetEnvIF REMOTE_ADDR "^114\. 4\. 79\. 158\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^114\. 4\. 79\. 158\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^114\. 4\. 79\. 158\$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\. 225\. 20\. 60\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\. 225\. 20\. 60\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 225\. 20\. 60\$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\. 32\. 113\. 45\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\. 32\. 113\. 45\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 32\. 113\. 45\$" DenyAccess

SetEnvIF REMOTE_ADDR "^180\. 183\. 203\. 218\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^180\. 183\. 203\. 218\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^180\. 183\. 203\. 218\$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\. 2\. 136\. 202\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\. 2\. 136\. 202\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\. 2\. 136\. 202\$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\. 61\. 194\. 30\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\. 61\. 194\. 30\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 61\. 194\. 30\$" DenyAccess

SetEnvIF REMOTE_ADDR "^115\. 133\. 88\. 136\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "115\133\88\136$" DenyAccess
SetEnvIF X-FORWARDED-FOR "115\133\88\136$" DenyAccess

SetEnvIF REMOTE_ADDR "109\67\121\94$" DenyAccess
SetEnvIF X-FORWARDED-FOR "109\67\121\94$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "109\67\121\94$" DenyAccess

SetEnvIF REMOTE_ADDR "197\0\226\214$" DenyAccess
SetEnvIF X-FORWARDED-FOR "197\0\226\214$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "197\0\226\214$" DenyAccess

SetEnvIF REMOTE_ADDR "92\83\187\108$" DenyAccess
SetEnvIF X-FORWARDED-FOR "92\83\187\108$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "92\83\187\108$" DenyAccess

SetEnvIF REMOTE_ADDR "180\191\139\46$" DenyAccess
SetEnvIF X-FORWARDED-FOR "180\191\139\46$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "180\191\139\46$" DenyAccess

SetEnvIF REMOTE_ADDR "112\210\114\8$" DenyAccess
SetEnvIF X-FORWARDED-FOR "112\210\114\8$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "112\210\114\8$" DenyAccess

SetEnvIF REMOTE_ADDR "195\26\151\27$" DenyAccess
SetEnvIF X-FORWARDED-FOR "195\26\151\27$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "195\26\151\27$" DenyAccess

SetEnvIF REMOTE_ADDR "81\83\19\242$" DenyAccess
SetEnvIF X-FORWARDED-FOR "81\83\19\242$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "81\83\19\242$" DenyAccess

SetEnvIF REMOTE_ADDR "49\151\1\244$" DenyAccess
SetEnvIF X-FORWARDED-FOR "49\151\1\244$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "49\151\1\244$" DenyAccess

SetEnvIF REMOTE_ADDR "79\187\239\0$" DenyAccess
SetEnvIF X-FORWARDED-FOR "79\187\239\0$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "79\187\239\0$" DenyAccess

SetEnvIF REMOTE_ADDR "179\53\46\105$" DenyAccess
SetEnvIF X-FORWARDED-FOR "179\53\46\105$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "179\, 53\, 46\, 105$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^179\, 53\, 46\, 105$" DenyAccess

SetEnvIF REMOTE_ADDR "^1\, 32\, 70\, 222$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^1\, 32\, 70\, 222$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^1\, 32\, 70\, 222$" DenyAccess

SetEnvIF REMOTE_ADDR "^213\, 55\, 114\, 182$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^213\, 55\, 114\, 182$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^213\, 55\, 114\, 182$" DenyAccess

SetEnvIF REMOTE_ADDR "^109\, 94\, 227\, 60$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\, 94\, 227\, 60$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\, 94\, 227\, 60$" DenyAccess

SetEnvIF REMOTE_ADDR "^201\, 86\, 125\, 206$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^201\, 86\, 125\, 206$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^201\, 86\, 125\, 206$" DenyAccess

SetEnvIF REMOTE_ADDR "^79\, 126\, 219\, 235$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\, 126\, 219\, 235$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\, 126\, 219\, 235$" DenyAccess

SetEnvIF REMOTE_ADDR "^213\, 162\, 68\, 55$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^213\, 162\, 68\, 55$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^213\, 162\, 68\, 55$" DenyAccess

SetEnvIF REMOTE_ADDR "^121\, 54\, 32\, 132$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^121\, 54\, 32\, 132$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^121\, 54\, 32\, 132$" DenyAccess

SetEnvIF REMOTE_ADDR "^197\, 200\, 97\, 166$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^197\, 200\, 97\, 166$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^197\, 200\, 97\, 166$" DenyAccess

SetEnvIF REMOTE_ADDR "^164\, 126\, 29\, 164$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^164\, 126\, 29\, 164$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^164\, 126\, 29\, 164$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\, 33\, 192\, 216$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\, 33\, 192\, 216$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\, 33\, 192\, 216$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP ""39\.33\.192\.216\$" DenyAccess

SetEnvIF REMOTE_ADDR "^41\.104\.216\.237\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^41\.104\.216\.237\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^41\.104\.216\.237\$" DenyAccess

SetEnvIF REMOTE_ADDR "^86\.107\.36\.240\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^86\.107\.36\.240\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^86\.107\.36\.240\$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.41\.186\.98\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^178\.41\.186\.98\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^178\.41\.186\.98\$" DenyAccess

SetEnvIF REMOTE_ADDR "^121\.121\.62\.142\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^121\.121\.62\.142\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^121\.121\.62\.142\$" DenyAccess

SetEnvIF REMOTE_ADDR "^24\.135\.234\.4\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^24\.135\.234\.4\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^24\.135\.234\.4\$" DenyAccess

SetEnvIF REMOTE_ADDR "^93\.113\.187\.188\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^93\.113\.187\.188\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^93\.113\.187\.188\$" DenyAccess

SetEnvIF REMOTE_ADDR "^142\.162\.11\.5\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^142\.162\.11\.5\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^142\.162\.11\.5\$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\.22\.129\.208\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\.22\.129\.208\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\.22\.129\.208\$" DenyAccess

SetEnvIF REMOTE_ADDR "^112\.208\.135\.225\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^112\.208\.135\.225\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^112\.208\.135\.225\$" DenyAccess

SetEnvIF REMOTE_ADDR "^213\.35\.184\.50\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^213\.35\.184\.50\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^213\.35\.184\.50\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^41\.143\.19\.58$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\.143\.19\.58$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\.143\.19\.58$" DenyAccess

SetEnvIF REMOTE_ADDR "^121\.54\.32\.138$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^121\.54\.32\.138$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^121\.54\.32\.138$" DenyAccess

SetEnvIF REMOTE_ADDR "^124\.43\.192\.185$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^124\.43\.192\.185$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^124\.43\.192\.185$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\.18\.72\.58$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\.18\.72\.58$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\.18\.72\.58$" DenyAccess

SetEnvIF REMOTE_ADDR "^201\.80\.8\.126$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^201\.80\.8\.126$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^201\.80\.8\.126$" DenyAccess

SetEnvIF REMOTE_ADDR "^110\.93\.94\.242$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^110\.93\.94\.242$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^110\.93\.94\.242$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\.240\.32\.22$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\.240\.32\.22$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\.240\.32\.22$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\.222\.234\.44$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^88\.222\.234\.44$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^88\.222\.234\.44$" DenyAccess

SetEnvIF REMOTE_ADDR "^172\.243\.69\.128$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^172\.243\.69\.128$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^172\.243\.69\.128$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.202\.91\.209$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.202\.91\.209$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.202\.91\.209$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^105\.109\.225\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.109\.225\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.109\.225\.37$" DenyAccess

SetEnvIF REMOTE_ADDR "^187\.158\.90\.48$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^187\.158\.90\.48$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^187\.158\.90\.48$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.176\.0\.40$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.176\.0\.40$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.176\.0\.40$" DenyAccess

SetEnvIF REMOTE_ADDR "^41\.133\.134\.227$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\.133\.134\.227$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\.133\.134\.227$" DenyAccess

SetEnvIF REMOTE_ADDR "^89\.154\.228\.27$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\.154\.228\.27$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\.154\.228\.27$" DenyAccess

SetEnvIF REMOTE_ADDR "^212\.40\.86\.99$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.40\.86\.99$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.40\.86\.99$" DenyAccess

SetEnvIF REMOTE_ADDR "^223\.223\.174\.15$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^223\.223\.174\.15$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^223\.223\.174\.15$" DenyAccess

SetEnvIF REMOTE_ADDR "^119\.74\.87\.91$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^119\.74\.87\.91$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^119\.74\.87\.91$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.241\.201\.78$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.241\.201\.78$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.241\.201\.78$" DenyAccess

SetEnvIF REMOTE_ADDR "^125\.137\.152\.7$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^125\.137\.152\.7$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^125\.137\.152\.7$" DenyAccess

SetEnvIF REMOTE_ADDR "^85\.55\.240\.13$" DenyAccess
```

SetEnvIF X-FORWARDED-FOR "^85\. 55\. 240\. 13\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\. 55\. 240\. 13\$" DenyAccess

SetEnvIF REMOTE_ADDR "^175\. 110\. 165\. 180\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^175\. 110\. 165\. 180\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^175\. 110\. 165\. 180\$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\. 52\. 37\. 56\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\. 52\. 37\. 56\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 52\. 37\. 56\$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\. 32\. 83\. 210\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\. 32\. 83\. 210\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 32\. 83\. 210\$" DenyAccess

SetEnvIF REMOTE_ADDR "^197\. 81\. 126\. 41\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^197\. 81\. 126\. 41\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^197\. 81\. 126\. 41\$" DenyAccess

SetEnvIF REMOTE_ADDR "^191\. 112\. 44\. 73\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^191\. 112\. 44\. 73\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^191\. 112\. 44\. 73\$" DenyAccess

SetEnvIF REMOTE_ADDR "^171\. 96\. 176\. 124\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^171\. 96\. 176\. 124\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^171\. 96\. 176\. 124\$" DenyAccess

SetEnvIF REMOTE_ADDR "^41\. 96\. 184\. 208\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\. 96\. 184\. 208\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\. 96\. 184\. 208\$" DenyAccess

SetEnvIF REMOTE_ADDR "^86\. 122\. 43\. 81\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^86\. 122\. 43\. 81\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^86\. 122\. 43\. 81\$" DenyAccess

SetEnvIF REMOTE_ADDR "^109\. 93\. 41\. 245\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\. 93\. 41\. 245\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\. 93\. 41\. 245\$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\. 223\. 7\. 139\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\. 223\. 7\. 139\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 223\. 7\. 139\$" DenyAccess

SetEnvIF REMOTE_ADDR "^79\. 181\. 101\. 112\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^79\. 181\. 101\. 112\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^79\. 181\. 101\. 112\$" DenyAccess

SetEnvIF REMOTE_ADDR "^121\. 54\. 54\. 157\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^121\. 54\. 54\. 157\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^121\. 54\. 54\. 157\$" DenyAccess

SetEnvIF REMOTE_ADDR "^46\. 217\. 50\. 208\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^46\. 217\. 50\. 208\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 217\. 50\. 208\$" DenyAccess

SetEnvIF REMOTE_ADDR "^87\. 11\. 35\. 63\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^87\. 11\. 35\. 63\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^87\. 11\. 35\. 63\$" DenyAccess

SetEnvIF REMOTE_ADDR "^197\. 163\. 49\. 180\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^197\. 163\. 49\. 180\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^197\. 163\. 49\. 180\$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\. 44\. 126\. 20\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^176\. 44\. 126\. 20\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 44\. 126\. 20\$" DenyAccess

SetEnvIF REMOTE_ADDR "^115\. 254\. 56\. 29\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^115\. 254\. 56\. 29\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^115\. 254\. 56\. 29\$" DenyAccess

SetEnvIF REMOTE_ADDR "^149\. 200\. 141\. 70\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^149\. 200\. 141\. 70\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^149\. 200\. 141\. 70\$" DenyAccess

SetEnvIF REMOTE_ADDR "^119\. 159\. 81\. 1\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^119\. 159\. 81\. 1\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^119\. 159\. 81\. 1\$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\. 151\. 104\. 77\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\. 151\. 104\. 77\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\. 151\. 104\. 77\$" DenyAccess

SetEnvIF REMOTE_ADDR "^78\. 233\. 174\. 151\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\. 233\. 174\. 151\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\. 233\. 174\. 151\$" DenyAccess

SetEnvIF REMOTE_ADDR "^79\. 116\. 181\. 28\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\. 116\. 181\. 28\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\. 116\. 181\. 28\$" DenyAccess

SetEnvIF REMOTE_ADDR "^119\. 157\. 235\. 231\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^119\. 157\. 235\. 231\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^119\. 157\. 235\. 231\$" DenyAccess

SetEnvIF REMOTE_ADDR "^89\. 137\. 229\. 186\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\. 137\. 229\. 186\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\. 137\. 229\. 186\$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\. 221\. 94\. 174\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\. 221\. 94\. 174\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\. 221\. 94\. 174\$" DenyAccess

SetEnvIF REMOTE_ADDR "^153\. 218\. 171\. 87\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^153\. 218\. 171\. 87\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^153\. 218\. 171\. 87\$" DenyAccess

SetEnvIF REMOTE_ADDR "^93\. 139\. 133\. 234\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^93\. 139\. 133\. 234\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\. 139\. 133\. 234\$" DenyAccess

SetEnvIF REMOTE_ADDR "^46\. 119\. 115\. 165\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\. 119\. 115\. 165\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 119\. 115\. 165\$" DenyAccess

SetEnvIF REMOTE_ADDR "^200\. 161\. 115\. 34\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^200\. 161\. 115\. 34\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^200\. 161\. 115\. 34\$" DenyAccess

SetEnvIF REMOTE_ADDR "^177\. 129\. 90\. 37\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^177\. 129\. 90\. 37\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^177\. 129\. 90\. 37\$" DenyAccess

SetEnvIF REMOTE_ADDR "^179\.184\.34\.47\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^179\.184\.34\.47\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^179\.184\.34\.47\$" DenyAccess

SetEnvIF REMOTE_ADDR "^78\.188\.167\.205\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\.188\.167\.205\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.188\.167\.205\$" DenyAccess

SetEnvIF REMOTE_ADDR "^190\.78\.49\.210\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^190\.78\.49\.210\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^190\.78\.49\.210\$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.123\.226\.63\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.123\.226\.63\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.123\.226\.63\$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.198\.242\.175\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.198\.242\.175\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.198\.242\.175\$" DenyAccess

SetEnvIF REMOTE_ADDR "^173\.254\.236\.58\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^173\.254\.236\.58\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^173\.254\.236\.58\$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.156\.217\.53\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.156\.217\.53\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.156\.217\.53\$" DenyAccess

SetEnvIF REMOTE_ADDR "^195\.154\.241\.157\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^195\.154\.241\.157\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^195\.154\.241\.157\$" DenyAccess

SetEnvIF REMOTE_ADDR "^78\.171\.187\.91\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\.171\.187\.91\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.171\.187\.91\$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\.226\.200\.18\$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^88\.226\.200\.18\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^88\.226\.200\.18\$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.914\.202\.24\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "21\, 214\, 202\, 24$" DenyAccess
SetEnvIF X-FORWARDED-FOR "21\, 214\, 202\, 24$" DenyAccess

SetEnvIF REMOTE_ADDR "85\, 159\, 212\, 184$" DenyAccess
SetEnvIF X-FORWARDED-FOR "85\, 159\, 212\, 184$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "85\, 159\, 212\, 184$" DenyAccess

SetEnvIF REMOTE_ADDR "212\, 252\, 167\, 228$" DenyAccess
SetEnvIF X-FORWARDED-FOR "212\, 252\, 167\, 228$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "212\, 252\, 167\, 228$" DenyAccess

SetEnvIF REMOTE_ADDR "212\, 252\, 167\, 191$" DenyAccess
SetEnvIF X-FORWARDED-FOR "212\, 252\, 167\, 191$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "212\, 252\, 167\, 191$" DenyAccess

SetEnvIF REMOTE_ADDR "213\, 184\, 244\, 241$" DenyAccess
SetEnvIF X-FORWARDED-FOR "213\, 184\, 244\, 241$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "213\, 184\, 244\, 241$" DenyAccess

SetEnvIF REMOTE_ADDR "96\, 44\, 189\, 100$" DenyAccess
SetEnvIF X-FORWARDED-FOR "96\, 44\, 189\, 100$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "96\, 44\, 189\, 100$" DenyAccess

SetEnvIF REMOTE_ADDR "37\, 130\, 227\, 133$" DenyAccess
SetEnvIF X-FORWARDED-FOR "37\, 130\, 227\, 133$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "37\, 130\, 227\, 133$" DenyAccess

SetEnvIF REMOTE_ADDR "81\, 89\, 96\, 89$" DenyAccess
SetEnvIF X-FORWARDED-FOR "81\, 89\, 96\, 89$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "81\, 89\, 96\, 89$" DenyAccess

SetEnvIF REMOTE_ADDR "104\, 232\, 3\, 33$" DenyAccess
SetEnvIF X-FORWARDED-FOR "104\, 232\, 3\, 33$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "104\, 232\, 3\, 33$" DenyAccess

SetEnvIF REMOTE_ADDR "95\, 215\, 45\, 142$" DenyAccess
SetEnvIF X-FORWARDED-FOR "95\, 215\, 45\, 142$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "95\, 215\, 45\, 142$" DenyAccess

SetEnvIF REMOTE_ADDR "162\, 221\, 202\, 230$" DenyAccess
SetEnvIF X-FORWARDED-FOR "162\, 221\, 202\, 230$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "162\, 221\, 202\, 230$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^162\, 221\, 202\, 230$" DenyAccess

SetEnvIF REMOTE_ADDR "^51\, 254\, 32\, 167$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^51\, 254\, 32\, 167$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^51\, 254\, 32\, 167$" DenyAccess

SetEnvIF REMOTE_ADDR "^109\, 163\, 235\, 228$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\, 163\, 235\, 228$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\, 163\, 235\, 228$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\, 240\, 135\, 135$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^88\, 240\, 135\, 135$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^88\, 240\, 135\, 135$" DenyAccess

SetEnvIF REMOTE_ADDR "^117\, 253\, 207\, 44$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^117\, 253\, 207\, 44$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^117\, 253\, 207\, 44$" DenyAccess

SetEnvIF REMOTE_ADDR "^189\, 28\, 144\, 52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^189\, 28\, 144\, 52$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^189\, 28\, 144\, 52$" DenyAccess

SetEnvIF REMOTE_ADDR "^31\, 168\, 69\, 220$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^31\, 168\, 69\, 220$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^31\, 168\, 69\, 220$" DenyAccess

SetEnvIF REMOTE_ADDR "^200\, 220\, 139\, 2$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^200\, 220\, 139\, 2$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^200\, 220\, 139\, 2$" DenyAccess

SetEnvIF REMOTE_ADDR "^85\, 107\, 171\, 219$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\, 107\, 171\, 219$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\, 107\, 171\, 219$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\, 233\, 2\, 242$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\, 233\, 2\, 242$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^176\, 233\, 2\, 242$" DenyAccess

SetEnvIF REMOTE_ADDR "^92\, 63\, 87\, 87$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^92\, 63\, 87\, 87$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^92\, 63\, 87\, 87$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP ""92\. 63\. 87\. 87\$" DenyAccess

SetEnvIF REMOTE_ADDR "^37\. 187\. 7\. 74\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^37\. 187\. 7\. 74\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^37\. 187\. 7\. 74\$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\. 126\. 252\. 11\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^176\. 126\. 252\. 11\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 126\. 252\. 11\$" DenyAccess

SetEnvIF REMOTE_ADDR "^77\. 247\. 181\. 165\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^77\. 247\. 181\. 165\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^77\. 247\. 181\. 165\$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\. 252\. 6\. 197\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^88\. 252\. 6\. 197\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^88\. 252\. 6\. 197\$" DenyAccess

SetEnvIF REMOTE_ADDR "^198\. 50\. 213\. 119\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^198\. 50\. 213\. 119\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^198\. 50\. 213\. 119\$" DenyAccess

SetEnvIF REMOTE_ADDR "^62\. 141\. 45\. 246\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^62\. 141\. 45\. 246\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^62\. 141\. 45\. 246\$" DenyAccess

SetEnvIF REMOTE_ADDR "^37\. 187\. 129\. 166\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^37\. 187\. 129\. 166\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^37\. 187\. 129\. 166\$" DenyAccess

SetEnvIF REMOTE_ADDR "^82\. 211\. 19\. 143\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^82\. 211\. 19\. 143\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^82\. 211\. 19\. 143\$" DenyAccess

SetEnvIF REMOTE_ADDR "^142\. 4\. 213\. 25\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^142\. 4\. 213\. 25\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^142\. 4\. 213\. 25\$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\. 196\. 66\. 162\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\. 196\. 66\. 162\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\. 196\. 66\. 162\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^171\. 25\. 193\. 20\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^171\. 25\. 193\. 20\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^171\. 25\. 193\. 20\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^192\. 99\. 154\. 24\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^192\. 99\. 154\. 24\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^192\. 99\. 154\. 24\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^77\. 247\. 181\. 162\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^77\. 247\. 181\. 162\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^77\. 247\. 181\. 162\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^185\. 14\. 29\. 221\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^185\. 14\. 29\. 221\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^185\. 14\. 29\. 221\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^207\. 244\. 70\. 35\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^207\. 244\. 70\. 35\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^207\. 244\. 70\. 35\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^176\. 58\. 100\. 98\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^176\. 58\. 100\. 98\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^176\. 58\. 100\. 98\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^31\. 220\. 45\. 6\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^31\. 220\. 45\. 6\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^31\. 220\. 45\. 6\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^176\. 9\. 25\. 72\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^176\. 9\. 25\. 72\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^176\. 9\. 25\. 72\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^176\. 10\. 99\. 203\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^176\. 10\. 99\. 203\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^176\. 10\. 99\. 203\$" DenyAccess

Set-EnvIF REMOTE_ADDR "^171\. 25\. 193\. 27\$" DenyAccess
Set-EnvIF X-FORWARDED-FOR "^171\. 25\. 193\. 27\$" DenyAccess
Set-EnvIF X-CLUSTER-CLIENT-IP "^171\. 25\. 193\. 27\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^176\. 31\. 191\. 26$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\. 31\. 191\. 26$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 31\. 191\. 26$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\. 121\. 159\. 196$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\. 121\. 159\. 196$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\. 121\. 159\. 196$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\. 104\. 120\. 4$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\. 104\. 120\. 4$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\. 104\. 120\. 4$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\. 10\. 104\. 240$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\. 10\. 104\. 240$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 10\. 104\. 240$" DenyAccess

SetEnvIF REMOTE_ADDR "^198\. 50\. 200\. 143$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^198\. 50\. 200\. 143$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^198\. 50\. 200\. 143$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\. 62\. 188\. 14$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\. 62\. 188\. 14$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\. 62\. 188\. 14$" DenyAccess

SetEnvIF REMOTE_ADDR "^62\. 210\. 37\. 82$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^62\. 210\. 37\. 82$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^62\. 210\. 37\. 82$" DenyAccess

SetEnvIF REMOTE_ADDR "^109\. 163\. 234\. 5$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\. 163\. 234\. 5$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\. 163\. 234\. 5$" DenyAccess

SetEnvIF REMOTE_ADDR "^37\. 157\. 195\. 178$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\. 157\. 195\. 178$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\. 157\. 195\. 178$" DenyAccess

SetEnvIF REMOTE_ADDR "^166\. 70\. 181\. 109$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^166\. 70\. 181\. 109$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^166\. 70\. 181\. 109$" DenyAccess

SetEnvIF REMOTE_ADDR "^93\. 115\. 241\. 2$" DenyAccess
```



```
SetEnvIF X-FORWARDED-FOR "^93\.115\.241\.2$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\.115\.241\.2$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.109\.247\.173$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.109\.247\.173$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.109\.247\.173$" DenyAccess

SetEnvIF REMOTE_ADDR "^79\.98\.107\.90$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\.98\.107\.90$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\.98\.107\.90$" DenyAccess

SetEnvIF REMOTE_ADDR "^50\.7\.143\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^50\.7\.143\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^50\.7\.143\.37$" DenyAccess

SetEnvIF REMOTE_ADDR "^93\.115\.95\.205$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^93\.115\.95\.205$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\.115\.95\.205$" DenyAccess

SetEnvIF REMOTE_ADDR "^204\.124\.83\.130$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^204\.124\.83\.130$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^204\.124\.83\.130$" DenyAccess

SetEnvIF REMOTE_ADDR "^149\.210\.171\.70$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^149\.210\.171\.70$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^149\.210\.171\.70$" DenyAccess

SetEnvIF REMOTE_ADDR "^92\.222\.252\.206$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^92\.222\.252\.206$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^92\.222\.252\.206$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.242\.246\.24$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.242\.246\.24$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.242\.246\.24$" DenyAccess

SetEnvIF REMOTE_ADDR "^149\.202\.98\.161$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^149\.202\.98\.161$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^149\.202\.98\.161$" DenyAccess

SetEnvIF REMOTE_ADDR "^35\.0\.127\.52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^35\.0\.127\.52$" DenyAccess
```

```
SetEnvIF X-CLUSTER-CLIENT-IP "^35\.0\.127\.52$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^94\.242\.246\.23$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^94\.242\.246\.23$" DenyAccess
```

```
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.242\.246\.23$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^77\.109\.141\.138$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^77\.109\.141\.138$" DenyAccess
```

```
SetEnvIF X-CLUSTER-CLIENT-IP "^77\.109\.141\.138$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^195\.234\.215\.147$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^195\.234\.215\.147$" DenyAccess
```

```
SetEnvIF X-CLUSTER-CLIENT-IP "^195\.234\.215\.147$" DenyAccess
```

```
<IfModule mod_authz_core.c>
```

```
<RequireAll>
```

```
Require all granted
```

```
Require not env DenyAccess
```

```
Require not ip 78.85.227.148
```

```
Require not ip 183.138.175.168
```

```
Require not ip 37.57.25.225
```

```
Require not ip 94.131.14.100
```

```
Require not ip 194.28.112.157
```

```
Require not ip 183.138.151.36
```

```
Require not ip 178.175.184.156
```

```
Require not ip 178.175.184.167
```

```
Require not ip 188.208.218.63
```

```
Require not ip 189.31.62.201
```

```
Require not ip 193.200.60.28
```

```
Require not ip 192.237.253.225
```

```
Require not ip 183.159.77.65
```

```
Require not ip 5.45.79.44
```

```
Require not ip 94.153.10.239
```

```
Require not ip 88.226.212.104
```

```
Require not ip 178.151.143.163
```

```
Require not ip 39.185.145.225
```

```
Require not ip 46.118.119.63
```

```
Require not ip 88.241.194.5
```

```
Require not ip 91.200.12.65
```

```
Require not ip 212.252.167.218
```

```
Require not ip 212.252.167.116
```

Require not ip 178.137.163.42
Require not ip 188.143.234.25
Require not ip 188.241.177.61
Require not ip 82.155.77.5
Require not ip 191.112.79.22
Require not ip 105.236.232.213
Require not ip 123.63.221.121
Require not ip 84.252.38.248
Require not ip 78.92.9.49
Require not ip 79.118.2.76
Require not ip 93.22.159.114
Require not ip 172.218.181.12
Require not ip 110.169.71.221
Require not ip 83.28.230.47
Require not ip 39.33.98.60
Require not ip 41.57.111.189
Require not ip 85.103.191.175
Require not ip 92.87.13.201
Require not ip 182.185.168.253
Require not ip 41.87.178.200
Require not ip 50.118.162.141
Require not ip 92.87.210.7
Require not ip 77.250.231.58
Require not ip 109.66.195.123
Require not ip 81.66.234.57
Require not ip 175.136.89.81
Require not ip 119.160.181.104
Require not ip 112.134.80.186
Require not ip 124.82.80.26
Require not ip 93.86.5.133
Require not ip 105.210.87.220
Require not ip 86.121.80.194
Require not ip 175.215.148.230
Require not ip 85.187.177.243
Require not ip 42.60.195.234
Require not ip 114.78.2.11
Require not ip 118.233.70.30
Require not ip 31.47.7.143
Require not ip 103.10.23.60
Require not ip 5.13.178.193
Require not ip 103.249.89.94

Require not ip 180.191.154.3
Require not ip 213.186.188.245
Require not ip 87.207.120.167
Require not ip 187.244.203.113
Require not ip 88.236.34.243
Require not ip 161.0.114.2
Require not ip 83.249.238.52
Require not ip 74.139.42.208
Require not ip 119.95.71.75
Require not ip 109.226.15.199
Require not ip 31.201.184.37
Require not ip 109.97.83.34
Require not ip 197.79.15.117
Require not ip 89.205.94.233
Require not ip 196.26.87.2
Require not ip 150.107.88.38
Require not ip 46.107.122.46
Require not ip 84.0.188.102
Require not ip 178.222.203.6
Require not ip 105.228.174.72
Require not ip 210.195.148.31
Require not ip 112.144.68.146
Require not ip 182.181.150.27
Require not ip 178.222.207.84
Require not ip 175.136.210.3
Require not ip 80.197.157.110 Require not ip 5.32.14.106
Require not ip 92.81.205.147
Require not ip 202.44.228.1
Require not ip 89.157.121.174
Require not ip 105.227.109.92
Require not ip 112.173.143.222
Require not ip 220.94.250.100
Require not ip 103.255.8.129
Require not ip 94.231.224.96
Require not ip 58.123.73.177
Require not ip 196.31.40.34
Require not ip 79.116.234.21
Require not ip 212.200.65.242
Require not ip 75.143.208.206
Require not ip 220.87.53.251
Require not ip 100.28.96.28

Require not ip 24.135.121.249
Require not ip 46.185.190.55
Require not ip 12.222.248.212
Require not ip 202.142.67.20
Require not ip 125.60.252.162
Require not ip 196.201.229.58
Require not ip 105.102.100.32
Require not ip 39.32.195.164
Require not ip 109.64.149.253
Require not ip 49.150.234.31
Require not ip 41.188.46.82
Require not ip 80.236.206.40
Require not ip 86.122.49.9
Require not ip 124.182.135.248
Require not ip 145.132.127.39
Require not ip 182.93.90.51
Require not ip 103.4.147.190
Require not ip 89.47.214.200
Require not ip 39.32.36.82
Require not ip 114.4.79.158
Require not ip 94.225.20.60
Require not ip 39.32.113.45
Require not ip 180.183.203.218
Require not ip 188.2.136.202
Require not ip 94.61.194.30
Require not ip 115.133.88.136
Require not ip 109.67.121.94
Require not ip 197.0.226.214
Require not ip 92.83.187.108
Require not ip 180.191.139.46
Require not ip 112.210.114.8
Require not ip 195.26.151.27
Require not ip 81.83.19.242
Require not ip 49.151.1.244
Require not ip 79.187.239.0
Require not ip 179.53.46.105
Require not ip 1.32.70.222
Require not ip 213.55.114.182
Require not ip 109.94.227.60
Require not ip 201.86.125.206
Require not ip 70.105.010.005

Require not ip 79.126.219.233
Require not ip 213.162.68.55
Require not ip 121.54.32.132
Require not ip 197.200.97.166
Require not ip 164.126.29.164
Require not ip 39.33.192.216
Require not ip 41.104.216.237
Require not ip 86.107.36.240
Require not ip 178.41.186.98
Require not ip 121.121.62.142
Require not ip 24.135.234.4
Require not ip 93.113.187.188
Require not ip 142.162.11.5
Require not ip 5.22.129.208
Require not ip 112.208.135.225
Require not ip 213.35.184.50
Require not ip 41.143.19.58
Require not ip 121.54.32.138
Require not ip 124.43.192.185
Require not ip 103.18.72.58
Require not ip 201.80.8.126
Require not ip 110.93.94.242
Require not ip 103.240.32.22
Require not ip 88.222.234.44
Require not ip 172.243.69.128
Require not ip 91.202.91.209
Require not ip 105.109.225.37
Require not ip 187.158.90.48
Require not ip 94.176.0.40
Require not ip 41.133.134.227
Require not ip 89.154.228.27
Require not ip 212.40.86.99
Require not ip 223.223.174.15
Require not ip 119.74.87.91
Require not ip 188.241.201.78
Require not ip 125.137.152.7
Require not ip 85.55.240.13
Require not ip 175.110.165.180
Require not ip 94.52.37.56
Require not ip 39.32.83.210
Require not ip 197.81.126.41

Require not ip 191.112.44.73
Require not ip 171.96.176.124
Require not ip 41.96.184.208
Require not ip 86.122.43.81
Require not ip 109.93.41.245
Require not ip 176.223.7.139
Require not ip 79.181.101.112
Require not ip 121.54.54.157
Require not ip 46.217.50.208
Require not ip 87.11.35.63
Require not ip 197.163.49.180
Require not ip 176.44.126.20
Require not ip 115.254.56.29
Require not ip 149.200.141.70
Require not ip 119.159.81.1
Require not ip 5.151.104.77
Require not ip 78.233.174.151
Require not ip 79.116.181.28
Require not ip 119.157.235.231
Require not ip 89.137.229.186
Require not ip 178.221.94.174
Require not ip 153.218.171.87
Require not ip 93.139.133.234
Require not ip 46.119.115.165
Require not ip 200.161.115.34
Require not ip 177.129.90.37
Require not ip 179.184.34.47
Require not ip 78.188.167.205
Require not ip 190.78.49.210
Require not ip 94.123.226.63
Require not ip 94.198.242.175
Require not ip 173.254.236.58
Require not ip 94.156.217.53
Require not ip 195.154.241.157
Require not ip 78.171.187.91
Require not ip 88.226.200.18
Require not ip 91.214.202.24
Require not ip 85.159.212.184
Require not ip 212.252.167.228
Require not ip 212.252.167.191
Require not ip 213.184.244.241

Require not ip 96. 44. 189. 100
Require not ip 37. 130. 227. 133
Require not ip 81. 89. 96. 89
Require not ip 104. 232. 3. 33
Require not ip 95. 215. 45. 142
Require not ip 162. 221. 202. 230
Require not ip 51. 254. 32. 167
Require not ip 109. 163. 235. 228
Require not ip 88. 240. 135. 135
Require not ip 117. 253. 207. 44
Require not ip 189. 28. 144. 52
Require not ip 31. 168. 69. 220
Require not ip 200. 220. 139. 2
Require not ip 85. 107. 171. 219
Require not ip 176. 233. 2. 242
Require not ip 92. 63. 87. 87
Require not ip 37. 187. 7. 74
Require not ip 176. 126. 252. 11
Require not ip 77. 247. 181. 165
Require not ip 88. 252. 6. 197
Require not ip 198. 50. 213. 119
Require not ip 62. 141. 45. 246
Require not ip 37. 187. 129. 166
Require not ip 82. 211. 19. 143
Require not ip 142. 4. 213. 25
Require not ip 5. 196. 66. 162
Require not ip 171. 25. 193. 20
Require not ip 192. 99. 154. 24
Require not ip 77. 247. 181. 162
Require not ip 185. 14. 29. 221
Require not ip 207. 244. 70. 35
Require not ip 176. 58. 100. 98
Require not ip 31. 220. 45. 6
Require not ip 176. 9. 25. 72
Require not ip 176. 10. 99. 203
Require not ip 171. 25. 193. 27
Require not ip 176. 31. 191. 26
Require not ip 91. 121. 159. 196
Require not ip 185. 104. 120. 4
Require not ip 176. 10. 104. 240
Require not ip 198. 50. 200. 143


```
Require not ip 185.62.188.14
Require not ip 62.210.37.82
Require not ip 109.163.234.5
Require not ip 37.157.195.178
Require not ip 166.70.181.109
Require not ip 93.115.241.2
Require not ip 91.109.247.173
Require not ip 79.98.107.90
Require not ip 50.7.143.37
Require not ip 93.115.95.205
Require not ip 204.124.83.130
Require not ip 149.210.171.70
Require not ip 92.222.252.206
Require not ip 94.242.246.24
Require not ip 149.202.98.161
Require not ip 35.0.127.52
Require not ip 94.242.246.23
Require not ip 77.109.141.138
Require not ip 195.234.215.147
```

```
</RequireAll>
```

```
</IfModule>
```

```
<IfModule !mod_authz_core.c>
```

```
Order allow,deny
```

```
Allow from all
```

```
Deny from env=DenyAccess
```

```
Deny from 78.85.227.148
```

```
Deny from 183.138.175.168
```

```
Deny from 37.57.25.225
```

```
Deny from 94.131.14.100
```

```
Deny from 194.28.112.157
```

```
Deny from 183.138.151.36
```

```
Deny from 178.175.184.156
```

```
Deny from 178.175.184.167
```

```
Deny from 188.208.218.63
```

```
Deny from 189.31.62.201
```

```
Deny from 193.200.60.28
```

```
Deny from 192.237.253.225
```

```
Deny from 183.159.77.65
```

```
Deny from 5.45.79.44
```

```
Deny from 94.153.10.239
```

```
Deny from 88.226.212.104
```

Deny from 178.151.143.163
Deny from 39.185.145.225
Deny from 46.118.119.63
Deny from 88.241.194.5
Deny from 91.200.12.65
Deny from 212.252.167.218
Deny from 212.252.167.116
Deny from 178.137.163.42
Deny from 188.143.234.25
Deny from 188.241.177.61
Deny from 82.155.77.5
Deny from 191.112.79.22
Deny from 105.236.232.213
Deny from 123.63.221.121
Deny from 84.252.38.248
Deny from 78.92.9.49
Deny from 79.118.2.76
Deny from 93.22.159.114
Deny from 172.218.181.12
Deny from 110.169.71.221
Deny from 83.28.230.47
Deny from 39.33.98.60
Deny from 41.57.111.189
Deny from 85.103.191.175
Deny from 92.87.13.201
Deny from 182.185.168.253
Deny from 41.87.178.200
Deny from 50.118.162.141
Deny from 92.87.210.7
Deny from 77.250.231.58
Deny from 109.66.195.123
Deny from 81.66.234.57
Deny from 175.136.89.81
Deny from 119.160.181.104
Deny from 112.134.80.186
Deny from 124.82.80.26
Deny from 93.86.5.133
Deny from 105.210.87.220
Deny from 86.121.80.194
Deny from 175.215.148.230
Deny from 85.187.177.243

Deny from 42. 60. 195. 234
Deny from 114. 78. 2. 11
Deny from 118. 233. 70. 30
Deny from 31. 47. 7. 143
Deny from 103. 10. 23. 60
Deny from 5. 13. 178. 193
Deny from 103. 249. 89. 94
Deny from 180. 191. 154. 3
Deny from 213. 186. 188. 245
Deny from 87. 207. 120. 167
Deny from 187. 244. 203. 113
Deny from 88. 236. 34. 243
Deny from 161. 0. 114. 2
Deny from 83. 249. 238. 52
Deny from 74. 139. 42. 208
Deny from 119. 95. 71. 75
Deny from 109. 226. 15. 199
Deny from 31. 201. 184. 37
Deny from 109. 97. 83. 34
Deny from 197. 79. 15. 117
Deny from 89. 205. 94. 233
Deny from 196. 26. 87. 2
Deny from 150. 107. 88. 38
Deny from 46. 107. 122. 46
Deny from 84. 0. 188. 102
Deny from 178. 222. 203. 6
Deny from 105. 228. 174. 72
Deny from 210. 195. 148. 31
Deny from 112. 144. 68. 146
Deny from 182. 181. 150. 27
Deny from 178. 222. 207. 84
Deny from 175. 136. 210. 3
Deny from 80. 197. 157. 110
Deny from 5. 32. 14. 106
Deny from 92. 81. 205. 147
Deny from 202. 44. 228. 1
Deny from 89. 157. 121. 174
Deny from 105. 227. 109. 92
Deny from 112. 173. 143. 222
Deny from 220. 94. 250. 100
Deny from 103. 255. 8. 129

-
Deny from 94. 231. 224. 96
Deny from 58. 123. 73. 177
Deny from 196. 31. 40. 34
Deny from 79. 116. 234. 21
Deny from 212. 200. 65. 242
Deny from 75. 143. 208. 206
Deny from 220. 87. 53. 251
Deny from 190. 28. 96. 28
Deny from 24. 135. 121. 249
Deny from 46. 185. 190. 55
Deny from 12. 222. 248. 212
Deny from 202. 142. 67. 20
Deny from 125. 60. 252. 162
Deny from 196. 201. 229. 58
Deny from 105. 102. 100. 32
Deny from 39. 32. 195. 164
Deny from 109. 64. 149. 253
Deny from 49. 150. 234. 31
Deny from 41. 188. 46. 82
Deny from 80. 236. 206. 40
Deny from 86. 122. 49. 9
Deny from 124. 182. 135. 248
Deny from 145. 132. 127. 39
Deny from 182. 93. 90. 51
Deny from 103. 4. 147. 190
Deny from 89. 47. 214. 200
Deny from 39. 32. 36. 82
Deny from 114. 4. 79. 158
Deny from 94. 225. 20. 60
Deny from 39. 32. 113. 45
Deny from 180. 183. 203. 218
Deny from 188. 2. 136. 202
Deny from 94. 61. 194. 30
Deny from 115. 133. 88. 136
Deny from 109. 67. 121. 94
Deny from 197. 0. 226. 214
Deny from 92. 83. 187. 108
Deny from 180. 191. 139. 46
Deny from 112. 210. 114. 8
Deny from 195. 26. 151. 27
Denu from 81. 83. 19. 242

Deny from 49.151.1.244
Deny from 79.187.239.0
Deny from 179.53.46.105
Deny from 1.32.70.222
Deny from 213.55.114.182
Deny from 109.94.227.60
Deny from 201.86.125.206
Deny from 79.126.219.235
Deny from 213.162.68.55
Deny from 121.54.32.132
Deny from 197.200.97.166
Deny from 164.126.29.164
Deny from 39.33.192.216
Deny from 41.104.216.237
Deny from 86.107.36.240
Deny from 178.41.186.98
Deny from 121.121.62.142
Deny from 24.135.234.4
Deny from 93.113.187.188
Deny from 142.162.11.5
Deny from 5.22.129.208
Deny from 112.208.135.225
Deny from 213.35.184.50
Deny from 41.143.19.58
Deny from 121.54.32.138
Deny from 124.43.192.185
Deny from 103.18.72.58
Deny from 201.80.8.126
Deny from 110.93.94.242
Deny from 103.240.32.22
Deny from 88.222.234.44
Deny from 172.243.69.128
Deny from 91.202.91.209
Deny from 105.109.225.37
Deny from 187.158.90.48
Deny from 94.176.0.40
Deny from 41.133.134.227
Deny from 89.154.228.27
Deny from 212.40.86.99
Deny from 223.223.174.15
Deny from 119.74.87.91

Deny from 113, 176, 211, 24

Deny from 188, 241, 201, 78

Deny from 125, 137, 152, 7

Deny from 85, 55, 240, 13

Deny from 175, 110, 165, 180

Deny from 94, 52, 37, 56

Deny from 39, 32, 83, 210

Deny from 197, 81, 126, 41

Deny from 191, 112, 44, 73

Deny from 171, 96, 176, 124

Deny from 41, 96, 184, 208

Deny from 86, 122, 43, 81

Deny from 109, 93, 41, 245

Deny from 176, 223, 7, 139

Deny from 79, 181, 101, 112

Deny from 121, 54, 54, 157

Deny from 46, 217, 50, 208

Deny from 87, 11, 35, 63

Deny from 197, 163, 49, 180

Deny from 176, 44, 126, 20

Deny from 115, 254, 56, 29

Deny from 149, 200, 141, 70

Deny from 119, 159, 81, 1

Deny from 5, 151, 104, 77

Deny from 78, 233, 174, 151

Deny from 79, 116, 181, 28

Deny from 119, 157, 235, 231

Deny from 89, 137, 229, 186

Deny from 178, 221, 94, 174

Deny from 153, 218, 171, 87

Deny from 93, 139, 133, 234

Deny from 46, 119, 115, 165

Deny from 200, 161, 115, 34

Deny from 177, 129, 90, 37

Deny from 179, 184, 34, 47

Deny from 78, 188, 167, 205

Deny from 190, 78, 49, 210

Deny from 94, 123, 226, 63

Deny from 94, 198, 242, 175

Deny from 173, 254, 236, 58

Deny from 94, 156, 217, 53

Deny from 105, 154, 24, 157

Deny from 193. 134. 241. 137
Deny from 78. 171. 187. 91
Deny from 88. 226. 200. 18
Deny from 91. 214. 202. 24
Deny from 85. 159. 212. 184
Deny from 212. 252. 167. 228
Deny from 212. 252. 167. 191
Deny from 213. 184. 244. 241
Deny from 96. 44. 189. 100
Deny from 37. 130. 227. 133
Deny from 81. 89. 96. 89
Deny from 104. 232. 3. 33
Deny from 95. 215. 45. 142
Deny from 162. 221. 202. 230
Deny from 51. 254. 32. 167
Deny from 109. 163. 235. 228
Deny from 88. 240. 135. 135
Deny from 117. 253. 207. 44
Deny from 189. 28. 144. 52
Deny from 31. 168. 69. 220
Deny from 200. 220. 139. 2
Deny from 85. 107. 171. 219
Deny from 176. 233. 2. 242
Deny from 92. 63. 87. 87
Deny from 37. 187. 7. 74
Deny from 176. 126. 252. 11
Deny from 77. 247. 181. 165
Deny from 88. 252. 6. 197
Deny from 198. 50. 213. 119
Deny from 62. 141. 45. 246
Deny from 37. 187. 129. 166
Deny from 82. 211. 19. 143
Deny from 142. 4. 213. 25
Deny from 5. 196. 66. 162
Deny from 171. 25. 193. 20
Deny from 192. 99. 154. 24
Deny from 77. 247. 181. 162
Deny from 185. 14. 29. 221
Deny from 207. 244. 70. 35
Deny from 176. 58. 100. 98
Deny from 31. 220. 45. 6

```
Deny from 176.9.25.72
Deny from 176.10.99.203
Deny from 171.25.193.27
Deny from 176.31.191.26
Deny from 91.121.159.196
Deny from 185.104.120.4
Deny from 176.10.104.240
Deny from 198.50.200.143
Deny from 185.62.188.14
Deny from 62.210.37.82
Deny from 109.163.234.5
Deny from 37.157.195.178
Deny from 166.70.181.109
Deny from 93.115.241.2
Deny from 91.109.247.173
Deny from 79.98.107.90
Deny from 50.7.143.37
Deny from 93.115.95.205
Deny from 204.124.83.130
Deny from 149.210.171.70
Deny from 92.222.252.206
Deny from 94.242.246.24
Deny from 149.202.98.161
Deny from 35.0.127.52
Deny from 94.242.246.23
Deny from 77.109.141.138
Deny from 195.234.215.147
```

```
</IfModule>
```

```
# Ban User Agents - Security > Settings > Banned Users
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteCond %{HTTP_USER_AGENT} ^78\.85\.227\.148 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^183\.138\.175\.168 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^37\.57\.25\.225 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^94\.131\.14\.100 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^194\.28\.112\.157 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^183\.138\.151\.36 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^178\.175\.184\.156 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^178\.175\.184\.167 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^188\.208\.218\.63 [NC,OR]
```


RewriteCond %{HTTP_USER_AGENT} ^189\. 31\. 62\. 201 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^193\. 200\. 60\. 28 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^192\. 237\. 253\. 225 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^183\. 159\. 77\. 65 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^5\. 45\. 79\. 44 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^94\. 153\. 10\. 239 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^88\. 226\. 212\. 104 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^178\. 151\. 143\. 163 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^39\. 185\. 145\. 225 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^46\. 118\. 119\. 63 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^88\. 241\. 194\. 5 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^91\. 200\. 12\. 65 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^212\. 252\. 167\. 218 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^212\. 252\. 167\. 116 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^178\. 137\. 163\. 42 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^188\. 143\. 234\. 25 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^188\. 241\. 177\. 61 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^82\. 155\. 77\. 5 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^191\. 112\. 79\. 22 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^105\. 236\. 232\. 213 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^123\. 63\. 221\. 121 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^84\. 252\. 38\. 248 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^78\. 92\. 9\. 49 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^79\. 118\. 2\. 76 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^93\. 22\. 159\. 114 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^172\. 218\. 181\. 12 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^110\. 169\. 71\. 221 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^83\. 28\. 230\. 47 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^39\. 33\. 98\. 60 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^41\. 57\. 111\. 189 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^85\. 103\. 191\. 175 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^92\. 87\. 13\. 201 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^182\. 185\. 168\. 253 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^41\. 87\. 178\. 200 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^50\. 118\. 162\. 141 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^92\. 87\. 210\. 7 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^77\. 250\. 231\. 58 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^109\. 66\. 195\. 123 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^81\. 66\. 234\. 57 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^175\. 136\. 89\. 81 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^119\. 160\. 181\. 104 [NC, OR]

RewriteCond %{HTTP_USER_AGENT} ^112\. 134\. 80\. 186 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^124\. 82\. 80\. 26 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^93\. 86\. 5\. 133 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^105\. 210\. 87\. 220 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^86\. 121\. 80\. 194 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^175\. 215\. 148\. 230 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^85\. 187\. 177\. 243 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^42\. 60\. 195\. 234 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^114\. 78\. 2\. 11 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^118\. 233\. 70\. 30 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^31\. 47\. 7\. 143 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^103\. 10\. 23\. 60 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^5\. 13\. 178\. 193 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^103\. 249\. 89\. 94 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^180\. 191\. 154\. 3 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^213\. 186\. 188\. 245 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^87\. 207\. 120\. 167 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^187\. 244\. 203\. 113 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^88\. 236\. 34\. 243 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^161\. 0\. 114\. 2 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^83\. 249\. 238\. 52 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^74\. 139\. 42\. 208 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^119\. 95\. 71\. 75 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^109\. 226\. 15\. 199 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^31\. 201\. 184\. 37 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^109\. 97\. 83\. 34 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^197\. 79\. 15\. 117 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^89\. 205\. 94\. 233 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^196\. 26\. 87\. 2 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^150\. 107\. 88\. 38 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^46\. 107\. 122\. 46 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^84\. 0\. 188\. 102 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^178\. 222\. 203\. 6 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^105\. 228\. 174\. 72 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^210\. 195\. 148\. 31 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^112\. 144\. 68\. 146 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^182\. 181\. 150\. 27 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^178\. 222\. 207\. 84 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^175\. 136\. 210\. 3 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^80\. 197\. 157\. 110 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^5\. 32\. 14\. 106 [NC, OR]

RewriteCond %{HTTP_USER_AGENT} ^92\. 81\. 205\. 147 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^202\. 44\. 228\. 1 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^89\. 157\. 121\. 174 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^105\. 227\. 109\. 92 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^112\. 173\. 143\. 222 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^220\. 94\. 250\. 100 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^103\. 255\. 8\. 129 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^94\. 231\. 224\. 96 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^58\. 123\. 73\. 177 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^196\. 31\. 40\. 34 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^79\. 116\. 234\. 21 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^212\. 200\. 65\. 242 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^75\. 143\. 208\. 206 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^220\. 87\. 53\. 251 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^190\. 28\. 96\. 28 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^24\. 135\. 121\. 249 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^46\. 185\. 190\. 55 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^12\. 222\. 248\. 212 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^202\. 142\. 67\. 20 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^125\. 60\. 252\. 162 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^196\. 201\. 229\. 58 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^105\. 102\. 100\. 32 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^39\. 32\. 195\. 164 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^109\. 64\. 149\. 253 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^49\. 150\. 234\. 31 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^41\. 188\. 46\. 82 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^80\. 236\. 206\. 40 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^86\. 122\. 49\. 9 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^124\. 182\. 135\. 248 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^145\. 132\. 127\. 39 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^182\. 93\. 90\. 51 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^103\. 4\. 147\. 190 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^89\. 47\. 214\. 200 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^39\. 32\. 36\. 82 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^114\. 4\. 79\. 158 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^94\. 225\. 20\. 60 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^39\. 32\. 113\. 45 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^180\. 183\. 203\. 218 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^188\. 2\. 136\. 202 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^94\. 61\. 194\. 30 [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^115\. 133\. 88\. 136 [NC, OR]

RewriteCond %{HTTP_USER_AGENT} ^109\. 67\. 121\. 94 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^197\. 0\. 226\. 214 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^92\. 83\. 187\. 108 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^180\. 191\. 139\. 46 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^112\. 210\. 114\. 8 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^195\. 26\. 151\. 27 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^81\. 83\. 19\. 242 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^49\. 151\. 1\. 244 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^79\. 187\. 239\. 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^179\. 53\. 46\. 105 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^1\. 32\. 70\. 222 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^213\. 55\. 114\. 182 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^109\. 94\. 227\. 60 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^201\. 86\. 125\. 206 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^79\. 126\. 219\. 235 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^213\. 162\. 68\. 55 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^121\. 54\. 32\. 132 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^197\. 200\. 97\. 166 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^164\. 126\. 29\. 164 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^39\. 33\. 192\. 216 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^41\. 104\. 216\. 237 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^86\. 107\. 36\. 240 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^178\. 41\. 186\. 98 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^121\. 121\. 62\. 142 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^24\. 135\. 234\. 4 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^93\. 113\. 187\. 188 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^142\. 162\. 11\. 5 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^5\. 22\. 129\. 208 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^112\. 208\. 135\. 225 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^213\. 35\. 184\. 50 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^41\. 143\. 19\. 58 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^121\. 54\. 32\. 138 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^124\. 43\. 192\. 185 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^103\. 18\. 72\. 58 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^201\. 80\. 8\. 126 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^110\. 93\. 94\. 242 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^103\. 240\. 32\. 22 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^88\. 222\. 234\. 44 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^172\. 243\. 69\. 128 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^91\. 202\. 91\. 209 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^105\. 109\. 225\. 37 [NC,OR]

RewriteCond %{HTTP_USER_AGENT} ^187\. 158\. 90\. 48 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^94\. 176\. 0\. 40 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^41\. 133\. 134\. 227 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^89\. 154\. 228\. 27 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^212\. 40\. 86\. 99 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^223\. 223\. 174\. 15 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^119\. 74\. 87\. 91 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^188\. 241\. 201\. 78 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^125\. 137\. 152\. 7 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^85\. 55\. 240\. 13 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^175\. 110\. 165\. 180 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^94\. 52\. 37\. 56 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^39\. 32\. 83\. 210 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^197\. 81\. 126\. 41 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^191\. 112\. 44\. 73 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^171\. 96\. 176\. 124 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^41\. 96\. 184\. 208 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^86\. 122\. 43\. 81 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^109\. 93\. 41\. 245 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\. 223\. 7\. 139 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^79\. 181\. 101\. 112 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^121\. 54\. 54\. 157 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^46\. 217\. 50\. 208 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^87\. 11\. 35\. 63 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^197\. 163\. 49\. 180 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\. 44\. 126\. 20 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^115\. 254\. 56\. 29 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^149\. 200\. 141\. 70 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^119\. 159\. 81\. 1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^5\. 151\. 104\. 77 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^78\. 233\. 174\. 151 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^79\. 116\. 181\. 28 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^119\. 157\. 235\. 231 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^89\. 137\. 229\. 186 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^178\. 221\. 94\. 174 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^153\. 218\. 171\. 87 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^93\. 139\. 133\. 234 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^46\. 119\. 115\. 165 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^200\. 161\. 115\. 34 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^177\. 129\. 90\. 37 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^179\. 184\. 34\. 47 [NC,OR]

```
-----  
RewriteCond %{HTTP_USER_AGENT} ^78\.188\.167\.205 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^190\.78\.49\.210 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.123\.226\.63 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.198\.242\.175 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^173\.254\.236\.58 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.156\.217\.53 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^195\.154\.241\.157 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^78\.171\.187\.91 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^88\.226\.200\.18 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^91\.214\.202\.24 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^173\.254\.236\.58 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.156\.217\.53 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^195\.154\.241\.157 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^85\.159\.212\.184 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^212\.252\.167\.228 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^212\.252\.167\.191 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^213\.184\.244\.241 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^85\.159\.212\.184 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^96\.44\.189\.100 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^37\.130\.227\.133 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^81\.89\.96\.89 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^104\.232\.3\.33 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^95\.215\.45\.142 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^162\.221\.202\.230 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^51\.254\.32\.167 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^109\.163\.235\.228 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^88\.240\.135\.135 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^117\.253\.207\.44 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^179\.184\.34\.47 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^189\.28\.144\.52 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^31\.168\.69\.220 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^200\.220\.139\.2 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^85\.107\.171\.219 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^176\.233\.2\.242 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^213\.184\.244\.241 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^92\.63\.87\.87 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^96\.44\.189\.100 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^37\.187\.7\.74 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^176\.126\.252\.11 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^77\.247\.181\.165 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^88\.252\.61\.107 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^001.2021.01.131.116 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^198\ 50\ 213\ 119 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^62\ 141\ 45\ 246 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^37\ 187\ 129\ 166 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^82\ 211\ 19\ 143 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^142\ 4\ 213\ 25 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^5\ 196\ 66\ 162 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^171\ 25\ 193\ 20 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^192\ 99\ 154\ 24 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^77\ 247\ 181\ 162 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^185\ 14\ 29\ 221 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^207\ 244\ 70\ 35 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 58\ 100\ 98 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^31\ 220\ 45\ 6 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 9\ 25\ 72 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 10\ 99\ 203 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^171\ 25\ 193\ 27 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 31\ 191\ 26 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^142\ 4\ 213\ 25 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^91\ 121\ 159\ 196 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^185\ 104\ 120\ 4 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 10\ 104\ 240 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^198\ 50\ 200\ 143 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^185\ 62\ 188\ 14 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^62\ 210\ 37\ 82 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^109\ 163\ 234\ 5 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^37\ 157\ 195\ 178 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^77\ 247\ 181\ 162 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^166\ 70\ 181\ 109 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^93\ 115\ 241\ 2 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^91\ 109\ 247\ 173 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^79\ 98\ 107\ 90 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^50\ 7\ 143\ 37 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^93\ 115\ 95\ 205 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^204\ 124\ 83\ 130 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^149\ 210\ 171\ 70 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^92\ 222\ 252\ 206 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^94\ 242\ 246\ 24 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^149\ 202\ 98\ 161 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^35\ 0\ 127\ 52 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^94\ 242\ 246\ 23 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^77\ 187\ 129\ 166 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} (/|\.109\.\.141\.\.138|LNU|URJ)
RewriteCond %{HTTP_USER_AGENT} ^195\.\.234\.\.215\.\.147 [NC]
RewriteRule ^.* - [F]
</IfModule>
```

```
# Disable Directory Browsing - Security > Settings > System Tweaks > Directory Browsing
Options -Indexes
```

```
# END iThemes Security - Do not modify or remove this line
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
```

```
# END WordPress
```

```
# BEGIN Brute Force Login Protection
```

```
<FilesMatch ".*\.(php|html?!|css|js|jpe?g|png|gif)$">
```

```
order deny,allow
```

```
deny from 201.208.176.185
```

```
deny from 79.180.96.116
```

```
deny from 78.56.80.90
```

```
deny from 81.152.185.42
```

```
deny from 92.83.65.152
```

```
deny from 96.43.166.180
```

```
deny from 186.220.66.110
```

```
deny from 109.92.167.63
```

```
deny from 182.189.235.242
```

```
deny from 130.0.31.222
```

```
deny from 36.83.23.200
```

```
deny from 86.127.203.124
```

```
deny from 37.130.244.73
```

```
deny from 177.99.119.74
```

```
deny from 175.210.242.238
```

```
deny from 79.116.189.3
```

```
deny from 93.177.214.185
```

```
deny from 111.207.22.12
```


deny from 111.235.90.42
deny from 181.177.231.100
deny from 89.43.30.124
deny from 213.113.105.48
deny from 175.139.212.177
deny from 109.99.131.132
deny from 37.157.216.200
deny from 58.187.63.252
deny from 91.205.155.135
deny from 95.155.5.155
deny from 106.187.54.144
deny from 175.205.142.62
deny from 193.77.149.190
deny from 182.19.173.37
deny from 61.81.68.184
deny from 85.139.122.243
deny from 79.143.165.85
deny from 107.150.42.226
deny from 59.172.111.28
deny from 31.184.238.55
deny from 5.226.90.89
deny from 87.117.11.74
deny from 27.19.155.33
deny from 218.5.238.206
deny from 118.97.147.204
deny from 182.160.124.171
deny from 91.204.173.237
deny from 118.244.190.55
deny from 221.204.223.249
deny from 27.19.172.46
deny from 41.161.86.43
deny from 117.169.1.221
deny from 97.73.64.142
deny from 221.235.65.187
deny from 91.204.150.210
deny from 93.61.74.103
deny from 5.133.54.215
deny from 195.62.231.80
deny from 37.6.217.147
deny from 112.145.16.82
deny from 93.169.143.229

```
deny from 78.7.106.190
deny from 5.133.53.200
deny from 197.118.171.209
deny from 93.54.88.18
deny from 185.58.204.15
deny from 94.131.14.19
deny from 94.131.14.4
deny from 188.210.215.221
deny from 61.183.81.29
deny from 180.76.15.24
deny from 183.222.162.82
deny from 68.168.110.197
deny from 91.200.12.145
deny from 31.132.79.7
deny from 121.40.98.215
deny from 59.39.58.11
deny from 14.52.233.80
deny from 78.85.211.120
deny from 192.230.52.74
</FilesMatch>
# END Brute Force Login Protection
```