

```
# BEGIN iThemes Security - Do not modify or remove this line
# iThemes Security Config Details: 2
# Enable HackRepair.com's blacklist feature - Security > Settings > Banned Users >
Default Blacklist
# Start HackRepair.com Blacklist
RewriteEngine on
# Start Abuse Agent Blocking
RewriteCond %{HTTP_USER_AGENT} "Mozilla.*Indy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Mozilla.*NEWT" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Maxthon$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeaMonkey$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Acunetix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "binlar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "BlackWidow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Bolt 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "BOT for JCE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Bot mailto:\craftbot@yahoo\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "casper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "checkprivacy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ChinaClaw" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "clshttp" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "cmsworldmap" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "comodo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Custo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Default Browser 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "diavol" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "DIIbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "DISCo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "dotbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Download Demon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "eCatch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EirGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EmailCollector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EmailSiphon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EmailWolf" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Express WebPictures" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "extract" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ExtractorPro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EyeNetIE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Facebookexternalip" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "TeedoFinder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FHscan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FlashGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!flicky" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!g00gle" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!GetRight" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!GetWeb\!" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Go\! Zilla" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Go\!-Ahead\!-Got\!-It" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!grab" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!GrabNet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Grafula" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!harvest" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!HMView" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Image Stripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Image Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!InterGET" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Internet Ninja" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!InternetSeer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!jakarta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Java" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!JetCar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!JOC Web Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!kanagawa" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!kmccrew" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!larbin" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!LeechFTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!libwww" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Mass Downloader" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!microsoft\.url" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!MIDown tool" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!miner" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Mister PiX" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!MSFrontPage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Navroad" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!NearSite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!Net Vampire" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!NetAnts" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!NetSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^\!NetZIP" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^nutch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Octopus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Explorer" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Navigator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PageGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Papa Foto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pavuk" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pcBrowser" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PeoplePal" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^planetwork" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^psbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^purebot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pycurl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^RealDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ReGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Rippers 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sitecheck\.internetseer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SiteSnagger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^skygrid" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SmartDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperHTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Surfbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^tAkeOut" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Teleport Pro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Toata dragostea mea pentru diavola" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^turnit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^vikspider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^VoidEYE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Image Collector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebAuto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebBandit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebCopier" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebFetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebGo IS" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebLeacher" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebReaper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebSauger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website eXtractor" [NC,OR]
...  
...
```

```
RewriteCond %{HTTP_USER_AGENT} "Website Quester" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebStripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebWhacker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wget" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wi dows" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WPScan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WWW-Mechanize" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WWWOFFLE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Xaldon WebSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Yandex" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Zeus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zmeu" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "360Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "AhrefsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "CazoodleBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "discobot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EasouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ecxi" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "GTv\ WWW" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "heritrix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTP\ Lite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTrack" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "id\ search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IDBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Indy Library" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IRLbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ISC Systems iRc Search 2\,1" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksCrawler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksManager\ com_bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "linkwalker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "lwp\ -trivial" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MFC_Tear_Sample" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Microsoft URL Control" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Missigua Locator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MJ12bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "panscient\ com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PECL\ HTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PHPcrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PleaseCrawl" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "SBIder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SearchmetricsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeznamBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Snoopy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Sogou" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Steeler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "URI\:\:\Fetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "urllib" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "webalta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebCollage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wells Search II" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WEP Search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "XoviBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "YisouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zermelo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ZyBorg" [NC,OR]

# End Abuse Agent Blocking
# Start Abuse HTTP Referrer Blocking

RewriteCond %{HTTP_REFERER} "^https?:\/\/((?:[^/]+\.)?semailt\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?:\/\/((?:[^/]+\.)?kambasoft\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?:\/\/((?:[^/]+\.)?savetubevideo\.com" [NC]

# End Abuse HTTP Referrer Blocking
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair

# Enable the hide backend feature - Security > Settings > Hide Login Area > Hide Backend
RewriteRule ^(/)?aanloggen-php/?$ /wp-login.php [QSA,L]
RewriteRule ^(/)?registreren-php/?$ /wplogin?action=register [QSA,L]

# Protect System Files - Security > Settings > System Tweaks > System Files
<files .htaccess>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
  </IfModule>
</files>
<files readme.html>
```

```
<IfModule mod_authz_core.c>
    Require all denied
</IfModule>
<IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
</IfModule>
</files>
<files readme.txt>
<IfModule mod_authz_core.c>
    Require all denied
</IfModule>
<IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
</IfModule>
</files>
<files install.php>
<IfModule mod_authz_core.c>
    Require all denied
</IfModule>
<IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
</IfModule>
</files>
<files wp-config.php>
<IfModule mod_authz_core.c>
    Require all denied
</IfModule>
<IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
</IfModule>
</files>

# Disable Directory Browsing - Security > Settings > System Tweaks > Directory Browsing Options -Indexes

<IfModule mod_rewrite.c>
    RewriteEngine On
```

```
# Protect System Files - Security > Settings > System Tweaks > System Files
RewriteRule ^wp-admin/includes/ - [F]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %{SCRIPT_FILENAME} !^(.*wp-includes/ms-files.php)
RewriteRule ^wp-includes/[^/]+\.php$ - [F]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
RewriteRule ^wp-includes/theme-compat/ - [F]
</IfModule>
# END iThemes Security - Do not modify or remove this line

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```