

```

# Apache Server Configs v2.2.0 | MIT License
# https://github.com/h5bp/server-configs-apache

# (!) Using `.htaccess` files slows down Apache, therefore, if you have access
# to the main server config file (usually called `httpd.conf`), you should add
# this logic there: http://httpd.apache.org/docs/current/howto/htaccess.html.

# #####
# # CROSS-ORIGIN RESOURCE SHARING (CORS) #
# #####

# -----
# | Cross-domain AJAX requests |
# -----

# Allow cross-origin AJAX requests.
# http://code.google.com/p/html5security/wiki/CrossOriginRequestSecurity
# http://enable-cors.org/

# <IfModule mod_headers.c>
#   Header set Access-Control-Allow-Origin "*"
# </IfModule>

# -----
# | CORS-enabled images |
# -----

# Send the CORS header for images when browsers request it.
# https://developer.mozilla.org/en-US/docs/HTML/CORS_Enabled_Image
# http://blog.chromium.org/2011/07/using-cross-domain-images-in-webgl-and.html
# http://hacks.mozilla.org/2011/11/using-cors-to-load-webgl-textures-from-cross-domain-images/

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(curl|gif|ico|jpe?g|png|svgz?|webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

```

```
</IfModule>
```

```
# -----  
# | Web fonts access |  
# -----
```

```
# Allow access to web fonts from all domains.
```

```
<IfModule mod_headers.c>
```

```
  <FilesMatch "\.(eot|otf|tt[cf]|woff)$">
```

```
    Header set Access-Control-Allow-Origin "*"
```

```
  </FilesMatch>
```

```
</IfModule>
```

```
# #####  
# # ERRORS #  
# #####
```

```
# -----  
# | 404 error prevention for non-existing redirected folders |  
# -----
```

```
# Prevent Apache from returning a 404 error as the result of a rewrite  
# when the directory with the same name does not exist.  
# http://httpd.apache.org/docs/current/content-negotiation.html#multiviews  
# http://www.webmasterworld.com/apache/3808792.htm
```

```
Options -MultiViews
```

```
# -----  
# | Custom error messages / pages |  
# -----
```

```
# Customize what Apache returns to the client in case of an error.  
# http://httpd.apache.org/docs/current/mod/core.html#errordocument
```

```
ErrorDocument 404 /404.html
```

```
# #####  
# # INTERNET EXPLORER #  
# #####
```

```

# -----
# | Better website experience |
# -----

# Force Internet Explorer to render pages in the highest available mode
# in the various cases when it may not.
# http://hsivonen.iki.fi/doctype/ie-mode.pdf

<IfModule mod_headers.c>
    Header set X-UA-Compatible "IE=edge"
    # `mod_headers` cannot match based on the content-type, however, this
    # header should be send only for HTML pages and not for the other resources
    <FilesMatch "\.(appcache|atom|crx|css|curl|eot|f4[abpv]|flv|gif|html|ico|jpe?
gl|jsl|json|ld)?
|m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdf|rss|safariextz|svg?
|swf|tt[cf]|vcl|vtt|webapp|web[mp]|woff|xml|xpi)$">
        Header unset X-UA-Compatible
    </FilesMatch>
</IfModule>

# -----
# | Cookie setting from iframes |
# -----

# Allow cookies to be set from iframes in Internet Explorer.
# http://msdn.microsoft.com/en-us/library/ms537343.aspx
# http://www.w3.org/TR/2000/CR-P3P-20001215/

# <IfModule mod_headers.c>
#   Header set P3P "policyref=\"/w3c/p3p.xml\", CP=\"IDC DSP COR ADM DEVI TAIi PSA PSD
IVAI IVDi CONi HIS OUR IND CNT\""
# </IfModule>

# #####
# # MIME TYPES AND ENCODING #
# #####

# -----
# | Proper MIME types for all files |
# -----

```

```
<IfModule mod_mime.c>
```

```
# Audio
```

```
AddType audio/mp4          m4a f4a f4b
AddType audio/ogg           oga ogg opus
```

```
# Data interchange
```

```
AddType application/json   json map
AddType application/ld+json jsonld
```

```
# JavaScript
```

```
# Normalize to standard type.
# http://tools.ietf.org/html/rfc4329#section-7.2
AddType application/javascript js
```

```
# Video
```

```
AddType video/mp4          f4v f4p m4v mp4
AddType video/ogg           ogv
AddType video/webm          webm
AddType video/x-flv         flv
```

```
# Web fonts
```

```
AddType application/font-woff woff
AddType application/vnd.ms-fontobject eot
```

```
# Browsers usually ignore the font MIME types and simply sniff the bytes
# to figure out the font type.
# http://mimesniff.spec.whatwg.org/#matching-a-font-type-pattern
```

```
# Chrome however, shows a warning if any other MIME types are used for
# the following fonts.
```

```
AddType application/x-font-ttf ttc ttf
AddType font/opentype           otf
```

```
# Make SVGZ fonts work on the iPad.
# https://twitter.com/FontSquirrel/status/14855840545
```

```
AddType image/svg+xml       svgz
AddEncoding gzip             svgz
```

*# Other*

```
AddType application/octet-stream          safariextz
AddType application/x-chrome-extension      crx
AddType application/x-opera-extension      oex
AddType application/x-web-app-manifest+json webapp
AddType application/x-xpinstall            xpi
AddType application/xml                    atom rdf rss xml
AddType image/webp                         webp
AddType image/x-icon                       cur
AddType text/cache-manifest                appcache manifest
AddType text/vtt                           vtt
AddType text/x-component                   htc
AddType text/x-vcard                       vcf
```

</IfModule>

```
# -----
# | UTF-8 encoding |
# -----
```

*# Use UTF-8 encoding for anything served as `text/html` or `text/plain`.*

```
AddDefaultCharset utf-8
```

*# Force UTF-8 for certain file formats.*

<IfModule mod\_mime.c>

```
AddCharset utf-8 .atom .css .js .json .jsonld .rss .vtt .webapp .xml
```

</IfModule>

```
# #####
# # URL REWRITES #
# #####
```

```
# -----
# | Rewrite engine |
# -----
```

*# Turn on the rewrite engine and enable the `FollowSymLinks` option (this is  
# necessary in order for the following directives to work).*

*# If your web host doesn't allow the `FollowSymLinks` option, you may need to  
# comment it out and use `Options +SymLinksIfOwnerMatch`, but be aware of the*

```
# performance impact.
# http://httpd.apache.org/docs/current/misc/perf-tuning.html#symlinks

# Also, some cloud hosting services require `RewriteBase` to be set.
# http://www.rackspace.com/knowledge_center/frequently-asked-question/why-is-mod-rewrite-not-working-on-my-site

<IfModule mod_rewrite.c>
    Options +FollowSymlinks
    # Options +SymLinksIfOwnerMatch
    RewriteEngine On
    RewriteBase /
</IfModule>

# -----
# | Suppressing / Forcing the `www.` at the beginning of URLs |
# -----

# The same content should never be available under two different URLs,
# especially not with and without `www.` at the beginning. This can cause
# SEO problems (duplicate content), and therefore, you should choose one
# of the alternatives and redirect the other one.

# By default `Option 1` (no `www.`) is activated.
# http://no-www.org/faq.php?q=class_b

# If you would prefer to use `Option 2`, just comment out all the lines
# from `Option 1` and uncomment the ones from `Option 2`.

# IMPORTANT: NEVER USE BOTH RULES AT THE SAME TIME!

# -----

# Option 1: rewrite www.example.com ? example.com

<IfModule mod_rewrite.c>
    RewriteCond %{HTTPS} !=on
    RewriteCond %{HTTP_HOST} ^www\.(.+$) [NC]
    RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
    RewriteRule ^(.*)$ index.php?/$1 [L]
</IfModule>

# -----

# Option 2: rewrite example.com ? www.example.com

# Be aware that the following might not be a good idea if you use "real"
# subdomains for certain parts of your website.

# <IfModule mod_rewrite.c>
#     RewriteCond %{HTTPS} !=on
#     RewriteCond %{HTTP_HOST} !^www\. [NC]
#     RewriteCond %{SERVER_ADDR} !=127.0.0.1
#     RewriteCond %{SERVER_ADDR} !=::1
#     RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [R=301,L]
# </IfModule>

# #####
# # SECURITY #
# #####

# -----
# | Clickjacking |
# -----

# Protect website against clickjacking.

# The example below sends the `X-Frame-Options` response header with the value
# `DENY`, informing browsers not to display the web page content in any frame.

# This might not be the best setting for everyone. You should read about the
# other two possible values for `X-Frame-Options`: `SAMEORIGIN` & `ALLOW-FROM`.
# http://tools.ietf.org/html/rfc7034#section-2.1

# Keep in mind that while you could send the `X-Frame-Options` header for all
# of your site's pages, this has the potential downside that it forbids even
# non-malicious framing of your content (e.g.: when users visit your site using
# a Google Image Search results page).

# Nonetheless, you should ensure that you send the `X-Frame-Options` header for
```

```
# all pages that allow a user to make a state changing operation (e.g: pages
# that contain one-click purchase links, checkout or bank-transfer confirmation
# pages, pages that make permanent configuration changes, etc.).

# Sending the `X-Frame-Options` header can also protect your website against
# more than just clickjacking attacks: https://cure53.de/xfo-clickjacking.pdf.

# http://tools.ietf.org/html/rfc7034
# http://blogs.msdn.com/b/ieinternals/archive/2010/03/30/combating-clickjacking-with-x-
frame-options.aspx
# https://www.owasp.org/index.php/Clickjacking

# <IfModule mod_headers.c>
#     Header set X-Frame-Options "DENY"
#     <FilesMatch "\.(appcache|atom|crx|css|curl|eot|f4[abpv]|flv|gif|html|ico|jpe?
gl|js|json|ld)?
|m4[av]|manifest|map|mp4|oex|og[av]|opus|otf|pdf|png|rdf|rss|safari-extend|svgz?
|swf|tt[cf]|vcf|vtt|webapp|web[mp]|woff|xml|xpi)$">
#         Header unset X-Frame-Options
#     </FilesMatch>
# </IfModule>

# -----
# | Content Security Policy (CSP) |
# -----

# Mitigate the risk of cross-site scripting and other content-injection attacks.

# This can be done by setting a `Content Security Policy` which whitelists
# trusted sources of content for your website.

# The example header below allows ONLY scripts that are loaded from the current
# site's origin (no inline scripts, no CDN, etc). This almost certainly won't
# work as-is for your site!

# For more details on how to craft a reasonable policy for your site, read:
# http://html5rocks.com/en/tutorials/security/content-security-policy (or the
# specification: http://w3.org/TR/CSP). Also, to make things easier, you can
# use an online CSP header generator such as: http://cspisawesome.com/.

# <IfModule mod_headers.c>
```

```

# -----
#   Header set Content-Security-Policy "script-src 'self'; object-src 'self'"
#   <FilesMatch "\.(appcache|atom|crx|css|curl|eot|f4[abpv]|flv|gif|htc|icol|jpe?
#   gl|jst|json|ld)?
#   |m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdf|rss|safariextz|svgz?
#   |swf|tt[cf]|vcf|vtt|webapp|web[mp]|woff|xml|xpi)$">
#       Header unset Content-Security-Policy
#   </FilesMatch>
# </IfModule>

# -----
# | File access |
# -----

# Block access to directories without a default document.
# You should leave the following uncommented, as you shouldn't allow anyone to
# surf through every directory on your server (which may includes rather private
# places such as the CMS's directories).

<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

# -----

# Block access to hidden files and directories.
# This includes directories used by version control systems such as Git and SVN.

<IfModule mod_rewrite.c>
    RewriteCond %{SCRIPT_FILENAME} -d [OR]
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^|/)\." - [F]
</IfModule>

# -----

# Block access to files that can expose sensitive information.

# By default, block access to backup and source files that may be left by some
# text editors and can pose a security risk when anyone has access to them.
# http://feross.org/cmsexploit/

```

```
# IMPORTANT: Update the `<FilesMatch>` regular expression from below to include
# any files that might end up on your production server and can expose sensitive
# information about your website. These files may include: configuration files,
# files that contain metadata about the project (e.g.: project dependencies),
# build scripts, etc..
```

```
<FilesMatch "(^#.#|\.|bak|config|dist|fla|in[ci]|log|psd|sh|sql|sw[op])|(\")$">
```

```
  # Apache < 2.3
```

```
  <IfModule !mod_authz_core.c>
```

```
    Order allow,deny
```

```
    Deny from all
```

```
    Satisfy All
```

```
  </IfModule>
```

```
  # Apache = 2.3
```

```
  <IfModule mod_authz_core.c>
```

```
    Require all denied
```

```
  </IfModule>
```

```
</FilesMatch>
```

```
# -----
# | Reducing MIME type security risks |
# -----
```

```
# Prevent some browsers from MIME-sniffing the response.
```

```
# This reduces exposure to drive-by download attacks and cross-origin data
# leaks, and should be left uncommented, especially if the web server is
# serving user-uploaded content or content that could potentially be treated
# as executable by the browser.
```

```
# http://www.slideshare.net/hasegawayosuke/owasp-hasegawa
```

```
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-v-comprehensive-  
protection.aspx
```

```
# http://msdn.microsoft.com/en-us/library/ie/gg622941.aspx
```

```
# http://mimesniff.spec.whatwg.org/
```

```
<IfModule mod_headers.c>
```

```
  Header set X-Content-Type-Options "no-sniff"
```

```

    header set x-content-type-options nosniff
</IfModule>

# -----
# | Reflected Cross-Site Scripting (XSS) attacks |
# -----

# (1) Try to re-enable the Cross-Site Scripting (XSS) filter built into the
#     most recent web browsers.
#
#     The filter is usually enabled by default, but in some cases it may be
#     disabled by the user. However, in Internet Explorer for example, it can
#     be re-enabled just by sending the `X-XSS-Protection` header with the
#     value of `1`.
#
# (2) Prevent web browsers from rendering the web page if a potential reflected
#     (a.k. a non-persistent) XSS attack is detected by the filter.
#
#     By default, if the filter is enabled and browsers detect a reflected
#     XSS attack, they will attempt to block the attack by making the smallest
#     possible modifications to the returned web page.
#
#     Unfortunately, in some browsers (e.g.: Internet Explorer), this default
#     behavior may allow the XSS filter to be exploited, thereby, it's better
#     to tell browsers to prevent the rendering of the page altogether, instead
#     of attempting to modify it.
#
#     http://hackademix.net/2009/11/21/ies-xss-filter-creates-xss-vulnerabilities
#
# IMPORTANT: Do not rely on the XSS filter to prevent XSS attacks! Ensure that
# you are taking all possible measures to prevent XSS attacks, the most obvious
# being: validating and sanitizing your site's inputs.
#
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-iv-the-xss-filter.aspx
# http://blogs.msdn.com/b/ieinternals/archive/2011/01/31/controlling-the-internet-explorer-xss-filter-with-the-x-xss-protection-http-header.aspx
# https://www.owasp.org/index.php/Cross-site\_Scripting\_%28XSS%29

# <IfModule mod_headers.c>
#     # (1) (2)
#     Header set X-XSS-Protection "1; mode=block"
#     #

```

```
# <FilesMatch "\.(appcache|atom|crx|css|curl|eot|f4|abv|flv|gif|htc|ico|jpe?
gl|js|json|ld)?
|m4[av]|manifest|map|mp4|oex|og[av]|opus|otf|pdf|png|rdf|rss|safari-extended|svgz?
|swf|tt[cf]|vcf|vtt|webapp|web[mp]|woff|xml|xpi)$">
#     Header unset X-XSS-Protection
# </FilesMatch>
# </IfModule>

# -----
# | Secure Sockets Layer (SSL) |
# -----

# Rewrite secure requests properly in order to prevent SSL certificate warnings.
# E.g.: prevent `https://www.example.com` when your certificate only allows
# `https://secure.example.com`.

# <IfModule mod_rewrite.c>
#     RewriteCond %{SERVER_PORT} !^443
#     RewriteRule ^ https://example-domain-please-change-me.com%{REQUEST_URI} [R=301,L]
# </IfModule>

# -----
# | HTTP Strict Transport Security (HSTS) |
# -----

# Force client-side SSL redirection.

# If a user types `example.com` in his browser, the above rule will redirect
# him to the secure version of the site. That still leaves a window of
# opportunity (the initial HTTP connection) for an attacker to downgrade or
# redirect the request.

# The following header ensures that browser will ONLY connect to your server
# via HTTPS, regardless of what the users type in the address bar.

# http://tools.ietf.org/html/draft-ietf-websec-strict-transport-sec-14#section-6.1
# http://www.html5rocks.com/en/tutorials/security/transport-layer-security/

# IMPORTANT: Remove the `includeSubDomains` optional directive if the subdomains
# are not using HTTPS.
```

```

# <IfModule mod_headers.c>
#   Header set Strict-Transport-Security "max-age=16070400; includeSubDomains"
# </IfModule>

# -----
# | Server software information |
# -----

# Avoid displaying the exact Apache version number, the description of the
# generic OS-type and the information about Apache's compiled-in modules.

# ADD THIS DIRECTIVE IN THE `httpd.conf` AS IT WILL NOT WORK IN THE `.htaccess`!

# ServerTokens Prod

# #####
# # WEB PERFORMANCE #
# #####

# -----
# | Compression |
# -----

<IfModule mod_deflate.c>

# Force compression for mangled headers.
# http://developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-beyond-gzipping
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)l ~(15)l -(15))$
    ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

# Compress all output labeled with one of the following MIME-types
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines
# as `AddOutputFilterByType` is still in the core directives).
<IfModule mod_filter.c>
  AddOutputFilterByType DEFLATE application/atom+xml \

```

```
application/javascript \
application/json \
application/ld+json \
application/rss+xml \
application/vnd.ms-fontobject \
application/x-font-ttf \
application/x-web-app-manifest+json \
application/xhtml+xml \
application/xml \
font/opentype \
image/svg+xml \
image/x-icon \
text/css \
text/html \
text/plain \
text/x-component \
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
# -----
# | Content Transformations |
# -----
```

```
# Prevent mobile network providers from modifying the website's content.
# http://www.w3.org/Protocols/rfc2616/rfc2616-sec14.html#sec14.9.5.
```

```
# <IfModule mod_headers.c>
#   Header set Cache-Control "no-transform"
# </IfModule>
```

```
# -----
# | ETags |
# -----
```

```
# Remove `ETags` as resources are sent with far-future expires headers.
# http://developer.yahoo.com/performance/rules.html#etags.
```

```
# `FileETag None` doesn't work in all cases.
```

```
<IfModule mod_headers.c>
```

```
Header unset ETag
</IfModule>
```

FileETag None

```
# -----
# | Expires headers |
# -----

# The following expires headers are set pretty far in the future. If you
# don't control versioning with filename-based cache busting, consider
# lowering the cache time for resources such as style sheets and JavaScript
# files to something like one week.

<IfModule mod_expires.c>

    ExpiresActive on
    ExpiresDefault "access plus 1 month"

    # CSS
    ExpiresByType text/css "access plus 1 year"

    # Data interchange
    ExpiresByType application/json "access plus 0 seconds"
    ExpiresByType application/ld+json "access plus 0 seconds"
    ExpiresByType application/xml "access plus 0 seconds"
    ExpiresByType text/xml "access plus 0 seconds"

    # Favicon (cannot be renamed!) and cursor images
    ExpiresByType image/x-icon "access plus 1 week"

    # HTML components (HTCs)
    ExpiresByType text/x-component "access plus 1 month"

    # HTML
    ExpiresByType text/html "access plus 0 seconds"

    # JavaScript
    ExpiresByType application/javascript "access plus 1 year"

    # Manifest files
```

```
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

### *# Media*

```
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
```

### *# Web feeds*

```
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"
```

### *# Web fonts*

```
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
```

```
</IfModule>
```

```
# -----
# | Filename-based cache busting |
# -----
```

```
# If you're not using a build process to manage your filename version revving,
# you might want to consider enabling the following directives to route all
# requests such as "/css/style.12345.css" to "/css/style.css".
```

```
# To understand why this is important and a better idea than *.css?v231, read:
# http://stevesouder.com/blog/2008/08/23/revving-filenames-dont-use-querystring
```

```
# <IfModule mod_rewrite.c>
#   RewriteCond %{REQUEST_FILENAME} !-f
#   RewriteRule ^(.+)(\.(.+))\. (js|css|png|jpe?g|gif)$ $1.$3 [L]
# </IfModule>
```

```
# -----
# | File concatenation |
# -----

# Allow concatenation from within specific style sheets and JavaScript files.

# e.g.:
#
# If you have the following content in a file
#
#     <!--#include file="libs/jquery.js" -->
#     <!--#include file="plugins/jquery.timer.js" -->
#
# Apache will replace it with the content from the specified files.

# <IfModule mod_include.c>
#   <FilesMatch "\.combined\.js$" >
#     Options +Includes
#     AddOutputFilterByType INCLUDES application/javascript application/json
#     SetOutputFilter INCLUDES
#   </FilesMatch>
#   <FilesMatch "\.combined\.css$" >
#     Options +Includes
#     AddOutputFilterByType INCLUDES text/css
#     SetOutputFilter INCLUDES
#   </FilesMatch>
# </IfModule>

# -----
# | File Listing |
# -----

# Prevent Directory Listing

Options All -Indexes

# -----
# | Protect .htaccess file |
# -----

# Prevent viewing of .htaccess file
<Files .htaccess>
    order allow,deny
```

```

-----
deny from all
</Files>
# STRONG HTACCESS PROTECTION
<Files ~ "^.*\.([Hh][Tt][Aa])">
    order allow,deny
    deny from all
    satisfy all
</Files>

# -----
# / Blocking all bot /
# -----
# Block bad bots
RewriteEngine On
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [OR]
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot@yahoo.com [OR]
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [OR]
RewriteCond %{HTTP_USER_AGENT} ^Custo [OR]
RewriteCond %{HTTP_USER_AGENT} ^DISCo [OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [OR]
RewriteCond %{HTTP_USER_AGENT} ^eCatch [OR]
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [OR]
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [OR]
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [OR]
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [OR]
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetRight [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [OR]

```

```
RewriteCond %{HTTP_USER_AGENT} ^JetCar [OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Webster [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^website\ Quester [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus
RewriteRule ^.* - [F,L]
```

#### *# REDIRECT SPAMMER ATTACKS TO BOGUS SITE*

```
<IfModule mod_rewrite.c>
RewriteCond %{QUERY_STRING} q=user/register
RewriteRule ^/?$ http://www.nixbla.com/ [R=301,L]
RewriteCond %{QUERY_STRING} q=node/add
RewriteRule ^/?$ http://www.nixbla.com/ [R=301,L]
</IfModule>
```

#### *#BLOCK BROWSER ACCESS TO LOG FILES*

```
<Files ~ "\.log$">
    Order allow,deny
    Deny from all
</Files>
```

#### *#WP HARDENING SECURITY HEADERS*

```
<ifModule mod_headers.c>
Header set X-XSS-Protection "1; mode=block"
Header always append X-Frame-Options SAMEORIGIN
Header set X-Content-Type-Options: "nosniff"
</ifModule>
```

#### *# BEGIN WordPress*

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
```

```
# END WordPress
```

```
# PROTECT WP-CONFIG FILE
```

```
<files wp-config.php>
```

```
order allow,deny
```

```
deny from all
```

```
</files>
```

```
# SERVE CUSTOM ERROR PAGES WITH CONTACT EMAIL FOR THOSE BLOCKED BY MISTAKE
```

```
ErrorDocument 403 /403.html
```

```
# 2014 MICRO BLACKLIST PLUS MALICIOUS BOTS AND SEARCH SPIDERS. ALL EXCLUSIVELY FOREIGN  
BOTS EXCEPT FIRST 3 CATEGORIES AND SOME SEARCH SPIDERS
```

```
<IfModule mod_setenvif.c>
```

```
Order Allow,Deny
```

```
Allow from all
```

```
# AWS MALICIOUS SEARCH BOT
```

```
Deny from 54.163.251.86
```

```
# CGI-BIN BASHER
```

```
Deny from 62.210.75.170
```

```
# TROLL BLOCKS ANY COUNTRY
```

```
Deny from 69.81.178.135
```

```
# FOREIGN BOTS CAUGHT IN THE BAD BOT BLACKHOLE
```

```
Deny from 86.123.243.250
```

```
Deny from 109.233.122.212
```

```
Deny from 91.242.33.8
```

```
Deny from 109.64.163.94
```

```
Deny from 176.28.46.163
```

```
Deny from 78.110.8.85
```

```
Deny from 128.199.164.76
```

```
Deny from 41.66.230.92
```

```
Deny from 197.237.209.204
```

```
Deny from 95.211.81.86
```

```
Deny from 89.123.14.154
```

```
Deny from 185.24.233.3
```

```
Deny from 92.85.56.141
```

```
Deny from 192.186.142.170
```

```
Deny from 176.205.252.58
```

```
Deny from 178.88.168.243
```

```
Deny from 92.85.174.229
```

Deny from 5. 9. 151. 67  
Deny from 82. 76. 87. 136  
Deny from 79. 177. 15. 78  
Deny from 82. 157. 210. 118  
Deny from 79. 182. 153. 82  
Deny from 72. 252. 203. 195  
Deny from 85. 53. 243. 220  
Deny from 77. 173. 119. 236  
Deny from 92. 11. 29. 100  
Deny from 188. 227. 187. 61  
Deny from 130. 204. 244. 14  
Deny from 85. 113. 55. 152  
Deny from 80. 61. 57. 89  
Deny from 176. 57. 141. 193  
Deny from 77. 172. 210. 16  
Deny from 130. 204. 232. 210  
Deny from 192. 99. 244. 194  
Deny from 173. 246. 4. 215  
Deny from 200. 59. 199. 67  
Deny from 76. 79. 114. 2  
Deny from 197. 45. 133. 157  
Deny from 93. 36. 118. 3

*# ANONYMOUS PROXIES*

Deny from 94. 242. 246. 23  
Deny from 197. 231. 221. 211  
Deny from 217. 115. 10. 131

*# ATTEMPTED WP LOGINS FROM FOREIGN COUNTRIES*

Deny from 178. 137. 82. 82  
Deny from 46. 151.  
Deny from 192. 99. 111. 130  
Deny from 178. 33. 164. 31

*# FOREIGN BOTS ATTEMPTING XSS SCRIPT ATTACKS*

Deny from 212. 250. 16. 17  
Deny from 103. 12. 151. 188

*# SEARCH ENGINES AND SPIDERS*

*# Aboundex crawler*

Deny from 173. 192. 34. 95

*# Baidu crawlers*

Deny from 123. 125.

*# Bing crawlers that do not respect crawl rate*

Deny from 157. 55. 39.

```
Deny from 207.46.13.
Deny from 107.178.200.
Deny from 157.55.39.113
Deny from 207.46.13.67
# ddos attack hitting image folder
Deny from 176.9.124.142
Deny from 75.68.97.63
Deny from 37.14.152.158
Deny from 207.98.189.119
Deny from 78.189.167.52
Deny from 76.116.161.177
Deny from 79.148.112.147
Deny from 173.163.130.213
Deny from 73.18.204.154
Deny from 24.29.71.24
Deny from 72.172.51.166
Deny from 68.38.179.102
Deny from 174.48.165.222
Deny from 67.211.239.30
Deny from 108.16.114.14
Deny from 184.35.14.164
Deny from 66.249.81.254
Deny from 79.14.209.118
Deny from 216.76.54.130
Deny from 72.185.4.223
Deny from 217.129.146.208
Deny from 148.251.13.242
# DotBot
Deny from 208.115.113.92
# Gloengine
Deny from 142.136.187.187
#Icerocket crawler
Deny from 209.191.
# Majestic12 bots Germany
Deny from 148.251.
Deny from 92.232.
Deny from 78.46.
Deny from 88.150.
Deny from 144.76.
Deny from 69.64.41.
Deny from 87.117.
```

Deny from 162.210.

Deny from 37.59.20.

Deny from 209.126.

Deny from 198.245.

Deny from 5.9.97.

Deny from 91.194.

*#Maxpoint crawler*

Deny from 208.123.79.68

*#Netherlands spam bot*

Deny from 80.82.65.82

*# Seznam bot*

Deny from 77.75.77.

*# Spanish spam bot*

Deny from 85.54.

Deny from 46.27.98.231

*# Spinnr bot*

Deny from 173.192.238.44

Deny from 174.36.241.151

*# Symphony spider*

Deny from 54.217.185.241

*# XoviBot Germany*

Deny from 88.198.

Deny from 212.224.119.

*#Yandex crawlers*

Deny from 100.43.

Deny from 95.108.

Deny from 141.8.

Deny from 5.255.

Deny from 178.154.

Deny from 37.140.

Deny from 93.158.

Deny from 5.45.254.

*# Yisou spider*

Deny from 42.156.

*# COUNTRY BOTS*

*# Australia bot*

Deny from 27.54.93.178

*# Brazil bots*

Deny from 54.232.102.193

Deny from 186.202.126.94

Deny from 186.213.72.146

Deny from 186. 219. 44. 6  
*# admin pages crawler from Brazil*  
Deny from 177. 52. 160. 37  
*# admin pages crawler from France*  
Deny from 46. 105. 42. 172  
*# admin pages crawler from China*  
Deny from 120. 34. 97. 183  
*# foreign wp-configbak crawlers*  
Deny from 88. 232. 63. 48  
*# Canada bot*  
Deny from 69. 161. 138. 1  
*# Chinese bots*  
Deny from 192. 200. 102. 102  
Deny from 183. 138.  
Deny from 98. 126. 17. 119  
Deny from 202. 46. 52. 120  
Deny from 42. 156.  
Deny from 27. 159.  
Deny from 27. 150.  
Deny from 27. 153.  
Deny from 140. 237.  
Deny from 59. 58.  
Deny from 182. 118.  
Deny from 49. 77.  
Deny from 149. 255.  
Deny from 108. 171.  
Deny from 120. 43.  
Deny from 222. 77.  
Deny from 220. 161.  
Deny from 120. 37.  
Deny from 110. 86.  
Deny from 110. 85.  
Deny from 221. 176.  
Deny from 54. 83.  
Deny from 195. 211.  
Deny from 113. 108. 21. 69  
Deny from 223. 104. 31. 111  
Deny from 58. 22. 67. 216  
Deny from 183. 131. 144. 204  
Deny from 188. 165. 61. 65  
*# French bots*

Deny from 46.105.113.8

Deny from 37.59.65.58

Deny from 37.187.89.77

*# German bots*

Deny from 212.90.148.101

Deny from 178.63.

Deny from 178.77.

Deny from 178.238.

Deny from 87.106.187.232

*# India bot*

Deny from 122.166.169.127

*# Ireland bot*

Deny from 54.229.73.40

*# Korea bots*

Deny from 14.63.212.77

Deny from 118.39.113.219

Deny from 211.244.

*# Lithuania bots*

Deny from 31.193.196.98

*# New Zealand bots*

Deny from 203.109.158.201

Deny from 27.252.92.103

*# Pakistan bot*

Deny from 27.255.56.87

*# Polish bot*

Deny from 82.139.3.3

Deny from 155.133.19.130

*# Russian bots*

Deny from 46.35.238.234

Deny from 31.184.238.9

Deny from 91.207.

Deny from 128.73.60.194

Deny from 94.41.113.152

Deny from 5.164.

Deny from 95.105.29.47

Deny from 178.141.211.111

Deny from 46.42.152.84

Deny from 83.234.80.197

Deny from 87.117.

Deny from 136.169.197.87

Denu from 188.143.232.72

```

Deny from 145.255.3.1
Deny from 31.192.
# mail.ru Russian crawler
Deny from 217.69.133.
# google sniper ip from Serbia
Deny from 95.180.77.18
# Turkey bots
Deny from 88.233.201.38
Deny from 94.73.167.227
# UK bots
Deny from 89.238.137.59
Deny from 195.157.124.186
# Ukraine bot
Deny from 91.207.7.202
Deny from 46.174.165.192
# Ukraine spam bot
Deny from 91.200.
# Singapore bot
Deny from 27.96.103.38
# Sweden bot
Deny from 194.9.94.213
</IfModule>

<IfModule mod_rewrite.c>
RewriteCond %{QUERY_STRING} http:\\\\www\\.google\\.com\\/humans\\.txt\\? [NC]
RewriteRule .* - [F,L]
</IfModule>

# Start Bad Bot Prevention
<IfModule mod_setenvif.c>
# SetEnvIfNoCase User-Agent ^$ bad_bot
SetEnvIfNoCase User-Agent ^12soso bad_bot
SetEnvIfNoCase User-Agent ^192.comAgent bad_bot
SetEnvIfNoCase User-Agent ^1Noonbot bad_bot
SetEnvIfNoCase User-Agent ^1oniSearchBot bad_bot
SetEnvIfNoCase User-Agent ^3D_SEARCH bad_bot
SetEnvIfNoCase User-Agent ^3DE_SEARCH2 bad_bot
SetEnvIfNoCase User-Agent ^3GSE bad_bot
SetEnvIfNoCase User-Agent ^50.nu bad_bot
SetEnvIfNoCase User-Agent ^A1 Sitemap Generator bad_bot
SetEnvIfNoCase User-Agent ^A1 Mahsite Download bad_bot

```

```
SetEnvIfNoCase User-Agent ^A6-Indexer bad_bot
SetEnvIfNoCase User-Agent ^AASP bad_bot
SetEnvIfNoCase User-Agent ^ABACH0Bot bad_bot
SetEnvIfNoCase User-Agent ^Abonti bad_bot
SetEnvIfNoCase User-Agent ^abot bad_bot
SetEnvIfNoCase User-Agent ^AbotEmailSearch bad_bot
SetEnvIfNoCase User-Agent ^Aboundex/0.3 bad_bot
SetEnvIfNoCase User-Agent ^AboutUsBot bad_bot
SetEnvIfNoCase User-Agent ^AccMonitor Compliance Server bad_bot
SetEnvIfNoCase User-Agent ^accoona bad_bot
SetEnvIfNoCase User-Agent ^AChulkov.NET page walker bad_bot
SetEnvIfNoCase User-Agent ^Acme.Spider bad_bot
SetEnvIfNoCase User-Agent ^AcoonBot bad_bot
SetEnvIfNoCase User-Agent ^acquaia-crawler bad_bot
SetEnvIfNoCase User-Agent ^ActiveTouristBot bad_bot
SetEnvIfNoCase User-Agent ^Ad Muncher bad_bot
SetEnvIfNoCase User-Agent ^AdamM Bot bad_bot
SetEnvIfNoCase User-Agent ^adbeat_bot bad_bot
SetEnvIfNoCase User-Agent ^adminshop.com bad_bot
SetEnvIfNoCase User-Agent ^Advanced Email Extractor bad_bot
SetEnvIfNoCase User-Agent ^AESOP_com_SpiderMan bad_bot
SetEnvIfNoCase User-Agent ^AESpider bad_bot
SetEnvIfNoCase User-Agent ^AF Knowledge Now Verity Spider bad_bot
SetEnvIfNoCase User-Agent ^aggregator: Vocus bad_bot
SetEnvIfNoCase User-Agent ^ah-ha.com crawler bad_bot
SetEnvIfNoCase User-Agent ^AhrefsBot bad_bot
SetEnvIfNoCase User-Agent ^AIBOT bad_bot
SetEnvIfNoCase User-Agent ^aiHitBot bad_bot
SetEnvIfNoCase User-Agent ^aipbot bad_bot
SetEnvIfNoCase User-Agent ^AISIID bad_bot
SetEnvIfNoCase User-Agent ^AITCSRobot/1.1 bad_bot
SetEnvIfNoCase User-Agent ^Akamai-SiteSnapshot bad_bot
SetEnvIfNoCase User-Agent ^AlexaWebSearchPlatform bad_bot
SetEnvIfNoCase User-Agent ^AlexfDownload bad_bot
SetEnvIfNoCase User-Agent ^Alexibot bad_bot
SetEnvIfNoCase User-Agent ^AlkalineBOT bad_bot
SetEnvIfNoCase User-Agent ^All Acronyms Bot bad_bot
SetEnvIfNoCase User-Agent ^Alpha Search Agent bad_bot
SetEnvIfNoCase User-Agent ^Amerla Search Bot bad_bot
SetEnvIfNoCase User-Agent ^Amfibibot bad_bot
SetEnvIfNoCase User-Agent ^AmfibiBot bad_bot
```

SetEnvIfNoCase User-Agent HMPMPPC.com bad\_bot  
SetEnvIfNoCase User-Agent ^AmPmPPC.com bad\_bot  
SetEnvIfNoCase User-Agent ^AMZNKAssocBot bad\_bot  
SetEnvIfNoCase User-Agent ^Anemone bad\_bot  
SetEnvIfNoCase User-Agent ^Anonymous/3G bot bad\_bot  
SetEnvIfNoCase User-Agent ^Anonymouse.org bad\_bot  
SetEnvIfNoCase User-Agent ^AnotherBot bad\_bot  
SetEnvIfNoCase User-Agent ^AnswerBot bad\_bot  
SetEnvIfNoCase User-Agent ^AnswerBus bad\_bot  
SetEnvIfNoCase User-Agent ^AnswerChase PROve bad\_bot  
SetEnvIfNoCase User-Agent ^AntBot bad\_bot  
SetEnvIfNoCase User-Agent ^antibot- bad\_bot  
SetEnvIfNoCase User-Agent ^AntiSantyWorm bad\_bot  
SetEnvIfNoCase User-Agent ^Antro.Net bad\_bot  
SetEnvIfNoCase User-Agent ^AONDE-Spider bad\_bot  
SetEnvIfNoCase User-Agent ^Aport bad\_bot  
SetEnvIfNoCase User-Agent ^appid: s^stremor-crawler- bad\_bot  
SetEnvIfNoCase User-Agent ^Aqua\_Products bad\_bot  
SetEnvIfNoCase User-Agent ^AraBot bad\_bot  
SetEnvIfNoCase User-Agent ^Arachmo bad\_bot  
SetEnvIfNoCase User-Agent ^Arachnophilia bad\_bot  
SetEnvIfNoCase User-Agent ^archive.org\_bot bad\_bot  
SetEnvIfNoCase User-Agent ^aria eQualizer bad\_bot  
SetEnvIfNoCase User-Agent ^arianna.libero.it bad\_bot  
SetEnvIfNoCase User-Agent ^Arikus\_Spider bad\_bot  
SetEnvIfNoCase User-Agent ^Art-Online.com bad\_bot  
SetEnvIfNoCase User-Agent ^ArtavisBot bad\_bot  
SetEnvIfNoCase User-Agent ^Artera bad\_bot  
SetEnvIfNoCase User-Agent ^ASAHA Search Engine Turkey bad\_bot  
SetEnvIfNoCase User-Agent ^ASpider/0.09 bad\_bot  
SetEnvIfNoCase User-Agent ^ASPSeek bad\_bot  
SetEnvIfNoCase User-Agent ^asterias bad\_bot  
SetEnvIfNoCase User-Agent ^AstroFind bad\_bot  
SetEnvIfNoCase User-Agent ^athenusbot bad\_bot  
SetEnvIfNoCase User-Agent ^AtlocalBot bad\_bot  
SetEnvIfNoCase User-Agent ^Atomic\_Email\_Hunter bad\_bot  
SetEnvIfNoCase User-Agent ^attach bad\_bot  
SetEnvIfNoCase User-Agent ^attrakt bad\_bot  
SetEnvIfNoCase User-Agent ^Attributor.comBot bad\_bot  
SetEnvIfNoCase User-Agent ^attributor bad\_bot  
SetEnvIfNoCase User-Agent ^Attributor/Dejan- bad\_bot  
SetEnvIfNoCase User-Agent ^Attributor/Dejan- bad\_bot

SetEnvIfNoCase User-Agent ^augurfind bad\_bot  
SetEnvIfNoCase User-Agent ^AURESYS bad\_bot  
SetEnvIfNoCase User-Agent ^AutoBaron crawler bad\_bot  
SetEnvIfNoCase User-Agent ^autoemailspider bad\_bot  
SetEnvIfNoCase User-Agent ^autowebsdir bad\_bot  
SetEnvIfNoCase User-Agent ^AVSearch- bad\_bot  
SetEnvIfNoCase User-Agent ^axfeedsbot bad\_bot  
SetEnvIfNoCase User-Agent ^Axonize-bot bad\_bot  
SetEnvIfNoCase User-Agent ^Ayna bad\_bot  
SetEnvIfNoCase User-Agent ^b2w bad\_bot  
SetEnvIfNoCase User-Agent ^b2w/0.1 bad\_bot  
SetEnvIfNoCase User-Agent ^BackDoorBot bad\_bot  
SetEnvIfNoCase User-Agent ^BackRub/ bad\_bot  
SetEnvIfNoCase User-Agent ^BackStreet Browser bad\_bot  
SetEnvIfNoCase User-Agent ^Backweb bad\_bot  
SetEnvIfNoCase User-Agent ^Baiduspider bad\_bot  
SetEnvIfNoCase User-Agent ^BaiduSpider bad\_bot  
SetEnvIfNoCase User-Agent ^BaiduSpider bad\_bot  
SetEnvIfNoCase User-Agent ^Baiduspider-video bad\_bot  
SetEnvIfNoCase User-Agent ^Baiduspider+ bad\_bot  
SetEnvIfNoCase User-Agent ^Bandit bad\_bot  
SetEnvIfNoCase User-Agent ^BatchFTP bad\_bot  
SetEnvIfNoCase User-Agent ^baypup bad\_bot  
SetEnvIfNoCase User-Agent ^BDFetch bad\_bot  
SetEnvIfNoCase User-Agent ^BecomeBot bad\_bot  
SetEnvIfNoCase User-Agent ^BecomeJPBot bad\_bot  
SetEnvIfNoCase User-Agent ^BeetleBot bad\_bot  
SetEnvIfNoCase User-Agent ^Bender bad\_bot  
SetEnvIfNoCase User-Agent ^besserscheitern-crawl bad\_bot  
SetEnvIfNoCase User-Agent ^betaBot bad\_bot  
SetEnvIfNoCase User-Agent ^Big Brother bad\_bot  
SetEnvIfNoCase User-Agent ^Big Data bad\_bot  
SetEnvIfNoCase User-Agent ^Bigado.com bad\_bot  
SetEnvIfNoCase User-Agent ^BigCliqueBot bad\_bot  
SetEnvIfNoCase User-Agent ^BigCliqueBOT bad\_bot  
SetEnvIfNoCase User-Agent ^Bigfoot bad\_bot  
SetEnvIfNoCase User-Agent ^BIGLOTRON bad\_bot  
SetEnvIfNoCase User-Agent ^Bilbo bad\_bot  
SetEnvIfNoCase User-Agent ^BilgiBetaBot bad\_bot  
SetEnvIfNoCase User-Agent ^BilgiBot bad\_bot  
SetEnvIfNoCase User-Agent ^bingbot bad\_bot

SetEnvIfNoCase User-Agent ^bintellibot bad\_bot  
SetEnvIfNoCase User-Agent ^bitlybot bad\_bot  
SetEnvIfNoCase User-Agent ^BitvoUserAgent bad\_bot  
SetEnvIfNoCase User-Agent ^Bizbot003 bad\_bot  
SetEnvIfNoCase User-Agent ^BizBot04 kirk.overleaf.com bad\_bot  
SetEnvIfNoCase User-Agent ^BizWorks Retriever bad\_bot  
SetEnvIfNoCase User-Agent ^Black Hole bad\_bot  
SetEnvIfNoCase User-Agent ^Blackbird bad\_bot  
SetEnvIfNoCase User-Agent ^BlackMask.Net Search Engine bad\_bot  
SetEnvIfNoCase User-Agent ^BlackWidow bad\_bot  
SetEnvIfNoCase User-Agent ^bladder fusion bad\_bot  
SetEnvIfNoCase User-Agent ^BlaiZ-Bee bad\_bot  
SetEnvIfNoCase User-Agent ^BLEXBot bad\_bot  
SetEnvIfNoCase User-Agent ^Blinkx/DFS-Fetch bad\_bot  
SetEnvIfNoCase User-Agent ^BlitzBOT bad\_bot  
SetEnvIfNoCase User-Agent ^Blog Conversation Project bad\_bot  
SetEnvIfNoCase User-Agent ^BlogMyWay bad\_bot  
SetEnvIfNoCase User-Agent ^BlogPulseLive bad\_bot  
SetEnvIfNoCase User-Agent ^BlogRefsBot bad\_bot  
SetEnvIfNoCase User-Agent ^BlogScope bad\_bot  
SetEnvIfNoCase User-Agent ^Blogslive bad\_bot  
SetEnvIfNoCase User-Agent ^BloobyBot bad\_bot  
SetEnvIfNoCase User-Agent ^BlowFish bad\_bot  
SetEnvIfNoCase User-Agent ^BLT bad\_bot  
SetEnvIfNoCase User-Agent ^bnf.fr\_bot bad\_bot  
SetEnvIfNoCase User-Agent ^BoaConstrictor bad\_bot  
SetEnvIfNoCase User-Agent ^BoardReader-Image-Fetcher bad\_bot  
SetEnvIfNoCase User-Agent ^BOI\_crawl\_00 bad\_bot  
SetEnvIfNoCase User-Agent ^BOIA-Scan-Agent bad\_bot  
SetEnvIfNoCase User-Agent ^BOIA.ORG-Scan-Agent bad\_bot  
SetEnvIfNoCase User-Agent ^boitho.com-dc bad\_bot  
SetEnvIfNoCase User-Agent ^Bookmark Buddy bookmark checker bad\_bot  
SetEnvIfNoCase User-Agent ^Bookmark search tool bad\_bot  
SetEnvIfNoCase User-Agent ^bosug bad\_bot  
SetEnvIfNoCase User-Agent ^Bot Apoena bad\_bot  
SetEnvIfNoCase User-Agent ^Bot bad\_bot  
SetEnvIfNoCase User-Agent ^bot bad\_bot  
SetEnvIfNoCase User-Agent ^BOT bad\_bot  
SetEnvIfNoCase User-Agent ^BotALot bad\_bot  
SetEnvIfNoCase User-Agent ^BotRightHere bad\_bot  
SetEnvIfNoCase User-Agent ^Botswana bad\_bot

SetEnvIfNoCase User-Agent ^bottybot bad\_bot  
SetEnvIfNoCase User-Agent ^BpBot bad\_bot  
SetEnvIfNoCase User-Agent ^BRAINTIME\_SEARCH bad\_bot  
SetEnvIfNoCase User-Agent ^BrokenLinkCheck.com bad\_bot  
SetEnvIfNoCase User-Agent ^BrowserEmulator bad\_bot  
SetEnvIfNoCase User-Agent ^BrowserMob bad\_bot  
SetEnvIfNoCase User-Agent ^BruinBot bad\_bot  
SetEnvIfNoCase User-Agent ^BSearchR&D bad\_bot  
SetEnvIfNoCase User-Agent ^BSpider bad\_bot  
SetEnvIfNoCase User-Agent ^btbot bad\_bot  
SetEnvIfNoCase User-Agent ^Btsearch bad\_bot  
SetEnvIfNoCase User-Agent ^Buddy bad\_bot  
SetEnvIfNoCase User-Agent ^Buibui bad\_bot  
SetEnvIfNoCase User-Agent ^BuildCMS crawler bad\_bot  
SetEnvIfNoCase User-Agent ^BuiltBotTough bad\_bot  
SetEnvIfNoCase User-Agent ^Bullseye bad\_bot  
SetEnvIfNoCase User-Agent ^bumblebee bad\_bot  
SetEnvIfNoCase User-Agent ^BunnySlippers bad\_bot  
SetEnvIfNoCase User-Agent ^BuscadorClarín bad\_bot  
SetEnvIfNoCase User-Agent ^Buscaplus Robi bad\_bot  
SetEnvIfNoCase User-Agent ^Butterfly bad\_bot  
SetEnvIfNoCase User-Agent ^BuyHawaiiBot bad\_bot  
SetEnvIfNoCase User-Agent ^BuzzBot bad\_bot  
SetEnvIfNoCase User-Agent ^byindia bad\_bot  
SetEnvIfNoCase User-Agent ^BYINDIA bad\_bot  
SetEnvIfNoCase User-Agent ^BySpider bad\_bot  
SetEnvIfNoCase User-Agent ^byteserver bad\_bot  
SetEnvIfNoCase User-Agent ^bzBot bad\_bot  
SetEnvIfNoCase User-Agent ^c r a w l 3 r bad\_bot  
SetEnvIfNoCase User-Agent ^CacheBlaster bad\_bot  
SetEnvIfNoCase User-Agent ^Caddbot bad\_bot  
SetEnvIfNoCase User-Agent ^Cafi bad\_bot  
SetEnvIfNoCase User-Agent ^Camcrawler bad\_bot  
SetEnvIfNoCase User-Agent ^CamelStampede bad\_bot  
SetEnvIfNoCase User-Agent ^Canon-WebRecord bad\_bot  
SetEnvIfNoCase User-Agent ^Canon-WebRecordPro bad\_bot  
SetEnvIfNoCase User-Agent ^CareerBot bad\_bot  
SetEnvIfNoCase User-Agent ^cataguru bad\_bot  
SetEnvIfNoCase User-Agent ^CatchBot bad\_bot  
SetEnvIfNoCase User-Agent ^CatchBot bad\_bot  
SetEnvIfNoCase User-Agent ^CazoodleBot bad\_bot

SetEnvIfNoCase User-Agent ^CCBot bad\_bot  
SetEnvIfNoCase User-Agent ^CCGCrawl bad\_bot  
SetEnvIfNoCase User-Agent ^ccubee bad\_bot  
SetEnvIfNoCase User-Agent ^CD-Preload bad\_bot  
SetEnvIfNoCase User-Agent ^CE-Preload bad\_bot  
SetEnvIfNoCase User-Agent ^Cegbfeieh bad\_bot  
SetEnvIfNoCase User-Agent ^Cerberian Drtrs bad\_bot  
SetEnvIfNoCase User-Agent ^CERT FigleafBot bad\_bot  
SetEnvIfNoCase User-Agent ^cfetch bad\_bot  
SetEnvIfNoCase User-Agent ^CFNetwork bad\_bot  
SetEnvIfNoCase User-Agent ^Chameleon bad\_bot  
SetEnvIfNoCase User-Agent ^Charlotte bad\_bot  
SetEnvIfNoCase User-Agent ^Check&Get bad\_bot  
SetEnvIfNoCase User-Agent ^Checkbot bad\_bot  
SetEnvIfNoCase User-Agent ^CheckLinks bad\_bot  
SetEnvIfNoCase User-Agent ^Checklinks bad\_bot  
SetEnvIfNoCase User-Agent ^CheeseBot bad\_bot  
SetEnvIfNoCase User-Agent ^ChemieDE-NodeBot bad\_bot  
SetEnvIfNoCase User-Agent ^CherryPicker bad\_bot  
SetEnvIfNoCase User-Agent ^CherryPickerElite bad\_bot  
SetEnvIfNoCase User-Agent ^CherryPickerSE bad\_bot  
SetEnvIfNoCase User-Agent ^Chilkat bad\_bot  
SetEnvIfNoCase User-Agent ^ChinaClaw bad\_bot  
SetEnvIfNoCase User-Agent ^CipinetBot bad\_bot  
SetEnvIfNoCase User-Agent ^cis455crawler bad\_bot  
SetEnvIfNoCase User-Agent ^citeseerxbot bad\_bot  
SetEnvIfNoCase User-Agent ^cizilla.com/Cizilla- bad\_bot  
SetEnvIfNoCase User-Agent ^ClariaBot bad\_bot  
SetEnvIfNoCase User-Agent ^Clushbot bad\_bot  
SetEnvIfNoCase User-Agent ^COAST scan engine bad\_bot  
SetEnvIfNoCase User-Agent ^COAST WebMaster Pro bad\_bot  
SetEnvIfNoCase User-Agent ^coccoc bad\_bot  
SetEnvIfNoCase User-Agent ^CollapsarWEB bad\_bot  
SetEnvIfNoCase User-Agent ^Collector bad\_bot  
SetEnvIfNoCase User-Agent ^Combine bad\_bot  
SetEnvIfNoCase User-Agent ^combine bad\_bot  
SetEnvIfNoCase User-Agent ^COMBINE bad\_bot  
SetEnvIfNoCase User-Agent ^Compatible bad\_bot  
SetEnvIfNoCase User-Agent ^ConnectSearch bad\_bot  
SetEnvIfNoCase User-Agent ^conpilot bad\_bot  
SetEnvIfNoCase User-Agent ^ContentSmartz bad\_bot

SetEnvIfNoCase User-Agent ^ContextAd Bot bad\_bot  
SetEnvIfNoCase User-Agent ^contype bad\_bot  
SetEnvIfNoCase User-Agent ^cookieNET bad\_bot  
SetEnvIfNoCase User-Agent ^CoolBot bad\_bot  
SetEnvIfNoCase User-Agent ^CoolCheck bad\_bot  
SetEnvIfNoCase User-Agent ^Copernic bad\_bot  
SetEnvIfNoCase User-Agent ^Copier bad\_bot  
SetEnvIfNoCase User-Agent ^CopyRightCheck bad\_bot  
SetEnvIfNoCase User-Agent ^core-project bad\_bot  
SetEnvIfNoCase User-Agent ^cosmos bad\_bot  
SetEnvIfNoCase User-Agent ^Covario-IDS bad\_bot  
SetEnvIfNoCase User-Agent ^Cowbot- bad\_bot  
SetEnvIfNoCase User-Agent ^Cowdog Bot bad\_bot  
SetEnvIfNoCase User-Agent ^crabbyBot bad\_bot  
SetEnvIfNoCase User-Agent ^Crawl\_Application bad\_bot  
SetEnvIfNoCase User-Agent ^crawl.UserAgent bad\_bot  
SetEnvIfNoCase User-Agent ^Crawl bad\_bot  
SetEnvIfNoCase User-Agent ^crawl bad\_bot  
SetEnvIfNoCase User-Agent ^CrawlConvera bad\_bot  
SetEnvIfNoCase User-Agent ^Crawler bad\_bot  
SetEnvIfNoCase User-Agent ^crawler bad\_bot  
SetEnvIfNoCase User-Agent ^crawler\_for\_infomine bad\_bot  
SetEnvIfNoCase User-Agent ^CRAWLER-ALTSE.VUNET.ORG-Lynx bad\_bot  
SetEnvIfNoCase User-Agent ^crawler-upgrade-config bad\_bot  
SetEnvIfNoCase User-Agent ^crawler.kpricorn.org bad\_bot  
SetEnvIfNoCase User-Agent ^crawler@ bad\_bot  
SetEnvIfNoCase User-Agent ^crawler bad\_bot  
SetEnvIfNoCase User-Agent ^crawler43.ejupiter.com bad\_bot  
SetEnvIfNoCase User-Agent ^crawler4j bad\_bot  
SetEnvIfNoCase User-Agent ^Crawly bad\_bot  
SetEnvIfNoCase User-Agent ^CreativeCommons bad\_bot  
SetEnvIfNoCase User-Agent ^Crescent bad\_bot  
SetEnvIfNoCase User-Agent ^Crescent Internet ToolPak HTTP OLE Control v.1.0 bad\_bot  
SetEnvIfNoCase User-Agent ^cs-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^CSE HTML Validator bad\_bot  
SetEnvIfNoCase User-Agent ^CSHttpClient bad\_bot  
SetEnvIfNoCase User-Agent ^Cuasarbot bad\_bot  
SetEnvIfNoCase User-Agent ^cul search/cul s bad\_bot  
SetEnvIfNoCase User-Agent ^Curl bad\_bot  
SetEnvIfNoCase User-Agent ^Custo bad\_bot  
SetEnvIfNoCase User-Agent ^Cutbot bad\_bot

SetEnvIfNoCase User-Agent ^cvaulev bad\_bot  
SetEnvIfNoCase User-Agent ^Cyberdog bad\_bot  
SetEnvIfNoCase User-Agent ^CyberNavi\_WebGet bad\_bot  
SetEnvIfNoCase User-Agent ^CyberPatrol SiteCat Webbot bad\_bot  
SetEnvIfNoCase User-Agent ^CyberSpyder bad\_bot  
SetEnvIfNoCase User-Agent ^CydralSpider bad\_bot  
SetEnvIfNoCase User-Agent ^DIGArabicEngine bad\_bot  
SetEnvIfNoCase User-Agent ^DA bad\_bot  
SetEnvIfNoCase User-Agent ^DataChaos bad\_bot  
SetEnvIfNoCase User-Agent ^DataFountains bad\_bot  
SetEnvIfNoCase User-Agent ^DataFountains/DMOZ Downloader bad\_bot  
SetEnvIfNoCase User-Agent ^DataparkSearch bad\_bot  
SetEnvIfNoCase User-Agent ^datascape robot bad\_bot  
SetEnvIfNoCase User-Agent ^DataSpearSpiderBot bad\_bot  
SetEnvIfNoCase User-Agent ^DataSpider bad\_bot  
SetEnvIfNoCase User-Agent ^Dattatec.com bad\_bot  
SetEnvIfNoCase User-Agent ^Dattatec.com-Sitios-Top bad\_bot  
SetEnvIfNoCase User-Agent ^Daumoa bad\_bot  
SetEnvIfNoCase User-Agent ^DAUMOA-video bad\_bot  
SetEnvIfNoCase User-Agent ^DAUMOA-web bad\_bot  
SetEnvIfNoCase User-Agent ^Daumoa bad\_bot  
SetEnvIfNoCase User-Agent ^Declumbot bad\_bot  
SetEnvIfNoCase User-Agent ^Deepindex bad\_bot  
SetEnvIfNoCase User-Agent ^deepnet crawler bad\_bot  
SetEnvIfNoCase User-Agent ^DeepTrawl bad\_bot  
SetEnvIfNoCase User-Agent ^dejan bad\_bot  
SetEnvIfNoCase User-Agent ^del.icio.us-thumbnails bad\_bot  
SetEnvIfNoCase User-Agent ^DelvuBot bad\_bot  
SetEnvIfNoCase User-Agent ^Der große BilderSauger bad\_bot  
SetEnvIfNoCase User-Agent ^Di aGem bad\_bot  
SetEnvIfNoCase User-Agent ^Di amond bad\_bot  
SetEnvIfNoCase User-Agent ^Di amondBot bad\_bot  
SetEnvIfNoCase User-Agent ^Di Bot bad\_bot  
SetEnvIfNoCase User-Agent ^di daxusbot bad\_bot  
SetEnvIfNoCase User-Agent ^Di gExt bad\_bot  
SetEnvIfNoCase User-Agent ^Di gger bad\_bot  
SetEnvIfNoCase User-Agent ^Di Gi -RSSBot bad\_bot  
SetEnvIfNoCase User-Agent ^Di gi tal Archi vesBot bad\_bot  
SetEnvIfNoCase User-Agent ^Di gOut4U bad\_bot  
SetEnvIfNoCase User-Agent ^DIIbot bad\_bot  
SetEnvIfNoCase User-Agent ^Dillo bad bot

```
----- Agent -----  
SetEnvIfNoCase User-Agent ^Dir_Snatch.exe bad_bot  
SetEnvIfNoCase User-Agent ^DISCO bad_bot  
SetEnvIfNoCase User-Agent ^Distilled-Reputation-Monitor bad_bot  
SetEnvIfNoCase User-Agent ^Dit bad_bot  
SetEnvIfNoCase User-Agent ^DittoSpyder bad_bot  
SetEnvIfNoCase User-Agent ^DjangoTraineeBot bad_bot  
SetEnvIfNoCase User-Agent ^DKIMRepBot bad_bot  
SetEnvIfNoCase User-Agent ^DoCoMo bad_bot  
SetEnvIfNoCase User-Agent ^DOF-Verify bad_bot  
SetEnvIfNoCase User-Agent ^Domaincrawler bad_bot  
SetEnvIfNoCase User-Agent ^domaincrawler bad_bot  
SetEnvIfNoCase User-Agent ^DomainScan bad_bot  
SetEnvIfNoCase User-Agent ^DomainWatcher Bot bad_bot  
SetEnvIfNoCase User-Agent ^DotBot bad_bot  
SetEnvIfNoCase User-Agent ^DotSpotsBot bad_bot  
SetEnvIfNoCase User-Agent ^Dow Jones Searchbot bad_bot  
SetEnvIfNoCase User-Agent ^Download bad_bot  
SetEnvIfNoCase User-Agent ^Downloader bad_bot  
SetEnvIfNoCase User-Agent ^DOY bad_bot  
SetEnvIfNoCase User-Agent ^dragonfly bad_bot  
SetEnvIfNoCase User-Agent ^Drip bad_bot  
SetEnvIfNoCase User-Agent ^drone bad_bot  
SetEnvIfNoCase User-Agent ^DTAAgent bad_bot  
SetEnvIfNoCase User-Agent ^dtSearchSpider bad_bot  
SetEnvIfNoCase User-Agent ^dumbot bad_bot  
SetEnvIfNoCase User-Agent ^Dumbot bad_bot  
SetEnvIfNoCase User-Agent ^Dwaar bad_bot  
SetEnvIfNoCase User-Agent ^Dwaarbot bad_bot  
SetEnvIfNoCase User-Agent ^DXSeeker bad_bot  
SetEnvIfNoCase User-Agent ^EAH bad_bot  
SetEnvIfNoCase User-Agent ^EasouSpider bad_bot  
SetEnvIfNoCase User-Agent ^EasyDL bad_bot  
SetEnvIfNoCase User-Agent ^EasyDL bad_bot  
SetEnvIfNoCase User-Agent ^ebingbong bad_bot  
SetEnvIfNoCase User-Agent ^EC2LinkFinder bad_bot  
SetEnvIfNoCase User-Agent ^eCairn-Grabber bad_bot  
SetEnvIfNoCase User-Agent ^eCatch bad_bot  
SetEnvIfNoCase User-Agent ^eChooseBot bad_bot  
SetEnvIfNoCase User-Agent ^EdisterBot (http://www.edister.com/bot.html) bad_bot  
SetEnvIfNoCase User-Agent ^EduGovSearch bad_bot  
SetEnvIfNoCase User-Agent ^eenthor bad_bot
```

```
SetEnvIfNoCase User-Agent ^gynxbot bad_bot
SetEnvIfNoCase User-Agent ^eidetica.com/spider bad_bot
SetEnvIfNoCase User-Agent ^EirGrabber bad_bot
SetEnvIfNoCase User-Agent ^Elblindo the Blind Bot bad_bot
SetEnvIfNoCase User-Agent ^ElisaBot bad_bot
SetEnvIfNoCase User-Agent ^EllerdaleBot bad_bot
SetEnvIfNoCase User-Agent ^EMail Extractor bad_bot
SetEnvIfNoCase User-Agent ^EmailCollector bad_bot
SetEnvIfNoCase User-Agent ^EmailLeach bad_bot
SetEnvIfNoCase User-Agent ^EmailSiphon bad_bot
SetEnvIfNoCase User-Agent ^EmailWolf bad_bot
SetEnvIfNoCase User-Agent ^EMPAS_ROBOT bad_bot
SetEnvIfNoCase User-Agent ^EnaBot bad_bot
SetEnvIfNoCase User-Agent ^endeca bad_bot
SetEnvIfNoCase User-Agent ^EnigmaBot bad_bot
SetEnvIfNoCase User-Agent ^Answer Neuro Bot bad_bot
SetEnvIfNoCase User-Agent ^EntityCubeBot bad_bot
SetEnvIfNoCase User-Agent ^EroCrawler bad_bot
SetEnvIfNoCase User-Agent ^es bad_bot
SetEnvIfNoCase User-Agent ^eStyleSearch bad_bot
SetEnvIfNoCase User-Agent ^eSyndiCat Bot bad_bot
SetEnvIfNoCase User-Agent ^Eurosoft-Bot bad_bot
SetEnvIfNoCase User-Agent ^Evaal bad_bot
SetEnvIfNoCase User-Agent ^Eventware bad_bot
SetEnvIfNoCase User-Agent ^Everest-Vulcan Inc bad_bot
SetEnvIfNoCase User-Agent ^Exabot bad_bot
SetEnvIfNoCase User-Agent ^Exabot Test bad_bot
SetEnvIfNoCase User-Agent ^Exabot-Images bad_bot
SetEnvIfNoCase User-Agent ^Exabot-Test bad_bot
SetEnvIfNoCase User-Agent ^Exabot-XXX bad_bot
SetEnvIfNoCase User-Agent ^ExaBotTest bad_bot
SetEnvIfNoCase User-Agent ^ExactSearch bad_bot
SetEnvIfNoCase User-Agent ^exactseek.com bad_bot
SetEnvIfNoCase User-Agent ^exooba/exooba crawler bad_bot
SetEnvIfNoCase User-Agent ^Exploder bad_bot
SetEnvIfNoCase User-Agent ^Express WebPictures bad_bot
SetEnvIfNoCase User-Agent ^Extractor bad_bot
SetEnvIfNoCase User-Agent ^EyeNetIE bad_bot
SetEnvIfNoCase User-Agent ^ez-robot bad_bot
SetEnvIfNoCase User-Agent ^Ezooms bad_bot
SetEnvIfNoCase User-Agent ^f-bot test pilot bad_bot
SetEnvIfNoCase User-Agent ^FootBot bad_bot
```

SetEnvIfNoCase User-Agent factbot bad\_bot  
SetEnvIfNoCase User-Agent ^Factbot bad\_bot  
SetEnvIfNoCase User-Agent ^FairAd Client bad\_bot  
SetEnvIfNoCase User-Agent ^falcon bad\_bot  
SetEnvIfNoCase User-Agent ^Falconsbot bad\_bot  
SetEnvIfNoCase User-Agent ^FAST Data Search Document Retriever bad\_bot  
SetEnvIfNoCase User-Agent ^FAST ESP bad\_bot  
SetEnvIfNoCase User-Agent ^fast-search-engine bad\_bot  
SetEnvIfNoCase User-Agent ^fastbot crawler bad\_bot  
SetEnvIfNoCase User-Agent ^fastbot.de crawler bad\_bot  
SetEnvIfNoCase User-Agent ^FatBot bad\_bot  
SetEnvIfNoCase User-Agent ^Favcollector bad\_bot  
SetEnvIfNoCase User-Agent ^Faviconizer bad\_bot  
SetEnvIfNoCase User-Agent ^Favorites Sweeper bad\_bot  
SetEnvIfNoCase User-Agent ^FDM bad\_bot  
SetEnvIfNoCase User-Agent ^FDSE robot bad\_bot  
SetEnvIfNoCase User-Agent ^FedContractorBot bad\_bot  
SetEnvIfNoCase User-Agent ^fembot bad\_bot  
SetEnvIfNoCase User-Agent ^Fetch API Request bad\_bot  
SetEnvIfNoCase User-Agent ^fetch\_ici bad\_bot  
SetEnvIfNoCase User-Agent ^fgcrawler bad\_bot  
SetEnvIfNoCase User-Agent ^Filangy bad\_bot  
SetEnvIfNoCase User-Agent ^FileHound bad\_bot  
SetEnvIfNoCase User-Agent ^FindAnISP.com\_ISP\_Finder bad\_bot  
SetEnvIfNoCase User-Agent ^findlinks bad\_bot  
SetEnvIfNoCase User-Agent ^FindWeb bad\_bot  
SetEnvIfNoCase User-Agent ^Firebat bad\_bot  
SetEnvIfNoCase User-Agent ^FirstGov.gov Search bad\_bot  
SetEnvIfNoCase User-Agent ^Flaming AttackBot bad\_bot  
SetEnvIfNoCase User-Agent ^Flamingo\_SearchEngine bad\_bot  
SetEnvIfNoCase User-Agent ^FlashCapture bad\_bot  
SetEnvIfNoCase User-Agent ^FlashGet bad\_bot  
SetEnvIfNoCase User-Agent ^FlashGet WebWasher 3.2 bad\_bot  
SetEnvIfNoCase User-Agent ^FlickySearchBot bad\_bot  
SetEnvIfNoCase User-Agent ^Fluffy the spider bad\_bot  
SetEnvIfNoCase User-Agent ^flunky bad\_bot  
SetEnvIfNoCase User-Agent ^focused\_crawler bad\_bot  
SetEnvIfNoCase User-Agent ^FollowSite bad\_bot  
SetEnvIfNoCase User-Agent ^Foobot bad\_bot  
SetEnvIfNoCase User-Agent ^Fooooo\_Web\_Video\_Crawl bad\_bot  
SetEnvIfNoCase User-Agent ^Fopper bad\_bot

SetEnvIfNoCase User-Agent ^FormulaFinderBot bad\_bot  
SetEnvIfNoCase User-Agent ^Forschungsportal bad\_bot  
SetEnvIfNoCase User-Agent ^fr\_crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Francis bad\_bot  
SetEnvIfNoCase User-Agent ^FreeWebMonitoring SiteChecker bad\_bot  
SetEnvIfNoCase User-Agent ^FreshDownload bad\_bot  
SetEnvIfNoCase User-Agent ^freshlinks.exe bad\_bot  
SetEnvIfNoCase User-Agent ^FriendFeedBot bad\_bot  
SetEnvIfNoCase User-Agent ^frodo.at bad\_bot  
SetEnvIfNoCase User-Agent ^froGgle bad\_bot  
SetEnvIfNoCase User-Agent ^FrontPage bad\_bot  
SetEnvIfNoCase User-Agent ^Froola Bot bad\_bot  
SetEnvIfNoCase User-Agent ^FU-NBI/FU-NBI- bad\_bot  
SetEnvIfNoCase User-Agent ^full\_breadth\_crawler bad\_bot  
SetEnvIfNoCase User-Agent ^FunnelBack bad\_bot  
SetEnvIfNoCase User-Agent ^FurlBot bad\_bot  
SetEnvIfNoCase User-Agent ^G10-Bot bad\_bot  
SetEnvIfNoCase User-Agent ^Gaisbot bad\_bot  
SetEnvIfNoCase User-Agent ^GalaxyBot bad\_bot  
SetEnvIfNoCase User-Agent ^gazz bad\_bot  
SetEnvIfNoCase User-Agent ^generate\_infomine\_category\_classifiers bad\_bot  
SetEnvIfNoCase User-Agent ^genevabot bad\_bot  
SetEnvIfNoCase User-Agent ^genieBot bad\_bot  
SetEnvIfNoCase User-Agent ^GenieBotRD\_SmallCrawl bad\_bot  
SetEnvIfNoCase User-Agent ^Genieo bad\_bot  
SetEnvIfNoCase User-Agent ^Geomaxenginebot bad\_bot  
SetEnvIfNoCase User-Agent ^geometabot bad\_bot  
SetEnvIfNoCase User-Agent ^GeonaBot bad\_bot  
SetEnvIfNoCase User-Agent ^GeoVisu bad\_bot  
SetEnvIfNoCase User-Agent ^GermCrawler bad\_bot  
SetEnvIfNoCase User-Agent ^GetHTMLContents bad\_bot  
SetEnvIfNoCase User-Agent ^Getleft bad\_bot  
SetEnvIfNoCase User-Agent ^GetLeft bad\_bot  
SetEnvIfNoCase User-Agent ^GetRight bad\_bot  
SetEnvIfNoCase User-Agent ^GetRight bad\_bot  
SetEnvIfNoCase User-Agent ^GetSmart bad\_bot  
SetEnvIfNoCase User-Agent ^GetURL.rexx.v1.05 bad\_bot  
SetEnvIfNoCase User-Agent ^GetWeb! bad\_bot  
SetEnvIfNoCase User-Agent ^Giant bad\_bot  
SetEnvIfNoCase User-Agent ^GigablastOpenSource bad\_bot  
SetEnvIfNoCase User-Agent ^Gigabot bad\_bot

SetEnvIfNoCase User-Agent ^Girafabot bad\_bot  
SetEnvIfNoCase User-Agent ^GleameBot bad\_bot  
SetEnvIfNoCase User-Agent ^gnome-vfs bad\_bot  
SetEnvIfNoCase User-Agent ^Go-Ahead-Got-It bad\_bot  
SetEnvIfNoCase User-Agent ^Go! Zilla bad\_bot  
SetEnvIfNoCase User-Agent ^GoForIt.com bad\_bot  
SetEnvIfNoCase User-Agent ^GOFORITBOT bad\_bot  
SetEnvIfNoCase User-Agent ^gold crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Goldfire Server bad\_bot  
SetEnvIfNoCase User-Agent ^Golem/1.1 bad\_bot  
SetEnvIfNoCase User-Agent ^GoodJelly bad\_bot  
SetEnvIfNoCase User-Agent ^Gordon-College-Google-Mini bad\_bot  
SetEnvIfNoCase User-Agent ^goroam bad\_bot  
SetEnvIfNoCase User-Agent ^GoSeebot bad\_bot  
SetEnvIfNoCase User-Agent ^gotit bad\_bot  
SetEnvIfNoCase User-Agent ^Govbot bad\_bot  
SetEnvIfNoCase User-Agent ^GPU p2p crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Grabber bad\_bot  
SetEnvIfNoCase User-Agent ^GrabNet bad\_bot  
SetEnvIfNoCase User-Agent ^Grafula bad\_bot  
SetEnvIfNoCase User-Agent ^grapeFX bad\_bot  
SetEnvIfNoCase User-Agent ^grapeshot bad\_bot  
SetEnvIfNoCase User-Agent ^GrapeshotCrawler/2.0 bad\_bot  
SetEnvIfNoCase User-Agent ^grbot bad\_bot  
SetEnvIfNoCase User-Agent ^GreenYogi [ZSEBOT] bad\_bot  
SetEnvIfNoCase User-Agent ^Gromit bad\_bot  
SetEnvIfNoCase User-Agent ^GroupMe bad\_bot  
SetEnvIfNoCase User-Agent ^grub bad\_bot  
SetEnvIfNoCase User-Agent ^grub crawler bad\_bot  
SetEnvIfNoCase User-Agent ^grub-client bad\_bot  
SetEnvIfNoCase User-Agent ^Grub bad\_bot  
SetEnvIfNoCase User-Agent ^Grubclient- bad\_bot  
SetEnvIfNoCase User-Agent ^GrubNG bad\_bot  
SetEnvIfNoCase User-Agent ^GruBot bad\_bot  
SetEnvIfNoCase User-Agent ^gsa bad\_bot  
SetEnvIfNoCase User-Agent ^GSLFbot bad\_bot  
SetEnvIfNoCase User-Agent ^Gulliver bad\_bot  
SetEnvIfNoCase User-Agent ^GulperBot bad\_bot  
SetEnvIfNoCase User-Agent ^GurujiBot bad\_bot  
SetEnvIfNoCase User-Agent ^GVC BUSINESS crawler bad\_bot  
SetEnvIfNoCase User-Agent ^GVC crawler bad\_bot

SetEnvIfNoCase User-Agent ^GVC SEARCH BOT bad\_bot  
SetEnvIfNoCase User-Agent ^GVC WEB crawler bad\_bot  
SetEnvIfNoCase User-Agent ^GVC Weblink crawler bad\_bot  
SetEnvIfNoCase User-Agent ^GVC WORLD LINKS bad\_bot  
SetEnvIfNoCase User-Agent ^gvcbot.com bad\_bot  
SetEnvIfNoCase User-Agent ^HappyFunBot bad\_bot  
SetEnvIfNoCase User-Agent ^Harvest bad\_bot  
SetEnvIfNoCase User-Agent ^HarvestMan bad\_bot  
SetEnvIfNoCase User-Agent ^Hatena Antenna bad\_bot  
SetEnvIfNoCase User-Agent ^Hawler bad\_bot  
SetEnvIfNoCase User-Agent ^hcat bad\_bot  
SetEnvIfNoCase User-Agent ^hcl sreport-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^HD nutch agent bad\_bot  
SetEnvIfNoCase User-Agent ^Header\_Test\_Client bad\_bot  
SetEnvIfNoCase User-Agent ^healia/healia bad\_bot  
SetEnvIfNoCase User-Agent ^Helix bad\_bot  
SetEnvIfNoCase User-Agent ^here will be link to crawler site bad\_bot  
SetEnvIfNoCase User-Agent ^heritrix bad\_bot  
SetEnvIfNoCase User-Agent ^Heritrix bad\_bot  
SetEnvIfNoCase User-Agent ^hijbul-heritrix-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Hi Scan bad\_bot  
SetEnvIfNoCase User-Agent ^Hi Software AccMonitor Server bad\_bot  
SetEnvIfNoCase User-Agent ^Hi Software AccVerify bad\_bot  
SetEnvIfNoCase User-Agent ^hitcrawler\_ bad\_bot  
SetEnvIfNoCase User-Agent ^hivaBot bad\_bot  
SetEnvIfNoCase User-Agent ^hloader bad\_bot  
SetEnvIfNoCase User-Agent ^HLoader bad\_bot  
SetEnvIfNoCase User-Agent ^HMSEbot bad\_bot  
SetEnvIfNoCase User-Agent ^HMView bad\_bot  
SetEnvIfNoCase User-Agent ^hoge bad\_bot  
SetEnvIfNoCase User-Agent ^holmes bad\_bot  
SetEnvIfNoCase User-Agent ^HomePageSearch bad\_bot  
SetEnvIfNoCase User-Agent ^Hooblybot-Image bad\_bot  
SetEnvIfNoCase User-Agent ^HookWMer bad\_bot  
SetEnvIfNoCase User-Agent ^Hostcrawler bad\_bot  
SetEnvIfNoCase User-Agent ^HSFT - Link Scanner bad\_bot  
SetEnvIfNoCase User-Agent ^HSFT - LVU Scanner bad\_bot  
SetEnvIfNoCase User-Agent ^HSlide bad\_bot  
SetEnvIfNoCase User-Agent ^ht://check bad\_bot  
SetEnvIfNoCase User-Agent ^htdig bad\_bot  
SetEnvIfNoCase User-Agent ^Html Link Validator bad\_bot

SetEnvIfNoCase User-Agent ^HTMLParser bad\_bot  
SetEnvIfNoCase User-Agent ^httplib bad\_bot  
SetEnvIfNoCase User-Agent ^HTTrack bad\_bot  
SetEnvIfNoCase User-Agent ^Huaweisyantecspider bad\_bot  
SetEnvIfNoCase User-Agent ^hul-wax bad\_bot  
SetEnvIfNoCase User-Agent ^humanlinks bad\_bot  
SetEnvIfNoCase User-Agent ^HyperEstrailer bad\_bot  
SetEnvIfNoCase User-Agent ^Hyperix bad\_bot  
SetEnvIfNoCase User-Agent ^ia\_archiver bad\_bot  
SetEnvIfNoCase User-Agent ^IAAarchiver- bad\_bot  
SetEnvIfNoCase User-Agent ^ibuena bad\_bot  
SetEnvIfNoCase User-Agent ^iCab bad\_bot  
SetEnvIfNoCase User-Agent ^ICDS-Ingestion bad\_bot  
SetEnvIfNoCase User-Agent ^ichiro bad\_bot  
SetEnvIfNoCase User-Agent ^iCopyright Conductor bad\_bot  
SetEnvIfNoCase User-Agent ^IEAutoDiscovery bad\_bot  
SetEnvIfNoCase User-Agent ^IECheck bad\_bot  
SetEnvIfNoCase User-Agent ^iHWebChecker bad\_bot  
SetEnvIfNoCase User-Agent ^IIITBOT bad\_bot  
SetEnvIfNoCase User-Agent ^im\_405 bad\_bot  
SetEnvIfNoCase User-Agent ^IlseBot bad\_bot  
SetEnvIfNoCase User-Agent ^IlTrovatore-Setaccio bad\_bot  
SetEnvIfNoCase User-Agent ^IlTrovatore bad\_bot  
SetEnvIfNoCase User-Agent ^Image Stripper bad\_bot  
SetEnvIfNoCase User-Agent ^Image Sucker bad\_bot  
SetEnvIfNoCase User-Agent ^ImageBot bad\_bot  
SetEnvIfNoCase User-Agent ^imagefortress bad\_bot  
SetEnvIfNoCase User-Agent ^ImagesHereImagesThereImagesEverywhere bad\_bot  
SetEnvIfNoCase User-Agent ^ImageVisu bad\_bot  
SetEnvIfNoCase User-Agent ^imds\_monitor bad\_bot  
SetEnvIfNoCase User-Agent ^imo-google-robot-intelink bad\_bot  
SetEnvIfNoCase User-Agent ^inagist.com url crawler bad\_bot  
SetEnvIfNoCase User-Agent ^inagist.com url crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Industry Cortex Webcrawler bad\_bot  
SetEnvIfNoCase User-Agent ^Indy Library bad\_bot  
SetEnvIfNoCase User-Agent ^indylabs\_marius bad\_bot  
SetEnvIfNoCase User-Agent ^InelaBot bad\_bot  
SetEnvIfNoCase User-Agent ^Inet32 Ctrl bad\_bot  
SetEnvIfNoCase User-Agent ^inetbot bad\_bot  
SetEnvIfNoCase User-Agent ^info seeker bad\_bot  
SetEnvIfNoCase User-Agent ^InfoLink bad\_bot

SetEnvIfNoCase User-Agent ^infomine.ucr.edu bad\_bot  
SetEnvIfNoCase User-Agent ^INFOMINE bad\_bot  
SetEnvIfNoCase User-Agent ^InfoNaviRobot bad\_bot  
SetEnvIfNoCase User-Agent ^Informant bad\_bot  
SetEnvIfNoCase User-Agent ^Infoseek bad\_bot  
SetEnvIfNoCase User-Agent ^InfoTekies bad\_bot  
SetEnvIfNoCase User-Agent ^InfoUSABot bad\_bot  
SetEnvIfNoCase User-Agent ^INGRID bad\_bot  
SetEnvIfNoCase User-Agent ^INGRID/0.1 bad\_bot  
SetEnvIfNoCase User-Agent ^Inktomi bad\_bot  
SetEnvIfNoCase User-Agent ^InsightsCollector bad\_bot  
SetEnvIfNoCase User-Agent ^InsightsWorksBot bad\_bot  
SetEnvIfNoCase User-Agent ^InspireBot bad\_bot  
SetEnvIfNoCase User-Agent ^InsumaScout bad\_bot  
SetEnvIfNoCase User-Agent ^Intelix bad\_bot  
SetEnvIfNoCase User-Agent ^Intelliseek bad\_bot  
SetEnvIfNoCase User-Agent ^InterGET bad\_bot  
SetEnvIfNoCase User-Agent ^Internet Ninja bad\_bot  
SetEnvIfNoCase User-Agent ^INTERNET RADIO crawler bad\_bot  
SetEnvIfNoCase User-Agent ^InternetLinkAgent bad\_bot  
SetEnvIfNoCase User-Agent ^Interseek bad\_bot  
SetEnvIfNoCase User-Agent ^IOI bad\_bot  
SetEnvIfNoCase User-Agent ^ip-web-crawler.com bad\_bot  
SetEnvIfNoCase User-Agent ^IPAdd Bot bad\_bot  
SetEnvIfNoCase User-Agent ^IpselonBot bad\_bot  
SetEnvIfNoCase User-Agent ^Ipselonbot bad\_bot  
SetEnvIfNoCase User-Agent ^Iria bad\_bot  
SetEnvIfNoCase User-Agent ^IRLbot bad\_bot  
SetEnvIfNoCase User-Agent ^Iron33/1.0.2 bad\_bot  
SetEnvIfNoCase User-Agent ^Isara/Isara- bad\_bot  
SetEnvIfNoCase User-Agent ^iSearch bad\_bot  
SetEnvIfNoCase User-Agent ^iSiloX bad\_bot  
SetEnvIfNoCase User-Agent ^IstellaBot bad\_bot  
SetEnvIfNoCase User-Agent ^its-learning crawler bad\_bot  
SetEnvIfNoCase User-Agent ^IU\_CSCI\_B659\_class\_crawler bad\_bot  
SetEnvIfNoCase User-Agent ^iVia Page Fetcher bad\_bot  
SetEnvIfNoCase User-Agent ^iVia Site Checker bad\_bot  
SetEnvIfNoCase User-Agent ^iVia bad\_bot  
SetEnvIfNoCase User-Agent ^JadynAve bad\_bot  
SetEnvIfNoCase User-Agent ^JadynAveBot bad\_bot  
SetEnvIfNoCase User-Agent ^Jakarta bad\_bot

SetEnvIfNoCase User-Agent ^Jakarta Commons-HttpClient bad\_bot  
SetEnvIfNoCase User-Agent ^Jbot bad\_bot  
SetEnvIfNoCase User-Agent ^JemmaTheTourist bad\_bot  
SetEnvIfNoCase User-Agent ^JennyBot bad\_bot  
SetEnvIfNoCase User-Agent ^Jetbot bad\_bot  
SetEnvIfNoCase User-Agent ^JetBrains Omea Pro bad\_bot  
SetEnvIfNoCase User-Agent ^JetCar bad\_bot  
SetEnvIfNoCase User-Agent ^Jim bad\_bot  
SetEnvIfNoCase User-Agent ^JoBo bad\_bot  
SetEnvIfNoCase User-Agent ^JobSpider\_BA bad\_bot  
SetEnvIfNoCase User-Agent ^JOC bad\_bot  
SetEnvIfNoCase User-Agent ^JoeDog bad\_bot  
SetEnvIfNoCase User-Agent ^JoyScapeBot bad\_bot  
SetEnvIfNoCase User-Agent ^JSpyda bad\_bot  
SetEnvIfNoCase User-Agent ^Junut Bot bad\_bot  
SetEnvIfNoCase User-Agent ^JustView bad\_bot  
SetEnvIfNoCase User-Agent ^Jyxobot bad\_bot  
SetEnvIfNoCase User-Agent ^K. S. Bot bad\_bot  
SetEnvIfNoCase User-Agent ^KakcleBot bad\_bot  
SetEnvIfNoCase User-Agent ^kalooga bad\_bot  
SetEnvIfNoCase User-Agent ^KaloogaBot bad\_bot  
SetEnvIfNoCase User-Agent ^KATATUDO-Spider bad\_bot  
SetEnvIfNoCase User-Agent ^kbeta1 bad\_bot  
SetEnvIfNoCase User-Agent ^KeepNI web site monitor bad\_bot  
SetEnvIfNoCase User-Agent ^Kenjin. Spider bad\_bot  
SetEnvIfNoCase User-Agent ^Keybot Translation-Search-Machine bad\_bot  
SetEnvIfNoCase User-Agent ^KeywenBot bad\_bot  
SetEnvIfNoCase User-Agent ^Keyword Density/0.9 bad\_bot  
SetEnvIfNoCase User-Agent ^Keyword. Density bad\_bot  
SetEnvIfNoCase User-Agent ^kinjabot bad\_bot  
SetEnvIfNoCase User-Agent ^Kitenga-crawler-bot bad\_bot  
SetEnvIfNoCase User-Agent ^Kiwi Status bad\_bot  
SetEnvIfNoCase User-Agent ^kmbot- bad\_bot  
SetEnvIfNoCase User-Agent ^kmccrew Bot Search bad\_bot  
SetEnvIfNoCase User-Agent ^Knight bad\_bot  
SetEnvIfNoCase User-Agent ^KnowItAll bad\_bot  
SetEnvIfNoCase User-Agent ^Knowledge Engine bad\_bot  
SetEnvIfNoCase User-Agent ^Knowledge.com bad\_bot  
SetEnvIfNoCase User-Agent ^KoepaBot bad\_bot  
SetEnvIfNoCase User-Agent ^Koninklijke bad\_bot  
SetEnvIfNoCase User-Agent ^Kr0WLeR bad\_bot

```
-----
SetEnvIfNoCase User-Agent ^KSbot bad_bot
SetEnvIfNoCase User-Agent ^kuloko-bot bad_bot
SetEnvIfNoCase User-Agent ^kulturarw3 bad_bot
SetEnvIfNoCase User-Agent ^KummHttp bad_bot
SetEnvIfNoCase User-Agent ^Kurzor bad_bot
SetEnvIfNoCase User-Agent ^Kyluka crawl bad_bot
SetEnvIfNoCase User-Agent ^L.webis bad_bot
SetEnvIfNoCase User-Agent ^Labhoo bad_bot
SetEnvIfNoCase User-Agent ^labourunions411 bad_bot
SetEnvIfNoCase User-Agent ^Lachesis bad_bot
SetEnvIfNoCase User-Agent ^lachesis bad_bot
SetEnvIfNoCase User-Agent ^Lament bad_bot
SetEnvIfNoCase User-Agent ^LamerExterminator bad_bot
SetEnvIfNoCase User-Agent ^LapozzBot bad_bot
SetEnvIfNoCase User-Agent ^larbin bad_bot
SetEnvIfNoCase User-Agent ^LARBIN-EXPERIMENTAL bad_bot
SetEnvIfNoCase User-Agent ^LBot bad_bot
SetEnvIfNoCase User-Agent ^LeapTag bad_bot
SetEnvIfNoCase User-Agent ^LeechFTP bad_bot
SetEnvIfNoCase User-Agent ^LeechGet bad_bot
SetEnvIfNoCase User-Agent ^LetsCrawl.com bad_bot
SetEnvIfNoCase User-Agent ^LexiBot bad_bot
SetEnvIfNoCase User-Agent ^LexxeBot bad_bot
SetEnvIfNoCase User-Agent ^lftp bad_bot
SetEnvIfNoCase User-Agent ^libcrawl bad_bot
SetEnvIfNoCase User-Agent ^libiViaCore bad_bot
SetEnvIfNoCase User-Agent ^libWeb/clsHTTP bad_bot
SetEnvIfNoCase User-Agent ^libwww-perl bad_bot
SetEnvIfNoCase User-Agent ^likse bad_bot
SetEnvIfNoCase User-Agent ^Linguee Bot bad_bot
SetEnvIfNoCase User-Agent ^Link Checker bad_bot
SetEnvIfNoCase User-Agent ^Link Validator bad_bot
SetEnvIfNoCase User-Agent ^link_checker bad_bot
SetEnvIfNoCase User-Agent ^LinkAlarm bad_bot
SetEnvIfNoCase User-Agent ^linkbot bad_bot
SetEnvIfNoCase User-Agent ^Linkbot bad_bot
SetEnvIfNoCase User-Agent ^LinkCheck by Siteimprove.com bad_bot
SetEnvIfNoCase User-Agent ^LinkCheck Scanner bad_bot
SetEnvIfNoCase User-Agent ^LinkChecker bad_bot
SetEnvIfNoCase User-Agent ^linkdex.com bad_bot
SetEnvIfNoCase User-Agent ^linkextractorPro bad_bot
```

```
SetEnvIfNoCase User-Agent ^LINKSAD_BOT$ bad_bot
SetEnvIfNoCase User-Agent ^LinkLint bad_bot
SetEnvIfNoCase User-Agent ^linklooker bad_bot
SetEnvIfNoCase User-Agent ^Linkman bad_bot
SetEnvIfNoCase User-Agent ^Links SQL bad_bot
SetEnvIfNoCase User-Agent ^LinkScan bad_bot
SetEnvIfNoCase User-Agent ^LinkScan/8.1a.Unix bad_bot
SetEnvIfNoCase User-Agent ^LinksManager.com bad_bot
SetEnvIfNoCase User-Agent ^LinkSweeper bad_bot
SetEnvIfNoCase User-Agent ^LinkWalker bad_bot
SetEnvIfNoCase User-Agent ^LiteFinder bad_bot
SetEnvIfNoCase User-Agent ^LitlrBot bad_bot
SetEnvIfNoCase User-Agent ^Little Grabber at Skanktale.com bad_bot
SetEnvIfNoCase User-Agent ^Livelapbot bad_bot
SetEnvIfNoCase User-Agent ^LM Harvester bad_bot
SetEnvIfNoCase User-Agent ^LMQueueBot bad_bot
SetEnvIfNoCase User-Agent ^LNSpiderguy bad_bot
SetEnvIfNoCase User-Agent ^LoadTimeBot bad_bot
SetEnvIfNoCase User-Agent ^LocalcomBot bad_bot
SetEnvIfNoCase User-Agent ^locust bad_bot
SetEnvIfNoCase User-Agent ^LolongBot bad_bot
SetEnvIfNoCase User-Agent ^LookBot bad_bot
SetEnvIfNoCase User-Agent ^Lsearch/sondeur bad_bot
SetEnvIfNoCase User-Agent ^lssbot bad_bot
SetEnvIfNoCase User-Agent ^LT Scotland Checklink bad_bot
SetEnvIfNoCase User-Agent ^lwp-request bad_bot
SetEnvIfNoCase User-Agent ^lwp-trivial bad_bot
SetEnvIfNoCase User-Agent ^LWP: Simple bad_bot
SetEnvIfNoCase User-Agent ^LWP/natweb-bad-link-mailer bad_bot
SetEnvIfNoCase User-Agent ^Lycos_Spider bad_bot
SetEnvIfNoCase User-Agent ^Lydia Entity Spider bad_bot
SetEnvIfNoCase User-Agent ^LynnBot bad_bot
SetEnvIfNoCase User-Agent ^Lytranslate bad_bot
SetEnvIfNoCase User-Agent ^Mag-Net bad_bot
SetEnvIfNoCase User-Agent ^Magnet bad_bot
SetEnvIfNoCase User-Agent ^magpie-crawler bad_bot
SetEnvIfNoCase User-Agent ^Magus Bot bad_bot
SetEnvIfNoCase User-Agent ^Mail.Ru_Bot bad_bot
SetEnvIfNoCase User-Agent ^Mail.Ru bad_bot
SetEnvIfNoCase User-Agent ^Mail.RU bad_bot
SetEnvIfNoCase User-Agent ^MAINSEEK_BOT bad_bot
SetEnvIfNoCase User-Agent ^Mammoth bad_bot
```

SetEnvIfNoCase User-Agent mammoth bad\_bot  
SetEnvIfNoCase User-Agent ^Map robot bad\_bot  
SetEnvIfNoCase User-Agent ^MarkWatch bad\_bot  
SetEnvIfNoCase User-Agent ^MarkWatch bad\_bot  
SetEnvIfNoCase User-Agent ^MaSagool bad\_bot  
SetEnvIfNoCase User-Agent ^masidani\_bot\_ bad\_bot  
SetEnvIfNoCase User-Agent ^Mass Downloader bad\_bot  
SetEnvIfNoCase User-Agent ^Mata Hari bad\_bot  
SetEnvIfNoCase User-Agent ^matentzn at cs dot man dot ac dot uk bad\_bot  
SetEnvIfNoCase User-Agent ^maxamine.com--robot bad\_bot  
SetEnvIfNoCase User-Agent ^maxamine.com-robot bad\_bot  
SetEnvIfNoCase User-Agent ^maxomobot bad\_bot  
SetEnvIfNoCase User-Agent ^McBot bad\_bot  
SetEnvIfNoCase User-Agent ^medrabbit bad\_bot  
SetEnvIfNoCase User-Agent ^Megite bad\_bot  
SetEnvIfNoCase User-Agent ^MemacBot bad\_bot  
SetEnvIfNoCase User-Agent ^Memo bad\_bot  
SetEnvIfNoCase User-Agent ^MendelejBot bad\_bot  
SetEnvIfNoCase User-Agent ^Mercator- bad\_bot  
SetEnvIfNoCase User-Agent ^mercuryboard\_user\_agent\_sql\_injection.nasl bad\_bot  
SetEnvIfNoCase User-Agent ^metacarta bad\_bot  
SetEnvIfNoCase User-Agent ^Metaeuro Web Search bad\_bot  
SetEnvIfNoCase User-Agent ^Metager2 bad\_bot  
SetEnvIfNoCase User-Agent ^metager2-verification-bot bad\_bot  
SetEnvIfNoCase User-Agent ^MetaGloss bad\_bot  
SetEnvIfNoCase User-Agent ^metal crawler bad\_bot  
SetEnvIfNoCase User-Agent ^metaquerier.cs.uiuc.edu bad\_bot  
SetEnvIfNoCase User-Agent ^METASpider bad\_bot  
SetEnvIfNoCase User-Agent ^Metaspinner bad\_bot  
SetEnvIfNoCase User-Agent ^MetaURI bad\_bot  
SetEnvIfNoCase User-Agent ^MetaURI API/2.0 metauri.com bad\_bot  
SetEnvIfNoCase User-Agent ^MetaURI API/2.0 +metauri.com bad\_bot  
SetEnvIfNoCase User-Agent ^MFCrawler bad\_bot  
SetEnvIfNoCase User-Agent ^MFHttpScan bad\_bot  
SetEnvIfNoCase User-Agent ^MI Down tool bad\_bot  
SetEnvIfNoCase User-Agent ^MIIXpc bad\_bot  
SetEnvIfNoCase User-Agent ^MIIXpc/4.2 bad\_bot  
SetEnvIfNoCase User-Agent ^mini-robot bad\_bot  
SetEnvIfNoCase User-Agent ^minibot bad\_bot  
SetEnvIfNoCase User-Agent ^miniRank bad\_bot  
SetEnvIfNoCase User-Agent ^Mirror bad\_bot

SetEnvIfNoCase User-Agent ^Missigua Locator bad\_bot  
SetEnvIfNoCase User-Agent ^Missigua Locator bad\_bot  
SetEnvIfNoCase User-Agent ^Mister PiX bad\_bot  
SetEnvIfNoCase User-Agent ^Mister Pix II 2.01 bad\_bot  
SetEnvIfNoCase User-Agent ^Mister Pix II 2.02a bad\_bot  
SetEnvIfNoCase User-Agent ^Mister PiX version.dll bad\_bot  
SetEnvIfNoCase User-Agent ^Mister. PiX bad\_bot  
SetEnvIfNoCase User-Agent ^Miya bad\_bot  
SetEnvIfNoCase User-Agent ^MJ12bot bad\_bot  
SetEnvIfNoCase User-Agent ^MJ12bot/v1.4.5 bad\_bot  
SetEnvIfNoCase User-Agent ^mnoGoSearch bad\_bot  
SetEnvIfNoCase User-Agent ^MnoGoSearch bad\_bot  
SetEnvIfNoCase User-Agent ^mod\_accessibility bad\_bot  
SetEnvIfNoCase User-Agent ^moduna.com bad\_bot  
SetEnvIfNoCase User-Agent ^moget bad\_bot  
SetEnvIfNoCase User-Agent ^moget/2.1 bad\_bot  
SetEnvIfNoCase User-Agent ^MojeekBot bad\_bot  
SetEnvIfNoCase User-Agent ^MojeekBot/0.6 bad\_bot  
SetEnvIfNoCase User-Agent ^MonkeyCrawl bad\_bot  
SetEnvIfNoCase User-Agent ^MOSES bad\_bot  
SetEnvIfNoCase User-Agent ^mowserbot bad\_bot  
SetEnvIfNoCase User-Agent ^MQbot bad\_bot  
SetEnvIfNoCase User-Agent ^MSE360 bad\_bot  
SetEnvIfNoCase User-Agent ^MSIndianWebcrawl bad\_bot  
SetEnvIfNoCase User-Agent ^MSMOBOT bad\_bot  
SetEnvIfNoCase User-Agent ^msnbot-products bad\_bot  
SetEnvIfNoCase User-Agent ^Msnbot bad\_bot  
SetEnvIfNoCase User-Agent ^MSNPTC bad\_bot  
SetEnvIfNoCase User-Agent ^MSRBOT bad\_bot  
SetEnvIfNoCase User-Agent ^MT-Soft bad\_bot  
SetEnvIfNoCase User-Agent ^MultiText bad\_bot  
SetEnvIfNoCase User-Agent ^My\_Little\_SearchEngine\_Project bad\_bot  
SetEnvIfNoCase User-Agent ^my-heritrix-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^MyApp bad\_bot  
SetEnvIfNoCase User-Agent ^MYCOMPANYBOT bad\_bot  
SetEnvIfNoCase User-Agent ^mycrawler bad\_bot  
SetEnvIfNoCase User-Agent ^MyEngines-US-Bot bad\_bot  
SetEnvIfNoCase User-Agent ^MyFamilyBot bad\_bot  
SetEnvIfNoCase User-Agent ^Myra bad\_bot  
SetEnvIfNoCase User-Agent ^nabot bad\_bot  
SetEnvIfNoCase User-Agent ^nabot\_ bad\_bot

SetEnvIfNoCase User-Agent ^Najdi.si bad\_bot  
SetEnvIfNoCase User-Agent ^Nambu bad\_bot  
SetEnvIfNoCase User-Agent ^NAMEPROTECT bad\_bot  
SetEnvIfNoCase User-Agent ^NASA Search bad\_bot  
SetEnvIfNoCase User-Agent ^NatchCVS bad\_bot  
SetEnvIfNoCase User-Agent ^naver bad\_bot  
SetEnvIfNoCase User-Agent ^naverbookmarkcrawler bad\_bot  
SetEnvIfNoCase User-Agent ^NaverBot\_dloader bad\_bot  
SetEnvIfNoCase User-Agent ^NaverBot- bad\_bot  
SetEnvIfNoCase User-Agent ^NaverBot bad\_bot  
SetEnvIfNoCase User-Agent ^Navroad bad\_bot  
SetEnvIfNoCase User-Agent ^NearSite bad\_bot  
SetEnvIfNoCase User-Agent ^NEC-MeshExplorer bad\_bot  
SetEnvIfNoCase User-Agent ^NeoScioCrawler bad\_bot  
SetEnvIfNoCase User-Agent ^NerdByNature.Bot bad\_bot  
SetEnvIfNoCase User-Agent ^NerdyBot bad\_bot  
SetEnvIfNoCase User-Agent ^Nerima-crawl- bad\_bot  
SetEnvIfNoCase User-Agent ^Nessus bad\_bot  
SetEnvIfNoCase User-Agent ^NESSUS: SOAP bad\_bot  
SetEnvIfNoCase User-Agent ^nestReader bad\_bot  
SetEnvIfNoCase User-Agent ^Net Vampire bad\_bot  
SetEnvIfNoCase User-Agent ^Net::Trackback bad\_bot  
SetEnvIfNoCase User-Agent ^NetAnts bad\_bot  
SetEnvIfNoCase User-Agent ^NetCarta CyberPilot Pro bad\_bot  
SetEnvIfNoCase User-Agent ^Netcraft bad\_bot  
SetEnvIfNoCase User-Agent ^NetID.com Bot bad\_bot  
SetEnvIfNoCase User-Agent ^NetMechanic bad\_bot  
SetEnvIfNoCase User-Agent ^Netprospector bad\_bot  
SetEnvIfNoCase User-Agent ^NetResearchServer bad\_bot  
SetEnvIfNoCase User-Agent ^NetSeer bad\_bot  
SetEnvIfNoCase User-Agent ^NetSeer crawler bad\_bot  
SetEnvIfNoCase User-Agent ^NetSeer crawler/2.0 bad\_bot  
SetEnvIfNoCase User-Agent ^NetShift= bad\_bot  
SetEnvIfNoCase User-Agent ^NetSongBot bad\_bot  
SetEnvIfNoCase User-Agent ^Netsparker bad\_bot  
SetEnvIfNoCase User-Agent ^NetSpider bad\_bot  
SetEnvIfNoCase User-Agent ^NetSrcherP bad\_bot  
SetEnvIfNoCase User-Agent ^NetZIP bad\_bot  
SetEnvIfNoCase User-Agent ^NewMedhunt bad\_bot  
SetEnvIfNoCase User-Agent ^news bot bad\_bot  
SetEnvIfNoCase User-Agent ^News\_Search\_App bad\_bot

SetEnvIfNoCase User-Agent ^NewsGatherer bad\_bot  
SetEnvIfNoCase User-Agent ^Newsgroupreporter bad\_bot  
SetEnvIfNoCase User-Agent ^NewsTroveBot bad\_bot  
SetEnvIfNoCase User-Agent ^NextGenSearchBot bad\_bot  
SetEnvIfNoCase User-Agent ^nextthing.org bad\_bot  
SetEnvIfNoCase User-Agent ^NG bad\_bot  
SetEnvIfNoCase User-Agent ^nicebot bad\_bot  
SetEnvIfNoCase User-Agent ^NICERSPRO bad\_bot  
SetEnvIfNoCase User-Agent ^niki-bot bad\_bot  
SetEnvIfNoCase User-Agent ^NimbleCrawler bad\_bot  
SetEnvIfNoCase User-Agent ^nimbus-1 bad\_bot  
SetEnvIfNoCase User-Agent ^ninetowns bad\_bot  
SetEnvIfNoCase User-Agent ^Ninja bad\_bot  
SetEnvIfNoCase User-Agent ^NjuiceBot bad\_bot  
SetEnvIfNoCase User-Agent ^NLese bad\_bot  
SetEnvIfNoCase User-Agent ^NLESE USEPA bad\_bot  
SetEnvIfNoCase User-Agent ^Nogate bad\_bot  
SetEnvIfNoCase User-Agent ^Norbert the Spider bad\_bot  
SetEnvIfNoCase User-Agent ^NoteworthyBot bad\_bot  
SetEnvIfNoCase User-Agent ^NPbot bad\_bot  
SetEnvIfNoCase User-Agent ^NPBot bad\_bot  
SetEnvIfNoCase User-Agent ^NPBot- bad\_bot  
SetEnvIfNoCase User-Agent ^NRCan intranet crawler bad\_bot  
SetEnvIfNoCase User-Agent ^NSDL\_Search\_Bot bad\_bot  
SetEnvIfNoCase User-Agent ^nu\_tch-princeton/Nu\_tch bad\_bot  
SetEnvIfNoCase User-Agent ^nuggetize.com BOT bad\_bot  
SetEnvIfNoCase User-Agent ^nuSearch Spider bad\_bot  
SetEnvIfNoCase User-Agent ^NuSearch Spider bad\_bot  
SetEnvIfNoCase User-Agent ^Nusearch Spider bad\_bot  
SetEnvIfNoCase User-Agent ^Nutch bad\_bot  
SetEnvIfNoCase User-Agent ^nutch bad\_bot  
SetEnvIfNoCase User-Agent ^nutchl/huntsman bad\_bot  
SetEnvIfNoCase User-Agent ^NutchCVS bad\_bot  
SetEnvIfNoCase User-Agent ^NutchOrg bad\_bot  
SetEnvIfNoCase User-Agent ^NWSpider bad\_bot  
SetEnvIfNoCase User-Agent ^Nymesis bad\_bot  
SetEnvIfNoCase User-Agent ^nys-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^ObjectsSearch bad\_bot  
SetEnvIfNoCase User-Agent ^oBot bad\_bot  
SetEnvIfNoCase User-Agent ^Obvius external linkcheck bad\_bot  
SetEnvIfNoCase User-Agent ^Ocelli bad\_bot

SetEnvIfNoCase User-Agent ^Octopus bad\_bot  
SetEnvIfNoCase User-Agent ^ODP entries t\_st bad\_bot  
SetEnvIfNoCase User-Agent ^oegp v bad\_bot  
SetEnvIfNoCase User-Agent ^Offline Explorer bad\_bot  
SetEnvIfNoCase User-Agent ^Offline Navigator bad\_bot  
SetEnvIfNoCase User-Agent ^Offline.Explorer bad\_bot  
SetEnvIfNoCase User-Agent ^OGspider bad\_bot  
SetEnvIfNoCase User-Agent ^OmiExplorer\_Bot bad\_bot  
SetEnvIfNoCase User-Agent ^OmniExplorer\_Bot bad\_bot  
SetEnvIfNoCase User-Agent ^OmniFind bad\_bot  
SetEnvIfNoCase User-Agent ^omnifind bad\_bot  
SetEnvIfNoCase User-Agent ^OmniWeb bad\_bot  
SetEnvIfNoCase User-Agent ^OnetSzukaj bad\_bot  
SetEnvIfNoCase User-Agent ^online link validator bad\_bot  
SetEnvIfNoCase User-Agent ^OOZBOT bad\_bot  
SetEnvIfNoCase User-Agent ^Openbot bad\_bot  
SetEnvIfNoCase User-Agent ^Openbot bad\_bot  
SetEnvIfNoCase User-Agent ^Openfind bad\_bot  
SetEnvIfNoCase User-Agent ^OpenHoseBot/2.1 bad\_bot  
SetEnvIfNoCase User-Agent ^OpenIntelligenceData bad\_bot  
SetEnvIfNoCase User-Agent ^OpenISearch bad\_bot  
SetEnvIfNoCase User-Agent ^OpenLink Virtuoso RDF crawler bad\_bot  
SetEnvIfNoCase User-Agent ^OpenSearchServer\_Bot bad\_bot  
SetEnvIfNoCase User-Agent ^OpiDig bad\_bot  
SetEnvIfNoCase User-Agent ^optidiscover bad\_bot  
SetEnvIfNoCase User-Agent ^Oracle Secure Enterprise Search bad\_bot  
SetEnvIfNoCase User-Agent ^Oracle Ultra Search bad\_bot  
SetEnvIfNoCase User-Agent ^OrangeBot bad\_bot  
SetEnvIfNoCase User-Agent ^ORISBot bad\_bot  
SetEnvIfNoCase User-Agent ^ornl\_crawler\_1 bad\_bot  
SetEnvIfNoCase User-Agent ^ORNL\_Mercury bad\_bot  
SetEnvIfNoCase User-Agent ^osis-project.jp bad\_bot  
SetEnvIfNoCase User-Agent ^Os0 bad\_bot  
SetEnvIfNoCase User-Agent ^OutfoxBot bad\_bot  
SetEnvIfNoCase User-Agent ^OutfoxBot bad\_bot  
SetEnvIfNoCase User-Agent ^OutfoxMelonBot bad\_bot  
SetEnvIfNoCase User-Agent ^OWLER-BOT bad\_bot  
SetEnvIfNoCase User-Agent ^owsBot bad\_bot  
SetEnvIfNoCase User-Agent ^ozelot bad\_bot  
SetEnvIfNoCase User-Agent ^P3P Client bad\_bot  
SetEnvIfNoCase User-Agent ^page\_verifier bad\_bot

SetEnvIfNoCase User-Agent ^PageBitesHyperBot bad\_bot  
SetEnvIfNoCase User-Agent ^Pagebull bad\_bot  
SetEnvIfNoCase User-Agent ^PageDown bad\_bot  
SetEnvIfNoCase User-Agent ^PageFetcher bad\_bot  
SetEnvIfNoCase User-Agent ^PageGrabber bad\_bot  
SetEnvIfNoCase User-Agent ^PagePeeker bad\_bot  
SetEnvIfNoCase User-Agent ^PageRank Monitor bad\_bot  
SetEnvIfNoCase User-Agent ^pamsnbot.htm bad\_bot  
SetEnvIfNoCase User-Agent ^Panopy Bot bad\_bot  
SetEnvIfNoCase User-Agent ^panscient.com bad\_bot  
SetEnvIfNoCase User-Agent ^Pansophica bad\_bot  
SetEnvIfNoCase User-Agent ^Papa Foto bad\_bot  
SetEnvIfNoCase User-Agent ^PaperLiBot bad\_bot  
SetEnvIfNoCase User-Agent ^PaperLiBot/2.1 bad\_bot  
SetEnvIfNoCase User-Agent ^parasite bad\_bot  
SetEnvIfNoCase User-Agent ^parsijoo bad\_bot  
SetEnvIfNoCase User-Agent ^Pathtraq bad\_bot  
SetEnvIfNoCase User-Agent ^Pattern bad\_bot  
SetEnvIfNoCase User-Agent ^Patwebbot bad\_bot  
SetEnvIfNoCase User-Agent ^pavuk bad\_bot  
SetEnvIfNoCase User-Agent ^PaxleFramework bad\_bot  
SetEnvIfNoCase User-Agent ^PBBOT bad\_bot  
SetEnvIfNoCase User-Agent ^pcBrowser bad\_bot  
SetEnvIfNoCase User-Agent ^pd-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^penthesila bad\_bot  
SetEnvIfNoCase User-Agent ^perform\_crawl bad\_bot  
SetEnvIfNoCase User-Agent ^PerMan bad\_bot  
SetEnvIfNoCase User-Agent ^PerMan Surfer bad\_bot  
SetEnvIfNoCase User-Agent ^personal ultimate crawler bad\_bot  
SetEnvIfNoCase User-Agent ^PHP version tracker bad\_bot  
SetEnvIfNoCase User-Agent ^PHPCrawl bad\_bot  
SetEnvIfNoCase User-Agent ^PhpDig bad\_bot  
SetEnvIfNoCase User-Agent ^PicoSearch bad\_bot  
SetEnvIfNoCase User-Agent ^PIENO robot bad\_bot  
SetEnvIfNoCase User-Agent ^pipBot bad\_bot  
SetEnvIfNoCase User-Agent ^pipeLiner bad\_bot  
SetEnvIfNoCase User-Agent ^Pita bad\_bot  
SetEnvIfNoCase User-Agent ^pixfinder bad\_bot  
SetEnvIfNoCase User-Agent ^PiyushBot bad\_bot  
SetEnvIfNoCase User-Agent ^plaNETWORK Bot Search bad\_bot  
SetEnvIfNoCase User-Agent ^Plucker bad\_bot

SetEnvIfNoCase User-Agent ^Plukkie bad\_bot  
SetEnvIfNoCase User-Agent ^Plumtree 6.0 bad\_bot  
SetEnvIfNoCase User-Agent ^Pockey bad\_bot  
SetEnvIfNoCase User-Agent ^Pockey-GetHTML bad\_bot  
SetEnvIfNoCase User-Agent ^PoCoHTTP bad\_bot  
SetEnvIfNoCase User-Agent ^pogodak.ba bad\_bot  
SetEnvIfNoCase User-Agent ^Pogodak.co.yu bad\_bot  
SetEnvIfNoCase User-Agent ^Poirot bad\_bot  
SetEnvIfNoCase User-Agent ^polybot bad\_bot  
SetEnvIfNoCase User-Agent ^Pompos bad\_bot  
SetEnvIfNoCase User-Agent ^Poodle predictor bad\_bot  
SetEnvIfNoCase User-Agent ^PopScreenBot bad\_bot  
SetEnvIfNoCase User-Agent ^PostPost bad\_bot  
SetEnvIfNoCase User-Agent ^PrivacyFinder bad\_bot  
SetEnvIfNoCase User-Agent ^ProjectWF-java-test-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^ProPowerBot/2.14 bad\_bot  
SetEnvIfNoCase User-Agent ^ProWebWalker bad\_bot  
SetEnvIfNoCase User-Agent ^Proxem WebSearch bad\_bot  
SetEnvIfNoCase User-Agent ^PROXY crawler bad\_bot  
SetEnvIfNoCase User-Agent ^psbot bad\_bot  
SetEnvIfNoCase User-Agent ^PsBot bad\_bot  
SetEnvIfNoCase User-Agent ^psbot-page bad\_bot  
SetEnvIfNoCase User-Agent ^PSS-Bot bad\_bot  
SetEnvIfNoCase User-Agent ^psycheclone bad\_bot  
SetEnvIfNoCase User-Agent ^pub-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^pucl bad\_bot  
SetEnvIfNoCase User-Agent ^pulseBot (pulse Web Miner) bad\_bot  
SetEnvIfNoCase User-Agent ^Pump bad\_bot  
SetEnvIfNoCase User-Agent ^PWeBot bad\_bot  
SetEnvIfNoCase User-Agent ^Python-urllib bad\_bot  
SetEnvIfNoCase User-Agent ^pythonic-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^PythonWikipediaBot bad\_bot  
SetEnvIfNoCase User-Agent ^qi bad\_bot  
SetEnvIfNoCase User-Agent ^QEArvis agent bad\_bot  
SetEnvIfNoCase User-Agent ^QFKBot bad\_bot  
SetEnvIfNoCase User-Agent ^qualidade bad\_bot  
SetEnvIfNoCase User-Agent ^Qualidator.com Bot bad\_bot  
SetEnvIfNoCase User-Agent ^QuepasaCreep bad\_bot  
SetEnvIfNoCase User-Agent ^QueryN Metasearch bad\_bot  
SetEnvIfNoCase User-Agent ^QueryN.Metasearch bad\_bot  
SetEnvIfNoCase User-Agent ^quest.durato bad\_bot

```
-----
SetEnvIfNoCase User-Agent ^Quintura-Crw bad_bot
SetEnvIfNoCase User-Agent ^QunarBot bad_bot
SetEnvIfNoCase User-Agent ^Queery_robot.txt_CheckBot bad_bot
SetEnvIfNoCase User-Agent ^QueeryBot bad_bot
SetEnvIfNoCase User-Agent ^r2iBot bad_bot
SetEnvIfNoCase User-Agent ^R6_CommentReader bad_bot
SetEnvIfNoCase User-Agent ^R6_FeedFetcher bad_bot
SetEnvIfNoCase User-Agent ^R6_VoteReader bad_bot
SetEnvIfNoCase User-Agent ^RaBot bad_bot
SetEnvIfNoCase User-Agent ^Radian6 bad_bot
SetEnvIfNoCase User-Agent ^radian6_linkcheck bad_bot
SetEnvIfNoCase User-Agent ^Radiation Retriever 1.1 bad_bot
SetEnvIfNoCase User-Agent ^RAMPyBot bad_bot
SetEnvIfNoCase User-Agent ^RankurBot/Rankur bad_bot
SetEnvIfNoCase User-Agent ^Rational SiteCheck bad_bot
SetEnvIfNoCase User-Agent ^RcStartBot bad_bot
SetEnvIfNoCase User-Agent ^RealDownload bad_bot
SetEnvIfNoCase User-Agent ^Reaper bad_bot
SetEnvIfNoCase User-Agent ^REBI-Shoveler bad_bot
SetEnvIfNoCase User-Agent ^REBI-shoveler bad_bot
SetEnvIfNoCase User-Agent ^Recorder bad_bot
SetEnvIfNoCase User-Agent ^RedBot bad_bot
SetEnvIfNoCase User-Agent ^RedCarpet bad_bot
SetEnvIfNoCase User-Agent ^ReGet bad_bot
SetEnvIfNoCase User-Agent ^RepoMonkey bad_bot
SetEnvIfNoCase User-Agent ^research robot bad_bot
SetEnvIfNoCase User-Agent ^Riddler bad_bot
SetEnvIfNoCase User-Agent ^RIIGHTBOT/RIIGHT- bad_bot
SetEnvIfNoCase User-Agent ^RiseNetBot bad_bot
SetEnvIfNoCase User-Agent ^RiverGlassScanner bad_bot
SetEnvIfNoCase User-Agent ^RiverglassScanner bad_bot
SetEnvIfNoCase User-Agent ^RMA bad_bot
SetEnvIfNoCase User-Agent ^RoboPal bad_bot
SetEnvIfNoCase User-Agent ^Robosourcer bad_bot
SetEnvIfNoCase User-Agent ^Robot bad_bot
SetEnvIfNoCase User-Agent ^ROBOT bad_bot
SetEnvIfNoCase User-Agent ^robot bad_bot
SetEnvIfNoCase User-Agent ^robotek bad_bot
SetEnvIfNoCase User-Agent ^robots bad_bot
SetEnvIfNoCase User-Agent ^Robozilla bad_bot
SetEnvIfNoCase User-Agent ^rogerBot bad_bot
```

```
SetEnvIfNoCase User-Agent ^Rome Client bad_bot
SetEnvIfNoCase User-Agent ^Rondello bad_bot
SetEnvIfNoCase User-Agent ^Rotondo bad_bot
SetEnvIfNoCase User-Agent ^Roverbot bad_bot
SetEnvIfNoCase User-Agent ^RPT-HTTPClient bad_bot
SetEnvIfNoCase User-Agent ^rtgibot bad_bot
SetEnvIfNoCase User-Agent ^RufusBot bad_bot
SetEnvIfNoCase User-Agent ^Runk online rss reader bad_bot
SetEnvIfNoCase User-Agent ^Runk RSS aggregator bad_bot
SetEnvIfNoCase User-Agent ^s~stremor-crawler bad_bot
SetEnvIfNoCase User-Agent ^S2Bot bad_bot
SetEnvIfNoCase User-Agent ^SafariBookmarkChecker bad_bot
SetEnvIfNoCase User-Agent ^SafetyNet Robot 0.1 bad_bot
SetEnvIfNoCase User-Agent ^SaladSpoon/ShopSalad bad_bot
SetEnvIfNoCase User-Agent ^Sapient/Indexer bad_bot
SetEnvIfNoCase User-Agent ^SBIder bad_bot
SetEnvIfNoCase User-Agent ^SBL-BOT bad_bot
SetEnvIfNoCase User-Agent ^SCFCrawler/Nutch-1.8 bad_bot
SetEnvIfNoCase User-Agent ^Scich bad_bot
SetEnvIfNoCase User-Agent ^ScientificCommons.org bad_bot
SetEnvIfNoCase User-Agent ^ScollSpider bad_bot
SetEnvIfNoCase User-Agent ^ScooperBot bad_bot
SetEnvIfNoCase User-Agent ^Scooter bad_bot
SetEnvIfNoCase User-Agent ^ScoutJet bad_bot
SetEnvIfNoCase User-Agent ^ScrapeBox bad_bot
SetEnvIfNoCase User-Agent ^Scrapy bad_bot
SetEnvIfNoCase User-Agent ^SCrawlTest bad_bot
SetEnvIfNoCase User-Agent ^Scrubby bad_bot
SetEnvIfNoCase User-Agent ^scSpider bad_bot
SetEnvIfNoCase User-Agent ^Scumbot bad_bot
SetEnvIfNoCase User-Agent ^Search Publisher bad_bot
SetEnvIfNoCase User-Agent ^search x-bot bad_bot
SetEnvIfNoCase User-Agent ^Search-Channel bad_bot
SetEnvIfNoCase User-Agent ^Search-Engine-Studio bad_bot
SetEnvIfNoCase User-Agent ^search.kumkie.com bad_bot
SetEnvIfNoCase User-Agent ^search.msn.com/msnbot.htm bad_bot
SetEnvIfNoCase User-Agent ^search.updated.com bad_bot
SetEnvIfNoCase User-Agent ^search.usgs.gov bad_bot
SetEnvIfNoCase User-Agent ^Searcharoo.NET bad_bot
SetEnvIfNoCase User-Agent ^SearchBlox bad_bot
SetEnvIfNoCase User-Agent ^SearchBot bad_bot
```

```

SetEnvIfNoCase User-Agent searchbot bad_bot
SetEnvIfNoCase User-Agent ^SearchBot bad_bot
SetEnvIfNoCase User-Agent ^searchengine bad_bot
SetEnvIfNoCase User-Agent ^searchhippo.com bad_bot
SetEnvIfNoCase User-Agent ^SearchIt-Bot bad_bot
SetEnvIfNoCase User-Agent ^searchmarking bad_bot
SetEnvIfNoCase User-Agent ^searchmarks bad_bot
SetEnvIfNoCase User-Agent ^searchmee_v bad_bot
SetEnvIfNoCase User-Agent ^Searchmee! Spider bad_bot
SetEnvIfNoCase User-Agent ^searchmining bad_bot
SetEnvIfNoCase User-Agent ^SearchnowBot_v1 bad_bot
SetEnvIfNoCase User-Agent ^searchpreview bad_bot
SetEnvIfNoCase User-Agent ^SearchSpider.com bad_bot
SetEnvIfNoCase User-Agent ^SearQuBot/SearQuBot v1.0 bad_bot
SetEnvIfNoCase User-Agent ^SEB Spider bad_bot
SetEnvIfNoCase User-Agent ^Seekbot bad_bot
SetEnvIfNoCase User-Agent ^Seeker.lookseek.com bad_bot
SetEnvIfNoCase User-Agent ^SeeqBot bad_bot
SetEnvIfNoCase User-Agent ^seeqpod-vertical-crawler bad_bot
SetEnvIfNoCase User-Agent ^Selflinkchecker bad_bot
SetEnvIfNoCase User-Agent ^Semager bad_bot
SetEnvIfNoCase User-Agent ^semanticdiscovery bad_bot
SetEnvIfNoCase User-Agent ^Semantifire1 bad_bot
SetEnvIfNoCase User-Agent ^semisearch bad_bot
SetEnvIfNoCase User-Agent ^SemrushBot bad_bot
SetEnvIfNoCase User-Agent ^SEOENGLWorldBot bad_bot
SetEnvIfNoCase User-Agent ^SeznamBot bad_bot
SetEnvIfNoCase User-Agent ^SeznamBot/2.0 bad_bot
SetEnvIfNoCase User-Agent ^SeznamBot/3.2-test1 bad_bot
SetEnvIfNoCase User-Agent ^Shabl astBot bad_bot
SetEnvIfNoCase User-Agent ^ShadowWebAnalyzer bad_bot
SetEnvIfNoCase User-Agent ^Shareaza bad_bot
SetEnvIfNoCase User-Agent ^Shelob bad_bot
SetEnvIfNoCase User-Agent ^sherlock bad_bot
SetEnvIfNoCase User-Agent ^ShopWiki bad_bot
SetEnvIfNoCase User-Agent ^ShowLinks bad_bot
SetEnvIfNoCase User-Agent ^ShowyouBot bad_bot
SetEnvIfNoCase User-Agent ^si clab bad_bot
SetEnvIfNoCase User-Agent ^silk bad_bot
SetEnvIfNoCase User-Agent ^Siphon bad_bot
SetEnvIfNoCase User-Agent ^SiteArchive bad_bot
SetEnvIfNoCase User-Agent ^SiteCrawler bad_bot

```

SetEnvIfNoCase User-Agent ~SiteCheck-sitecrawl by Siteimprove.com bad\_bot  
SetEnvIfNoCase User-Agent ^sitecheck.internetseer.com bad\_bot  
SetEnvIfNoCase User-Agent ^SiteFinder bad\_bot  
SetEnvIfNoCase User-Agent ^SiteGuardBot bad\_bot  
SetEnvIfNoCase User-Agent ^SiteOrbiter bad\_bot  
SetEnvIfNoCase User-Agent ^SiteSnagger bad\_bot  
SetEnvIfNoCase User-Agent ^SiteSucker bad\_bot  
SetEnvIfNoCase User-Agent ^SiteSweeper bad\_bot  
SetEnvIfNoCase User-Agent ^SiteXpert bad\_bot  
SetEnvIfNoCase User-Agent ^SkimBot bad\_bot  
SetEnvIfNoCase User-Agent ^SkimWordsBot bad\_bot  
SetEnvIfNoCase User-Agent ^SkreemRBot bad\_bot  
SetEnvIfNoCase User-Agent ^Skywalker bad\_bot  
SetEnvIfNoCase User-Agent ^Sleipnir bad\_bot  
SetEnvIfNoCase User-Agent ^slow-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^SlySearch bad\_bot  
SetEnvIfNoCase User-Agent ^smart-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^SmartDownload bad\_bot  
SetEnvIfNoCase User-Agent ^Smarte Bot bad\_bot  
SetEnvIfNoCase User-Agent ^smartwit.com bad\_bot  
SetEnvIfNoCase User-Agent ^Snake bad\_bot  
SetEnvIfNoCase User-Agent ^snap.com beta crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Snapbot bad\_bot  
SetEnvIfNoCase User-Agent ^SnapPreviewBot bad\_bot  
SetEnvIfNoCase User-Agent ^Snappy bad\_bot  
SetEnvIfNoCase User-Agent ^snookit/Snookit bad\_bot  
SetEnvIfNoCase User-Agent ^Snooper/b97\_01 bad\_bot  
SetEnvIfNoCase User-Agent ^Snoopy bad\_bot  
SetEnvIfNoCase User-Agent ^SocialSearcher/0.1 bad\_bot  
SetEnvIfNoCase User-Agent ^SocSciBot bad\_bot  
SetEnvIfNoCase User-Agent ^SOFT411 Directory bad\_bot  
SetEnvIfNoCase User-Agent ^sogou bad\_bot  
SetEnvIfNoCase User-Agent ^Sogou bad\_bot  
SetEnvIfNoCase User-Agent ^sohu agent bad\_bot  
SetEnvIfNoCase User-Agent ^sohu-search bad\_bot  
SetEnvIfNoCase User-Agent ^Sokitomi crawl bad\_bot  
SetEnvIfNoCase User-Agent ^Solbot/1.0 LWP/5.07 bad\_bot  
SetEnvIfNoCase User-Agent ^sootle bad\_bot  
SetEnvIfNoCase User-Agent ^Sosospider bad\_bot  
SetEnvIfNoCase User-Agent ^Space Bison bad\_bot  
SetEnvIfNoCase User-Agent ^Space Fung bad\_bot

SetEnvIfNoCase User-Agent ^SpaceBison bad\_bot  
SetEnvIfNoCase User-Agent ^SpankBot bad\_bot  
SetEnvIfNoCase User-Agent ^spanner bad\_bot  
SetEnvIfNoCase User-Agent ^Spanner/1.0 (Linux 2.0.27 i586) bad\_bot  
SetEnvIfNoCase User-Agent ^Spatineo Monitor Controller bad\_bot  
SetEnvIfNoCase User-Agent ^Spatineo Serval Controller bad\_bot  
SetEnvIfNoCase User-Agent ^Spatineo Serval GetMapBot bad\_bot  
SetEnvIfNoCase User-Agent ^special\_archiver bad\_bot  
SetEnvIfNoCase User-Agent ^Speedy Spider bad\_bot  
SetEnvIfNoCase User-Agent ^SpeedySpider bad\_bot  
SetEnvIfNoCase User-Agent ^Sphere Scout bad\_bot  
SetEnvIfNoCase User-Agent ^Sphere Scout&v bad\_bot  
SetEnvIfNoCase User-Agent ^Sphider bad\_bot  
SetEnvIfNoCase User-Agent ^Sphider2 bad\_bot  
SetEnvIfNoCase User-Agent ^spider bad\_bot  
SetEnvIfNoCase User-Agent ^Spider bad\_bot  
SetEnvIfNoCase User-Agent ^Spider.TerraNautic.net bad\_bot  
SetEnvIfNoCase User-Agent ^SpiderEngine bad\_bot  
SetEnvIfNoCase User-Agent ^SpiderKU bad\_bot  
SetEnvIfNoCase User-Agent ^SpiderMan bad\_bot  
SetEnvIfNoCase User-Agent ^Spinn3r bad\_bot  
SetEnvIfNoCase User-Agent ^Spinne bad\_bot  
SetEnvIfNoCase User-Agent ^sportcrew-Bot bad\_bot  
SetEnvIfNoCase User-Agent ^spyder3.microsys.com bad\_bot  
SetEnvIfNoCase User-Agent ^SQ Webscanner bad\_bot  
SetEnvIfNoCase User-Agent ^sqlmap bad\_bot  
SetEnvIfNoCase User-Agent ^Squid-Prefetch bad\_bot  
SetEnvIfNoCase User-Agent ^SquidClamAV-Redirector bad\_bot  
SetEnvIfNoCase User-Agent ^Squorm bad\_bot  
SetEnvIfNoCase User-Agent ^SrevBot bad\_bot  
SetEnvIfNoCase User-Agent ^sslbot bad\_bot  
SetEnvIfNoCase User-Agent ^SSM Agent bad\_bot  
SetEnvIfNoCase User-Agent ^StackRambler bad\_bot  
SetEnvIfNoCase User-Agent ^StarDownloader bad\_bot  
SetEnvIfNoCase User-Agent ^statbot bad\_bot  
SetEnvIfNoCase User-Agent ^statcrawler bad\_bot  
SetEnvIfNoCase User-Agent ^statedept-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Steeler bad\_bot  
SetEnvIfNoCase User-Agent ^STEGMANN-Bot bad\_bot  
SetEnvIfNoCase User-Agent ^stero bad\_bot  
SetEnvIfNoCase User-Agent ^Stripper bad\_bot

SetEnvIfNoCase User-Agent ^Stumbler bad\_bot  
SetEnvIfNoCase User-Agent ^suchclip bad\_bot  
SetEnvIfNoCase User-Agent ^Sucker bad\_bot  
SetEnvIfNoCase User-Agent ^SumeetBot bad\_bot  
SetEnvIfNoCase User-Agent ^SumitBot bad\_bot  
SetEnvIfNoCase User-Agent ^SummizeBot bad\_bot  
SetEnvIfNoCase User-Agent ^SummizeFeedReader bad\_bot  
SetEnvIfNoCase User-Agent ^Sunrise XP bad\_bot  
SetEnvIfNoCase User-Agent ^SuperBot bad\_bot  
SetEnvIfNoCase User-Agent ^superbot.com bad\_bot  
SetEnvIfNoCase User-Agent ^SuperBot bad\_bot  
SetEnvIfNoCase User-Agent ^SuperHTTP bad\_bot  
SetEnvIfNoCase User-Agent ^SuperLumin Downloader bad\_bot  
SetEnvIfNoCase User-Agent ^SuperPagesBot bad\_bot  
SetEnvIfNoCase User-Agent ^Supybot bad\_bot  
SetEnvIfNoCase User-Agent ^SURF bad\_bot  
SetEnvIfNoCase User-Agent ^Surfbot bad\_bot  
SetEnvIfNoCase User-Agent ^SurfControl bad\_bot  
SetEnvIfNoCase User-Agent ^SurveyBot bad\_bot  
SetEnvIfNoCase User-Agent ^suzuran bad\_bot  
SetEnvIfNoCase User-Agent ^SWEBot bad\_bot  
SetEnvIfNoCase User-Agent ^swish-e bad\_bot  
SetEnvIfNoCase User-Agent ^SygolBot bad\_bot  
SetEnvIfNoCase User-Agent ^SynapticWalker bad\_bot  
SetEnvIfNoCase User-Agent ^Syntryx ANT Scout Chassis Pheromone bad\_bot  
SetEnvIfNoCase User-Agent ^SystemSearch-robot bad\_bot  
SetEnvIfNoCase User-Agent ^Szukacz bad\_bot  
SetEnvIfNoCase User-Agent ^T-H-U-N-D-E-R-S-T-O-N-E bad\_bot  
SetEnvIfNoCase User-Agent ^Tailrank bad\_bot  
SetEnvIfNoCase User-Agent ^takeOut bad\_bot  
SetEnvIfNoCase User-Agent ^Talkro Web-Shot bad\_bot  
SetEnvIfNoCase User-Agent ^TAMU\_CRAWLER bad\_bot  
SetEnvIfNoCase User-Agent ^TapuzBot bad\_bot  
SetEnvIfNoCase User-Agent ^Tarantula bad\_bot  
SetEnvIfNoCase User-Agent ^targetblaster.com bad\_bot  
SetEnvIfNoCase User-Agent ^TargetYourNews.com bot bad\_bot  
SetEnvIfNoCase User-Agent ^TAUSDataBot bad\_bot  
SetEnvIfNoCase User-Agent ^taxinomiabot bad\_bot  
SetEnvIfNoCase User-Agent ^TeamSoft WinInet Component bad\_bot  
SetEnvIfNoCase User-Agent ^Tecom Bot bad\_bot  
SetEnvIfNoCase User-Agent ^TeezirBot bad\_bot

SetEnvIfNoCase User-Agent ^Teleport bad\_bot  
SetEnvIfNoCase User-Agent ^Telesoft bad\_bot  
SetEnvIfNoCase User-Agent ^Teradex Mapper bad\_bot  
SetEnvIfNoCase User-Agent ^TERAGRAM\_CRAWLER bad\_bot  
SetEnvIfNoCase User-Agent ^TerrawizBot bad\_bot  
SetEnvIfNoCase User-Agent ^TestBot bad\_bot  
SetEnvIfNoCase User-Agent ^testbot bad\_bot  
SetEnvIfNoCase User-Agent ^testBOT bad\_bot  
SetEnvIfNoCase User-Agent ^testing of bot bad\_bot  
SetEnvIfNoCase User-Agent ^TextBot bad\_bot  
SetEnvIfNoCase User-Agent ^thatrobotsite.com bad\_bot  
SetEnvIfNoCase User-Agent ^The Dyslexalizer bad\_bot  
SetEnvIfNoCase User-Agent ^The Intraformant bad\_bot  
SetEnvIfNoCase User-Agent ^The. Intraformant bad\_bot  
SetEnvIfNoCase User-Agent ^TheNomad bad\_bot  
SetEnvIfNoCase User-Agent ^Theophrastus bad\_bot  
SetEnvIfNoCase User-Agent ^theusefulbot bad\_bot  
SetEnvIfNoCase User-Agent ^TheUsefulbot\_ bad\_bot  
SetEnvIfNoCase User-Agent ^ThumbBot bad\_bot  
SetEnvIfNoCase User-Agent ^Thumbnail.CZ robot bad\_bot  
SetEnvIfNoCase User-Agent ^thumbshots-de-bot bad\_bot  
SetEnvIfNoCase User-Agent ^tigerbot bad\_bot  
SetEnvIfNoCase User-Agent ^TightTwatBot bad\_bot  
SetEnvIfNoCase User-Agent ^TinEye bad\_bot  
SetEnvIfNoCase User-Agent ^Titan bad\_bot  
SetEnvIfNoCase User-Agent ^TITAN bad\_bot  
SetEnvIfNoCase User-Agent ^to-dress\_ru\_bot\_ bad\_bot  
SetEnvIfNoCase User-Agent ^to-night-Bot bad\_bot  
SetEnvIfNoCase User-Agent ^toCrawl/Urldispatcher bad\_bot  
SetEnvIfNoCase User-Agent ^Topicalizer bad\_bot  
SetEnvIfNoCase User-Agent ^topicblogs bad\_bot  
SetEnvIfNoCase User-Agent ^Toplistbot bad\_bot  
SetEnvIfNoCase User-Agent ^TopServer PHP bad\_bot  
SetEnvIfNoCase User-Agent ^topyx-crawler bad\_bot  
SetEnvIfNoCase User-Agent ^Touche bad\_bot  
SetEnvIfNoCase User-Agent ^TourlentaScanner bad\_bot  
SetEnvIfNoCase User-Agent ^TPSystem bad\_bot  
SetEnvIfNoCase User-Agent ^TRAAZI bad\_bot  
SetEnvIfNoCase User-Agent ^TransGenikBot bad\_bot  
SetEnvIfNoCase User-Agent ^travel-search bad\_bot  
SetEnvIfNoCase User-Agent ^TravelBot bad\_bot

SetEnvIfNoCase User-Agent ^TravelLazerBot bad\_bot  
SetEnvIfNoCase User-Agent ^Treezy bad\_bot  
SetEnvIfNoCase User-Agent ^TREX bad\_bot  
SetEnvIfNoCase User-Agent ^TridentSpider bad\_bot  
SetEnvIfNoCase User-Agent ^Trovator bad\_bot  
SetEnvIfNoCase User-Agent ^True\_Robot bad\_bot  
SetEnvIfNoCase User-Agent ^True\_Robot bad\_bot  
SetEnvIfNoCase User-Agent ^tScholarsBot bad\_bot  
SetEnvIfNoCase User-Agent ^TSM Translation-Search-Machine bad\_bot  
SetEnvIfNoCase User-Agent ^TsWebBot bad\_bot  
SetEnvIfNoCase User-Agent ^TulipChain bad\_bot  
SetEnvIfNoCase User-Agent ^turingos bad\_bot  
SetEnvIfNoCase User-Agent ^TurnitinBot bad\_bot  
SetEnvIfNoCase User-Agent ^TurnitinBot/1.5 bad\_bot  
SetEnvIfNoCase User-Agent ^TutorGigBot bad\_bot  
SetEnvIfNoCase User-Agent ^TweetedTimes Bot bad\_bot  
SetEnvIfNoCase User-Agent ^TweetmemeBot bad\_bot  
SetEnvIfNoCase User-Agent ^TwengaBot bad\_bot  
SetEnvIfNoCase User-Agent ^TwengaBot-Discover bad\_bot  
SetEnvIfNoCase User-Agent ^TwengaBot bad\_bot  
SetEnvIfNoCase User-Agent ^Twiceler bad\_bot  
SetEnvIfNoCase User-Agent ^Twikle bad\_bot  
SetEnvIfNoCase User-Agent ^twinuffbot bad\_bot  
SetEnvIfNoCase User-Agent ^Twisted PageGetter bad\_bot  
SetEnvIfNoCase User-Agent ^Twiiturls bad\_bot  
SetEnvIfNoCase User-Agent ^Twiiturlly bad\_bot  
SetEnvIfNoCase User-Agent ^TygoBot bad\_bot  
SetEnvIfNoCase User-Agent ^TygoProwler bad\_bot  
SetEnvIfNoCase User-Agent ^Typhoeus bad\_bot  
SetEnvIfNoCase User-Agent ^U. S. Government Printing Office bad\_bot  
SetEnvIfNoCase User-Agent ^uberbot bad\_bot  
SetEnvIfNoCase User-Agent ^ucb-nutch bad\_bot  
SetEnvIfNoCase User-Agent ^UdmSearch bad\_bot  
SetEnvIfNoCase User-Agent ^UFAM-crawler- bad\_bot  
SetEnvIfNoCase User-Agent ^Ultraseek bad\_bot  
SetEnvIfNoCase User-Agent ^UnChaos bad\_bot  
SetEnvIfNoCase User-Agent ^unchaos\_crawler\_ bad\_bot  
SetEnvIfNoCase User-Agent ^UnisterBot bad\_bot  
SetEnvIfNoCase User-Agent ^Unitek UniEngine bad\_bot  
SetEnvIfNoCase User-Agent ^UniversalSearch bad\_bot  
SetEnvIfNoCase User-Agent ^UnwindFetchor bad\_bot

SetEnvIfNoCase User-Agent ^UnwindFetchor bad\_bot  
SetEnvIfNoCase User-Agent ^UofTDB\_experiment bad\_bot  
SetEnvIfNoCase User-Agent ^updated bad\_bot  
SetEnvIfNoCase User-Agent ^URL Control bad\_bot  
SetEnvIfNoCase User-Agent ^url\_gather bad\_bot  
SetEnvIfNoCase User-Agent ^URL-Checker bad\_bot  
SetEnvIfNoCase User-Agent ^URLAppendBot bad\_bot  
SetEnvIfNoCase User-Agent ^URLBlaze bad\_bot  
SetEnvIfNoCase User-Agent ^urlchecker bad\_bot  
SetEnvIfNoCase User-Agent ^urlck/1.2.3 bad\_bot  
SetEnvIfNoCase User-Agent ^UrIdispatcher bad\_bot  
SetEnvIfNoCase User-Agent ^URLSpiderPro bad\_bot  
SetEnvIfNoCase User-Agent ^URLy Warning bad\_bot  
SetEnvIfNoCase User-Agent ^URLy.Warning bad\_bot  
SetEnvIfNoCase User-Agent ^USAF AFKN K2SPIDER bad\_bot  
SetEnvIfNoCase User-Agent ^usasearch bad\_bot  
SetEnvIfNoCase User-Agent ^USS-Cosmix bad\_bot  
SetEnvIfNoCase User-Agent ^USyd-NLP-Spider bad\_bot  
SetEnvIfNoCase User-Agent ^Vacobot bad\_bot  
SetEnvIfNoCase User-Agent ^Vacuum bad\_bot  
SetEnvIfNoCase User-Agent ^VadixBot bad\_bot  
SetEnvIfNoCase User-Agent ^Vagabondo bad\_bot  
SetEnvIfNoCase User-Agent ^Validator bad\_bot  
SetEnvIfNoCase User-Agent ^Valkyrie/1.0 libwww-perl/0.40 bad\_bot  
SetEnvIfNoCase User-Agent ^vBSEO bad\_bot  
SetEnvIfNoCase User-Agent ^VCI bad\_bot  
SetEnvIfNoCase User-Agent ^VCI WebViewer VCI WebViewer Win32 bad\_bot  
SetEnvIfNoCase User-Agent ^VerbstarBot bad\_bot  
SetEnvIfNoCase User-Agent ^VeriCiteCrawler/Nutch-2.2.1 bad\_bot  
SetEnvIfNoCase User-Agent ^Verifactrola bad\_bot  
SetEnvIfNoCase User-Agent ^Verity-URL-Gateway bad\_bot  
SetEnvIfNoCase User-Agent ^Vermut bad\_bot  
SetEnvIfNoCase User-Agent ^vermut bad\_bot  
SetEnvIfNoCase User-Agent ^versus crawler bad\_bot  
SetEnvIfNoCase User-Agent ^versus.integris.ch bad\_bot  
SetEnvIfNoCase User-Agent ^viasarchivinginformation.html bad\_bot  
SetEnvIfNoCase User-Agent ^VIP bad\_bot  
SetEnvIfNoCase User-Agent ^VIPr bad\_bot  
SetEnvIfNoCase User-Agent ^virus-detector bad\_bot  
SetEnvIfNoCase User-Agent ^VisBot bad\_bot  
SetEnvIfNoCase User-Agent ^Vishal For CLIA bad\_bot

```
----- Agent -----
SetEnvIfNoCase User-Agent ^VisWeb bad_bot
SetEnvIfNoCase User-Agent ^Vital Search'n Urchin bad_bot
SetEnvIfNoCase User-Agent ^vlad bad_bot
SetEnvIfNoCase User-Agent ^vlsearch bad_bot
SetEnvIfNoCase User-Agent ^VMBot bad_bot
SetEnvIfNoCase User-Agent ^VocusBot bad_bot
SetEnvIfNoCase User-Agent ^VoidEYE bad_bot
SetEnvIfNoCase User-Agent ^VoilaBot bad_bot
SetEnvIfNoCase User-Agent ^Vortex bad_bot
SetEnvIfNoCase User-Agent ^voyager-hc bad_bot
SetEnvIfNoCase User-Agent ^voyager-partner-deep bad_bot
SetEnvIfNoCase User-Agent ^voyager bad_bot
SetEnvIfNoCase User-Agent ^VSE bad_bot
SetEnvIfNoCase User-Agent ^vspider bad_bot
SetEnvIfNoCase User-Agent ^W3C_Unicorn bad_bot
SetEnvIfNoCase User-Agent ^W3C-WebCon bad_bot
SetEnvIfNoCase User-Agent ^w3m bad_bot
SetEnvIfNoCase User-Agent ^w3search bad_bot
SetEnvIfNoCase User-Agent ^wacbot bad_bot
SetEnvIfNoCase User-Agent ^wastrix bad_bot
SetEnvIfNoCase User-Agent ^Water Conserve Portal bad_bot
SetEnvIfNoCase User-Agent ^Water Conserve Spider bad_bot
SetEnvIfNoCase User-Agent ^WatzBot bad_bot
SetEnvIfNoCase User-Agent ^wauuu engine/Wauuu bad_bot
SetEnvIfNoCase User-Agent ^Wavefire bad_bot
SetEnvIfNoCase User-Agent ^Waypath bad_bot
SetEnvIfNoCase User-Agent ^Wazzup bad_bot
SetEnvIfNoCase User-Agent ^Wazzup1.0.4800 bad_bot
SetEnvIfNoCase User-Agent ^wdbot bad_bot
SetEnvIfNoCase User-Agent ^Web CEO Online robot bad_bot
SetEnvIfNoCase User-Agent ^web crawler bad_bot
SetEnvIfNoCase User-Agent ^Web Downloader bad_bot
SetEnvIfNoCase User-Agent ^Web Image Collector bad_bot
SetEnvIfNoCase User-Agent ^Web Link Validator bad_bot
SetEnvIfNoCase User-Agent ^Web Magnet bad_bot
SetEnvIfNoCase User-Agent ^Web Site Downloader bad_bot
SetEnvIfNoCase User-Agent ^Web Sucker bad_bot
SetEnvIfNoCase User-Agent ^web-agent bad_bot
SetEnvIfNoCase User-Agent ^Web-Sniffer bad_bot
SetEnvIfNoCase User-Agent ^Web.Image.Collector bad_bot
SetEnvIfNoCase User-Agent ^Webal1+Bot bad_bot
```

```
SetEnvIfNoCase User-Agent ^WebAuto bad_bot
SetEnvIfNoCase User-Agent ^WebBandit bad_bot
SetEnvIfNoCase User-Agent ^webbandit bad_bot
SetEnvIfNoCase User-Agent ^WebBandit/3.50 bad_bot
SetEnvIfNoCase User-Agent ^WebBOT bad_bot
SetEnvIfNoCase User-Agent ^webbot bad_bot
SetEnvIfNoCase User-Agent ^WebBot bad_bot
SetEnvIfNoCase User-Agent ^webbul-bot bad_bot
SetEnvIfNoCase User-Agent ^WebCapture bad_bot
SetEnvIfNoCase User-Agent ^WebCapture 2.0 bad_bot
SetEnvIfNoCase User-Agent ^webcheck 1 bad_bot
SetEnvIfNoCase User-Agent ^Webclipping.com bad_bot
SetEnvIfNoCase User-Agent ^Webclipping.com bad_bot
SetEnvIfNoCase User-Agent ^webcollage bad_bot
SetEnvIfNoCase User-Agent ^WebCopier bad_bot
SetEnvIfNoCase User-Agent ^WebCopy bad_bot
SetEnvIfNoCase User-Agent ^WebCorp bad_bot
SetEnvIfNoCase User-Agent ^webcrawl.net bad_bot
SetEnvIfNoCase User-Agent ^WebCrawler bad_bot
SetEnvIfNoCase User-Agent ^webcrawler bad_bot
SetEnvIfNoCase User-Agent ^WebCrawler/3.0 Robot libwww/5.0a bad_bot
SetEnvIfNoCase User-Agent ^WebDownloader for X bad_bot
SetEnvIfNoCase User-Agent ^Webdup bad_bot
SetEnvIfNoCase User-Agent ^WebEMailExtrac bad_bot
SetEnvIfNoCase User-Agent ^WebEnhancer bad_bot
SetEnvIfNoCase User-Agent ^WebFetch bad_bot
SetEnvIfNoCase User-Agent ^webfetch bad_bot
SetEnvIfNoCase User-Agent ^WebFetcher/0.8, bad_bot
SetEnvIfNoCase User-Agent ^WebGather bad_bot
SetEnvIfNoCase User-Agent ^WebGo IS bad_bot
SetEnvIfNoCase User-Agent ^webGobbler bad_bot
SetEnvIfNoCase User-Agent ^WebImages bad_bot
SetEnvIfNoCase User-Agent ^Webinator-search2.fasthealth.com bad_bot
SetEnvIfNoCase User-Agent ^Webinator-WBI bad_bot
SetEnvIfNoCase User-Agent ^WebIndex bad_bot
SetEnvIfNoCase User-Agent ^WebIndexer bad_bot
SetEnvIfNoCase User-Agent ^weblayers/0.0 bad_bot
SetEnvIfNoCase User-Agent ^WebLeacher bad_bot
SetEnvIfNoCase User-Agent ^WeblexBot bad_bot
SetEnvIfNoCase User-Agent ^WebLinker/0.0 libwww-perl/0.1 bad_bot
SetEnvIfNoCase User-Agent ^WebLinger bad_bot
```

SetEnvIfNoCase User-Agent webLyzard bad\_bot  
SetEnvIfNoCase User-Agent ^WebmasterCoffee bad\_bot  
SetEnvIfNoCase User-Agent ^WebmasterWorld Extractor bad\_bot  
SetEnvIfNoCase User-Agent ^WebmasterWorldForumBot bad\_bot  
SetEnvIfNoCase User-Agent ^WebMiner bad\_bot  
SetEnvIfNoCase User-Agent ^WebMiner bad\_bot  
SetEnvIfNoCase User-Agent ^WebMoose/0.0.0000 bad\_bot  
SetEnvIfNoCase User-Agent ^WeBot bad\_bot  
SetEnvIfNoCase User-Agent ^WebPix bad\_bot  
SetEnvIfNoCase User-Agent ^WebReaper bad\_bot  
SetEnvIfNoCase User-Agent ^WebRipper bad\_bot  
SetEnvIfNoCase User-Agent ^WebSauger bad\_bot  
SetEnvIfNoCase User-Agent ^Webscan bad\_bot  
SetEnvIfNoCase User-Agent ^websearchbench bad\_bot  
SetEnvIfNoCase User-Agent ^WebSite bad\_bot  
SetEnvIfNoCase User-Agent ^websitemirror bad\_bot  
SetEnvIfNoCase User-Agent ^WebSpear bad\_bot  
SetEnvIfNoCase User-Agent ^websphinx.test bad\_bot  
SetEnvIfNoCase User-Agent ^WebSpider bad\_bot  
SetEnvIfNoCase User-Agent ^Webster bad\_bot  
SetEnvIfNoCase User-Agent ^WebStripper bad\_bot  
SetEnvIfNoCase User-Agent ^WebTrafficExpress bad\_bot  
SetEnvIfNoCase User-Agent ^WebTrends Link Analyzer bad\_bot  
SetEnvIfNoCase User-Agent ^WebVac bad\_bot  
SetEnvIfNoCase User-Agent ^webwalk bad\_bot  
SetEnvIfNoCase User-Agent ^WebWalker bad\_bot  
SetEnvIfNoCase User-Agent ^WebWasher bad\_bot  
SetEnvIfNoCase User-Agent ^Webwasher bad\_bot  
SetEnvIfNoCase User-Agent ^WebWatch bad\_bot  
SetEnvIfNoCase User-Agent ^WebWhacker bad\_bot  
SetEnvIfNoCase User-Agent ^WebXM bad\_bot  
SetEnvIfNoCase User-Agent ^WebZIP bad\_bot  
SetEnvIfNoCase User-Agent ^Weddings.info Bot bad\_bot  
SetEnvIfNoCase User-Agent ^wenbin/search bad\_bot  
SetEnvIfNoCase User-Agent ^WEP Search bad\_bot  
SetEnvIfNoCase User-Agent ^WEPA bad\_bot  
SetEnvIfNoCase User-Agent ^WeRelateBot bad\_bot  
SetEnvIfNoCase User-Agent ^Whacker bad\_bot  
SetEnvIfNoCase User-Agent ^Whirlpool Web Engine bad\_bot  
SetEnvIfNoCase User-Agent ^WhoWhere Robot bad\_bot  
SetEnvIfNoCase User-Agent ^Widow bad\_bot

SetEnvIfNoCase User-Agent ^WikiaBot bad\_bot  
SetEnvIfNoCase User-Agent ^Wikio bad\_bot  
SetEnvIfNoCase User-Agent ^wikiwix-bot- bad\_bot  
SetEnvIfNoCase User-Agent ^WinHTTP Example bad\_bot  
SetEnvIfNoCase User-Agent ^WinHttp.WinHttpRequest bad\_bot  
SetEnvIfNoCase User-Agent ^WIRE bad\_bot  
SetEnvIfNoCase User-Agent ^wired-digital-newsbot/1.5 bad\_bot  
SetEnvIfNoCase User-Agent ^WISEbot bad\_bot  
SetEnvIfNoCase User-Agent ^WISENutbot bad\_bot  
SetEnvIfNoCase User-Agent ^wish-1a bad\_bot  
SetEnvIfNoCase User-Agent ^wish-project bad\_bot  
SetEnvIfNoCase User-Agent ^wisponbot bad\_bot  
SetEnvIfNoCase User-Agent ^WMCRI-robot bad\_bot  
SetEnvIfNoCase User-Agent ^wminer bad\_bot  
SetEnvIfNoCase User-Agent ^WMSBot bad\_bot  
SetEnvIfNoCase User-Agent ^woriobot bad\_bot  
SetEnvIfNoCase User-Agent ^worldshop bad\_bot  
SetEnvIfNoCase User-Agent ^WorQmada bad\_bot  
SetEnvIfNoCase User-Agent ^Wotbox bad\_bot  
SetEnvIfNoCase User-Agent ^wume\_crawler bad\_bot  
SetEnvIfNoCase User-Agent ^WWW\_Collector bad\_bot  
SetEnvIfNoCase User-Agent ^WWW-Mechanize bad\_bot  
SetEnvIfNoCase User-Agent ^WWWOFFLE bad\_bot  
SetEnvIfNoCase User-Agent ^wwwrobot bad\_bot  
SetEnvIfNoCase User-Agent ^wwwster bad\_bot  
SetEnvIfNoCase User-Agent ^WWWwanderer v3.0 bad\_bot  
SetEnvIfNoCase User-Agent ^wwwxref bad\_bot  
SetEnvIfNoCase User-Agent ^Wysigot bad\_bot  
SetEnvIfNoCase User-Agent ^X-clawler bad\_bot  
SetEnvIfNoCase User-Agent ^Xaldon bad\_bot  
SetEnvIfNoCase User-Agent ^Xenu bad\_bot  
SetEnvIfNoCase User-Agent ^Xerka MetaBot bad\_bot  
SetEnvIfNoCase User-Agent ^Xerka WebBot bad\_bot  
SetEnvIfNoCase User-Agent ^XGET/0.7 bad\_bot  
SetEnvIfNoCase User-Agent ^xirq bad\_bot  
SetEnvIfNoCase User-Agent ^XmarksFetch bad\_bot  
SetEnvIfNoCase User-Agent ^XoviBot bad\_bot  
SetEnvIfNoCase User-Agent ^XoviBot/2.0 bad\_bot  
SetEnvIfNoCase User-Agent ^xqrobot bad\_bot  
SetEnvIfNoCase User-Agent ^Y! J-BRI bad\_bot  
SetEnvIfNoCase User-Agent ^Y! J-BRJ/YATS crawler bad\_bot

SetEnvIfNoCase User-Agent ^Y! J-BRW bad\_bot  
SetEnvIfNoCase User-Agent ^Y! J-BSC bad\_bot  
SetEnvIfNoCase User-Agent ^Y! J-PSC bad\_bot  
SetEnvIfNoCase User-Agent ^Y! J-SRD bad\_bot  
SetEnvIfNoCase User-Agent ^Y! J bad\_bot  
SetEnvIfNoCase User-Agent ^Y! TunnelPro bad\_bot  
SetEnvIfNoCase User-Agent ^yacy.net bad\_bot  
SetEnvIfNoCase User-Agent ^yacybot bad\_bot  
SetEnvIfNoCase User-Agent ^Yandex bad\_bot  
SetEnvIfNoCase User-Agent ^YandexBot/3.0 bad\_bot  
SetEnvIfNoCase User-Agent ^Yanga WorldSearch Bot bad\_bot  
SetEnvIfNoCase User-Agent ^Yanga WorldSearch Bot bad\_bot  
SetEnvIfNoCase User-Agent ^yarienavoir.net bad\_bot  
SetEnvIfNoCase User-Agent ^Yasaklibot bad\_bot  
SetEnvIfNoCase User-Agent ^yBot bad\_bot  
SetEnvIfNoCase User-Agent ^YebolBot bad\_bot  
SetEnvIfNoCase User-Agent ^yellowJacket bad\_bot  
SetEnvIfNoCase User-Agent ^yes bad\_bot  
SetEnvIfNoCase User-Agent ^YesupBot bad\_bot  
SetEnvIfNoCase User-Agent ^YesupBot bad\_bot  
SetEnvIfNoCase User-Agent ^Yeti bad\_bot  
SetEnvIfNoCase User-Agent ^Yeti bad\_bot  
SetEnvIfNoCase User-Agent ^YioopBot bad\_bot  
SetEnvIfNoCase User-Agent ^yolinkBot bad\_bot  
SetEnvIfNoCase User-Agent ^yoogliFetchAgent bad\_bot  
SetEnvIfNoCase User-Agent ^Yoono bad\_bot  
SetEnvIfNoCase User-Agent ^yoono bad\_bot  
SetEnvIfNoCase User-Agent ^Yoriwa bad\_bot  
SetEnvIfNoCase User-Agent ^YottaCars\_Bot bad\_bot  
SetEnvIfNoCase User-Agent ^you-dir bad\_bot  
SetEnvIfNoCase User-Agent ^Z-Add Link Checker bad\_bot  
SetEnvIfNoCase User-Agent ^zagrebin bad\_bot  
SetEnvIfNoCase User-Agent ^Zao bad\_bot  
SetEnvIfNoCase User-Agent ^zedzo.digest bad\_bot  
SetEnvIfNoCase User-Agent ^zedzo.validate bad\_bot  
SetEnvIfNoCase User-Agent ^zermelo bad\_bot  
SetEnvIfNoCase User-Agent ^Zeus bad\_bot  
SetEnvIfNoCase User-Agent ^zibber-v bad\_bot  
SetEnvIfNoCase User-Agent ^zimeno bad\_bot  
SetEnvIfNoCase User-Agent ^Zing-BottaBot bad\_bot  
SetEnvIfNoCase User-Agent ^ZippBot bad\_bot

```

SetEnvIfNoCase User-Agent ^ZoomSpider bad_bot
SetEnvIfNoCase User-Agent ^Zotag Search bad_bot
SetEnvIfNoCase User-Agent ^Zotag Search bad_bot
SetEnvIfNoCase User-Agent ^ZuiBot bad_bot
SetEnvIfNoCase User-Agent ^ZumBot bad_bot
SetEnvIfNoCase User-Agent ^Zyborg bad_bot
SetEnvIfNoCase User-Agent ^ZyBorg bad_bot
SetEnvIfNoCase User-Agent ^Zyte bad_bot
SetEnvIfNoCase Referer fbdownloader.com bad_bot
SetEnvIfNoCase Referer descargar-musicas-gratis.com bad_bot
SetEnvIfNoCase Referer baixar-musicas-gratis.com bad_bot
SetEnvIfNoCase Referer savetubevideo.com bad_bot
SetEnvIfNoCase Referer srecorder.com bad_bot
SetEnvIfNoCase Referer kambasoft.com bad_bot
SetEnvIfNoCase Referer semalt.com bad_bot
<Limit GET POST PUT>
    Order Allow,Deny
    Allow from all
    Deny from env=bad_bot
</Limit>
</IfModule>
# End Bad Bot Prevention

# BLOCK SPECIFIC SITES FROM STEALING BANDWIDTH BY HOTLINKING TO IMAGES
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteCond %{HTTP_REFERER} ^http://(www\.)?discussioni st\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?sodahead\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?pixshark\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?advanceindiana.blogspot\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?galleryhip\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?freespeechwisconsin\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?memekid\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?3edgesword.blogspot\. ca(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?neogaf\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?locationrebel\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?pixgood\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?pudelerikf23.blogspot\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?fstdt\. com(/.*)*$ [NC,OR]
RewriteCond %{HTTP_REFERER} ^http://(www\.)?zerohedge\. com(/.*)*$ [NC]
RewriteRule \.(jpeg|JPEg|jpeL|JPEI|jpg|JPG|gif|GIF|png|PNG|mng|MNG)$ - [F]

```

```
</IfModule>
```

```
# TURN OFF DIRECTORY INDEXING
```

```
Options All -Indexes
```