

```

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /

    # set some environment variables depending on host
    RewriteRule .* - [E=ENVIRONMENT:prod]
    RewriteCond %{HTTP_HOST} ^s2test.prod [NC]
    RewriteRule .* - [E=ENVIRONMENT:prod]
    RewriteCond %{HTTP_HOST} ^s2test.dev [NC]
    RewriteRule .* - [E=ENVIRONMENT:dev]
    RewriteCond %{HTTP_HOST} ^s2test.test [NC]
    RewriteRule .* - [E=ENVIRONMENT:test]

    ##### Redirect non www to www #####
    # RewriteCond %{HTTP_HOST} ^domain.com [NC]
    # RewriteRule ^(.*)$ http://www.domain.com/$1 [L,R=301]

    # Remove trailing slash
    RewriteRule ^(.*)/$ $1 [R=301,L]

    ##### Sample Redirects
    ##### Redirect 301 http://www.domain.com/home http://www.domain.com/

    ##### Prevent hotlinking #####
    # RewriteCond %{HTTP_REFERER} !^$
    # RewriteCond %{HTTP_REFERER} !^http://(www.)?domain.com/.*$ [NC]
    # RewriteRule .(gif|jpg|swf|flv|png)$ / [R=302,L]

    ##### Force https for certain pages #####
    # RewriteCond %{REQUEST_METHOD} !^POST$
    # RewriteCond %{HTTPS} !=on
    # RewriteCond %{HTTP_HOST} domain.com [NC]
    # RewriteCond %{REQUEST_URI} contact-us
    # RewriteRule ^(.*)$ https://www.domain.com/$1 [L,R=301]

    ErrorDocument 404 /404.html
    ErrorDocument 500 /500.html

    ##### Security restrictions #####
    # proc/self/environ? no way!
    RewriteCond %{QUERY_STRING} proc/self/environ [F]

```

```

RewriteCond %{QUERY_STRING} proc/self/environ [OR]
# Block out any script trying to set a mosConfig value through the URL
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z]{1,21}(=|\%3D) [OR]
# Block out any script trying to base64_encode crap to send via URL
RewriteCond %{QUERY_STRING} base64_encode.*([\%3D]|) [OR]
# Block out any script that includes a <script> tag in URL
RewriteCond %{QUERY_STRING} (<| %3C). *script. *(>| %3E) [NC,OR]
# Block out any script trying to set a PHP GLOBALS variable via URL
RewriteCond %{QUERY_STRING} GLOBALS(=| [ ]|\%[\0-9A-Z]{0,2}) [OR]
# Block out any script trying to modify a _REQUEST variable via URL
RewriteCond %{QUERY_STRING} _REQUEST(=| [ ]|\%[\0-9A-Z]{0,2})
# Send all blocked request to homepage with 403 Forbidden error!
RewriteRule ^(\.)*$ app.php [QSA,L]

RewriteCond %{REQUEST_URI} ^/admin(/. *)$ [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(\.)*$ app_admin.php [QSA,L]

RewriteCond %{REQUEST_URI} !^/admin(/. *)$ [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{ENV:ENVIRONMENT} test
RewriteRule ^(\.)*$ app_test.php [QSA,L]

RewriteCond %{REQUEST_URI} !^/admin(/. *)$ [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{ENV:ENVIRONMENT} dev
RewriteRule ^(\.)*$ app_dev.php [QSA,L]

RewriteCond %{REQUEST_URI} !^/admin(/. *)$ [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{ENV:ENVIRONMENT} prod
RewriteRule ^(\.)*$ app.php [QSA,L]

```

</IfModule>

<IfModule !mod_rewrite.c>

<IfModule mod_alias.c>

```

# When mod_rewrite is not available, we instruct a temporary redirect of
# the start page to the front controller explicitly so that the website
# and the generated links can still be used.

```

```

RedirectMatch 302 ^/$ /app.php/

```

```

" - - - - -"

```

```
    # RedirectTemp cannot be used instead
</IfModule>

# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app.php
</IfModule>

#### Disable server signature
ServerSignature Off

#### disable directory browsing
Options All -Indexes

#### Set the timezone
# SetEnv TZ Europe/London

#### Always download attachments
AddType application/octet-stream .pdf
AddType application/octet-stream .zip

#
#### Optimize ####
#

#### HTTP ETag header ####
#FileETag None

#### Gzip Files ####
<ifModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/html text/xml text/css text/plain
    AddOutputFilterByType DEFLATE image/svg+xml application/xhtml+xml application/xml
    AddOutputFilterByType DEFLATE application/rdf+xml application/rss+xml application/atom+
    AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-javas
application/json
    AddOutputFilterByType DEFLATE application/x-font-ttf application/x-font-otf
    AddOutputFilterByType DEFLATE font/truetype font/opentype
</ifModule>
```

Cache-Control Headers

```
<ifModule mod_headers.c>
  <filesMatch "\.(ico|jpe?g|png|gif|swf)$">
    Header set Cache-Control "public"
  </filesMatch>
  <filesMatch "\.(css)$">
    Header set Cache-Control "public"
  </filesMatch>
  <filesMatch "\.(js)$">
    Header set Cache-Control "private"
  </filesMatch>
  <filesMatch "\.(x?html?|php)$">
    #Header set Cache-Control "private, must-revalidate"
  </filesMatch>
</ifModule>
```

HTTP ETag header

```
# FileETag None
```

Expire Headers

```
<IfModule mod_expires.c>

  <FilesMatch "\.(appcache|crx|css|eot|gif|htc|ico|jpe?
gl|jsl|m4a|m4v|manifest|mp4|oex|ogal|oggl|ogv|otf|pdf|png|safariextz|svg|svgz|tfl|vcf|webm|webpl
  Header unset X-UA-Compatible
</FilesMatch>

ExpiresActive On
ExpiresDefault A3600
ExpiresByType image/x-icon A2592000
ExpiresByType application/x-javascript A604800
ExpiresByType text/css A604800
ExpiresByType image/gif A2592000
ExpiresByType image/png A2592000
ExpiresByType image/jpeg A2592000
ExpiresByType text/plain A86400
ExpiresByType application/x-shockwave-flash A2592000
ExpiresByType video/x-flv A2592000
ExpiresByType application/pdf A2592000
ExpiresByType text/html A3600
```

```
</IfModule>
```

```
#### Set headers
```

```
<ifModule mod_headers.c>
```

```
#### IE
```

```
Header set X-UA-Compatible "IE=Edge,chrome=1"
```

```
#### P3P Header of IE issues with 3rd party cookies
```

```
Header set P3P: "cp=BardisCMS"
```

```
#### Security Hardening
```

```
# Vivid Matter - Bulletproof Header Security
```

```
# Don't allow pages to be framed externally - Defends against CSRF
```

```
Header set X-FRAME-OPTIONS "SAMEORIGIN"
```

```
# Tell the browser to attempt the HTTPS version first
```

```
#Header add Strict-Transport-Security "max-age=157680000"
```

```
# Turn on IE8-IE9 XSS prevention tools
```

```
#Header set X-XSS-Protection "1; mode=block"
```

```
# Only allow JavaScript from the same domain to be run.
```

```
# Don't allow inline JavaScript to run.
```

```
#Header set X-Content-Security-Policy "allow 'self';"
```

```
# Prevent mime based attacks
```

```
Header add X-Content-Type-Options "nosniff"
```

```
Header unset link
```

```
Header unset Server
```

```
Header unset X-Pingback
```

```
# Disable server signature
```

```
Header set ServerSignature "Off"
```

```
Header set ServerTokens "Prod"
```

```
# Control Cross-Domain Policies
```

```
#Header set X-Permitted-Cross-Domain-Policies "master-only"
```

```
#### Set the content language header
```

```
Header set Content-Language en
```

```
##### Set the Creator
Header set Created-By "George Bardis - george@bardis.info"
Header set Version "1.0.0"
</ifModule>

# By default allow cross-origin access to web fonts.
<IfModule mod_headers.c>
    <FilesMatch "\.(eot|otf|tt[cf]|woff2?)$">
        Header set Access-Control-Allow-Origin "*"
    </FilesMatch>
</IfModule>

# Send the CORS header for images when browsers request it.
<IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
        <FilesMatch "\.(curl|gif|ico|jpe?g|png|svgz?|webp)$">
            SetEnvIf Origin ":" IS_CORS
            Header set Access-Control-Allow-Origin "*" env=IS_CORS
        </FilesMatch>
    </IfModule>
</IfModule>

# -----
# | Spam bots blocking |
# -----

<IfModule mod_rewrite.c>
    RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [OR]
    RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot@yahoo.com [OR]
    RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [OR]
    RewriteCond %{HTTP_USER_AGENT} ^Custo [OR]
    RewriteCond %{HTTP_USER_AGENT} ^DISCo [OR]
    RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [OR]
    RewriteCond %{HTTP_USER_AGENT} ^eCatch [OR]
    RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [OR]
    RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [OR]
    RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [OR]
    RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [OR]
    RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [OR]
    RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [OR]
```

RewriteCond %{HTTP_USER_AGENT} ^FlashGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetRight [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [OR]

```
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla/5.0\ SF [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus
RewriteRule ^.* - [F,L]
```

```
</IfModule>
```

```
#### scanner bots as well as malicious input blocker
```

```
<IfModule mod_rewrite.c>
```

```
RewriteCond %{HTTP_USER_AGENT} ^w3af.sourceforge.net [NC,OR]
RewriteCond %{HTTP_USER_AGENT} dirbuster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} nikto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} sqlmap [NC,OR]
RewriteCond %{HTTP_USER_AGENT} fimap [NC,OR]
RewriteCond %{HTTP_USER_AGENT} nessus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} whatweb [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Openvas [NC,OR]
RewriteCond %{HTTP_USER_AGENT} jbrofuzz [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libhisker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webshag [NC,OR]
RewriteCond %{HTTP_USER_AGENT} (havi il Net sparker|libwww-
```

```
-----
perl|python|nikto|curl|scan|java|winhttp|clshhttp|loader) [NC,OR]
  RewriteCond %{HTTP_USER_AGENT} (%0A%0D%27%3C%3E%00) [NC,OR]
  RewriteCond %{HTTP_USER_AGENT} (;|<|>|'|"|\)|\(|%0A%0D%22%27%28%3C%3E%00).*(libw
perl|python|nikto|curl|scan|java|winhttp|HTTrack|clshhttp|archiver|loader|email|harvest|extr:
[NC,OR]
  RewriteCond %{HTTP:Acunetix-Product} ^WVS
  RewriteCond %{REQUEST_URI} (<| %3C)([^\s]*s)+cript.*(>| %3E) [NC,OR]
  RewriteCond %{REQUEST_URI} (<| %3C)([^\e]*e)+mbed.*(>| %3E) [NC,OR]
  RewriteCond %{REQUEST_URI} (<| %3C)([^\o]*o)+bject.*(>| %3E) [NC,OR]
  RewriteCond %{REQUEST_URI} (<| %3C)([^\i]*i)+frame.*(>| %3E) [NC,OR]
  RewriteCond %{REQUEST_URI} base64_(en|de)code[^\(]*\([^\)]*\) [NC,OR]
  RewriteCond %{REQUEST_URI} (%0A%0D|\\r|\\n) [NC,OR]
  RewriteCond %{REQUEST_URI} union([^\a]*a)+11([^\s]*s)+elect [NC]
  RewriteRule ^(.*)$ http://127.0.0.1 [R=301,L]
</IfModule>
```