

```

# Example:
# <Directory "/usr/local/apache/htdocs">
#   AllowOverride Options
# </Directory>
#
# 'All' with also work. (This configuration is in the
# apache/conf/httpd.conf file)
# The following makes adjustments to the SSL protocol for Internet
# Explorer browsers
#<IfModule mod_setenvif.c>
#   <IfDefine SSL>
#       SetEnvIf User-Agent ".#MSIE.#" \
#           nokeepalive ssl-unclean-shutdown \
#           downgrade-1.0 force-response-1.0
#   </IfDefine>

#</IfModule>
# AcceptPathInfo On

# php_value session.use_trans_sid 0

#RewriteCond %{HTTP: Accept-Language} ^zh-cn.*$ [NC]
#RewriteRule ^(.*)$ updating.html [L]

# Ultimate SEO URLs BEGIN

#Options +FollowSymLinks
RewriteEngine On
RewriteBase /

RewriteCond %{http_host} ^pandoraf.com [nc]
RewriteRule ^(.*)$ http://www.pandoraf.com/$1 [L,r=301,nc]

RewriteRule ^ru/(.*)$ $1?lang=ru-RU&%{QUERY_STRING} [L]
RewriteRule ^es/(.*)$ $1?lang=es-ES&%{QUERY_STRING} [L]
RewriteRule ^it/(.*)$ $1?lang=it-IT&%{QUERY_STRING} [L]
RewriteRule ^fr/(.*)$ $1?lang=fr-FR&%{QUERY_STRING} [L]
RewriteRule ^pt/(.*)$ $1?lang=pt-BR&%{QUERY_STRING} [L]
RewriteRule ^de/(.*)$ $1?lang=de-DE&%{QUERY_STRING} [L]

# 404F.html

```

#404ERROR

ErrorDocument 404 /page_not_found

#Page Not Found

RewriteRule ^page_not_found\$ index.php?com=sitemap&t=display404 [L]

RewriteRule ^sitemap/(.+\$) /cache/static_cache/sitemap/\$1?%(QUERY_STRING) [L]

RewriteRule ^sitemap.xml\$ /cache/static_cache/sitemapindex/sitemap.xml

#RewriteCond %(QUERY_STRING) ^!options\=(.+\$)

#index page

RewriteRule ^index.html\$ index.php [L]

RewriteRule ^checkout.html\$ index.php?com=shopcart&t=proceedCheckout&%(QUERY_STRING)

RewriteRule ^reviews-([0-9]+)-([0-9]+).html\$ index.php?com=product&t=getReviews&page=\$2&proo

#RewriteRule ^alsobuy-([0-9]+).html\$ index.php?com=product&t=getAlsoBuy&pid=\$1&%(QUERY_STRI

#login or logout

RewriteRule ^login.html\$ index.php?com=account&t=sign&%(QUERY_STRING) [L]

RewriteRule ^register.html\$ index.php?com=account&t=reg&%(QUERY_STRING) [L]

RewriteRule ^register.php\$ index.php?com=account&t=login&panel=register&%(QUERY_STRING) [L]

RewriteRule ^logout.html\$ index.php?com=account&t=logout&%(QUERY_STRING) [L]

RewriteRule ^fb.php\$ index.php?com=account&t=login&logwith=facebook&%(QUERY_STRING) [L]

RewriteRule ^twitter.php\$ index.php?com=account&t=login&logwith=twitter&%(QUERY_STRING) [L]

#Search

RewriteRule ^find/(.+)/c-(.+) -s-([0-9]) -ps-(.+) -p-(.+) .html\$ index.php?
com=search&t=display&keywords=\$1 &cat_id=\$2&sort=\$3&pagesize=\$4&page=\$5&%(QUERY_STRING)

RewriteRule ^find/(.+)/.html\$ index.php?com=search&t=display&keywords=\$1 %(QUERY_STRING)

RewriteRule ^find/(.+) .html\$ index.php?com=search&t=display&keywords=\$1 %(QUERY_STRING)

#new search

RewriteRule ^buy/(.+)/([0-9]+) -v-([0-9,]+) -([01]+) -([0-9]+) -([0-9]+) -price-([0-9\,]+) -([0-9
index.php?com=search&t=display&keywords=\$1 &cat_id=\$2&filters=\$3&style=\$4&sort=\$5&pagesize=\$(
{QUERY_STRING}) [L]

RewriteRule ^buy/(.+) .html\$ index.php?com=search&t=display&keywords=\$1 %(QUERY_STRING) [L]

#SEM New search

RewriteRule ^search/(.+[^\./]+) .html\$ index.php?com=search&t=display&keywords=\$1 %(QUERY_STRI

```
RewriteRule ^search/(.+)/([0-9]+).html$ index.php?com=search&t=display&keywords=$1&page=$2&
```

```
RewriteRule ^search/(.+)/v-([0-9,]+).html$ index.php?com=search&t=display&keywords=$1&filter
```

```
RewriteRule ^search/(.+)/v-([0-9,]+)/([0-9]+).html$ index.php?com=search&t=display&keywords=  
{QUERY_STRING} [L]
```

```
RewriteRule ^search/(.+)/([a-z\ -]+)-([0-9]+).html$ index.php?com=search&t=display&keywords={  
{QUERY_STRING} [L]
```

```
RewriteRule ^search/(.+)/([a-z\ -]+)-([0-9]+)/([0-9]+).html$ index.php?  
com=search&t=display&keywords=$1&cat_id=$3&page=$4&{QUERY_STRING} [L]
```

```
RewriteRule ^search/(.+)/([a-z\ -]+)-([0-9]+)/v-([0-9,]+).html$ index.php?  
com=search&t=display&keywords=$1&cat_id=$3&filters=$4&{QUERY_STRING} [L]
```

```
RewriteRule ^search/(.+)/([a-z\ -]+)-([0-9]+)/v-([0-9,]+)/([0-9]+).html$ index.php?  
com=search&t=display&keywords=$1&cat_id=$3&filters=$4&page=$5&{QUERY_STRING} [L]
```

```
RewriteRule ^search/(.+)/([a-z\ -]+)-([0-9]+)/v-([0-9,]+)/([0-9]+).html$ index.php?  
com=search&t=display&keywords=$1&cat_id=$3&filters=$4&page=$5&{QUERY_STRING} [L]
```

#Product

```
RewriteRule ^A/(.*)$ $1?&{QUERY_STRING} [L]
```

```
RewriteRule ^(.+)/p-([0-9]+).html$ index.php?com=product&products_id=$2&{QUERY_STRING}
```

#New Product

```
RewriteRule ^(.+)-([0-9]+)/p-([0-9]+).html$ index.php?com=product&products_id=$3&{QUERY_STF
```

#Home page

```
RewriteRule ^home/$ index.php?com=home&{QUERY_STRING} [L, NC]
```

#New Arrival

```
RewriteRule ^/new-arrivals/$ index.php?com=newarrival&t=display&{QUERY_STRING}[L, NC]
```

```
RewriteRule ^new-arrivals/(\d{4}-\d{1,2}-\d{1,2})/$ index.php?com=newarrival&t=display&date=
```

```
RewriteRule ^new-arrivals/(\d{4}-\d{1,2}-\d{1,2})/([0-9]+).html$ index.php?com=newarrival&t=  
{QUERY_STRING}[L, NC]
```

```
RewriteRule ^new-arrivals/([0-9]+).html$ index.php?com=newarrival&t=display&page=$1&{QUERY_S
```

```
RewriteRule ^new-arrivals/(.+) -([0-9]+)/v-([0-9,]+)/$ index.php?com=newarrival&cat_id=$2&fi  
{QUERY_STRING}[L]
```

```
RewriteRule ^new-arrivals/(.+) -([0-9]+)/$ index.php?com=newarrival&t=display&cat_id=$2&{QUE
```

```
RewriteRule ^new-arrivals/(.+) -([0-9]+).html$ index.php?com=newarrival&t=display&cat_id=$2&
```

```

RewriteRule ^new-arrivals/(.*)-([0-9]+)/v-([0-9,]+)/([0-9]+).html$ index.php?
com=newarrival&cat_id=$2&filter_value=$3&page=$4%(QUERY_STRING)[L]
RewriteRule ^new-arrivals/(.*)-([0-9]+)/([0-9]+).html$ index.php?com=newarrival&cat_id=$2&pa

#New Category
RewriteRule ^([\^/]*)-([0-9]+)/$ index.php?com=category&cat_id=$2%%(QUERY_STRING) [L]
RewriteRule ^([\^/]*)-([0-9]+)/([0-9]+).html$ index.php?com=category&cat_id=$2&page=$3%%(QUEE

RewriteRule ^([\^/]*)-([0-9]+)/v-([0-9,]+)/$ index.php?com=category&cat_id=$2&filter_value=$
RewriteRule ^([\^/]*)-([0-9]+)/v-([0-9,]+)/([0-9]+).html$ index.php?com=category&cat_id=$2&fi
(QUERY_STRING) [L]
RewriteRule ^([\^/]*)-([0-9]+)/v-([0-9,]+)-o-([0-9]+)-s-([0-9]+)-price-([0-9\, ]+)-([0-9\, ]+)/
com=category&cat_id=$2&filter_value=$3&sort=$4&pagesize=$5&pfrom=$6&pto=$7%%(QUERY_STRING) [
RewriteRule ^([\^/]*)-([0-9]+)/v-([0-9,]+)-o-([0-9]+)-s-([0-9]+)-price-([0-9\, ]+)-([0-9\, ]+)/
com=category&cat_id=$2&filter_value=$3&sort=$4&pagesize=$5&pfrom=$6&pto=$7&page=$8%%(QUERY_S

#New New-Arrival
RewriteRule ^new-arrivals/$ index.php?com=newarrival%%(QUERY_STRING) [L,NC]

#Top Seller
RewriteRule ^top-sellers.html$ index.php?com=topseller&t=display [L]
RewriteRule ^top-sellers-([0-9]+).html$ index.php?com=topseller&t=topsellList&cat_id=$1%%(Q
RewriteRule ^top-sellers-([0-9]+)-v.(.*)\.html$ index.php?com=topseller&t=topsellList&cat_id=$
(QUERY_STRING) [L]

#New Top Seller
RewriteRule ^top-sale/$ index.php?com=topseller&t=display [L]
RewriteRule ^top-sale/([a-z\~]+)-([0-9]+)/$ index.php?com=topseller&t=topsellList&cat_id=$2%
RewriteRule ^top-sale/([a-z\~]+)-([0-9]+)/([0-9]+).html$ index.php?com=topseller&t=topsellLi
(QUERY_STRING) [L]

#Shopcart
RewriteRule ^shopping_cart.php$ index.php?com=shopcart%%(QUERY_STRING) [L]

#help
#RewriteRule help_center$ index.php?com=help%%(QUERY_STRING) [L]
#RewriteRule ^(.*)_hi([0-9]+)$ index.php?com=help&t=displayDetail&art_id=$2%%(QUERY_STRING)
#RewriteRule ^(.*)_hi([0-9]+)$ index.php?com=help&t=displayList&cat_id=$2%%(QUERY_STRING) [L]
#RewriteRule ^(.*)_hi([0-9]+)-p([0-9]+)$ index.php?com=help&t=displayList&cat_id=$2&page=$3,
#RewriteRule ^(.*)_help-search-k-(.*)$ /index.php?com=help&t=displaySearch&search=$2%%(QUERY_
#RewriteRule ^(.*)_help-search-p([0-9]+)-k-(.*)$ /index.php?com=help&t=displaySearch&page=$2,

```

[L]

#article

RewriteRule help_center\$ index.php?com=article&%(QUERY_STRING) [L]

#RewriteRule ^A/(.*)\$ \$1?&%(QUERY_STRING) [L]

RewriteRule ^(.*)-hc(.*)\.html\$ index.php?com=article&t=article&cat_id=\$2&%(QUERY_STRING)

#RewriteRule ^(.*)-hc(.*)-ha(.*)\.html\$ index.php?com=article&t=info&cat_id=\$2&article_id=\$3.

#reviews

#RewriteRule ^(.*)-video([s]?)-p([0-9]+)-v([0-9]+)\.html\$ index.php?

com=review&t=reviewDetail&type=video&products_id=\$3&media_id=\$4&%(QUERY_STRING) [L]

#RewriteRule ^(.*)-image([s]?)-p([0-9]+)-i([0-9]+)\.html\$ index.php?

com=review&t=reviewDetail&type=image&products_id=\$3&media_id=\$4&%(QUERY_STRING) [L]

#Account

RewriteRule ^account.html\$ index.php?com=account&t=appGeneralInfo&%(QUERY_STRING) [L]

#Lucky

RewriteRule ^lucky.html\$ index.php?com=lucky&%(QUERY_STRING) [L]

Ultimate SEO URLs END

Block Bad Bots

RewriteCond %(HTTP_USER_AGENT) ^BlackWidow [OR]

RewriteCond %(HTTP_USER_AGENT) ^Bot\ mailto:craftbot@yahoo.com [OR]

RewriteCond %(HTTP_USER_AGENT) ^ChinaClaw [OR]

RewriteCond %(HTTP_USER_AGENT) ^Custo [OR]

RewriteCond %(HTTP_USER_AGENT) ^DISCo [OR]

RewriteCond %(HTTP_USER_AGENT) ^Download\ Demon [OR]

RewriteCond %(HTTP_USER_AGENT) ^eCatch [OR]

RewriteCond %(HTTP_USER_AGENT) ^EirGrabber [OR]

RewriteCond %(HTTP_USER_AGENT) ^EmailSiphon [OR]

RewriteCond %(HTTP_USER_AGENT) ^EmailWolf [OR]

RewriteCond %(HTTP_USER_AGENT) ^Express\ WebPictures [OR]

RewriteCond %(HTTP_USER_AGENT) ^ExtractorPro [OR]

RewriteCond %(HTTP_USER_AGENT) ^EyeNetIE [OR]

RewriteCond %(HTTP_USER_AGENT) ^FlashGet [OR]

RewriteCond %(HTTP_USER_AGENT) ^GetRight [OR]

RewriteCond %(HTTP_USER_AGENT) ^GetWeb! [OR]

RewriteCond %(HTTP_USER_AGENT) ^Go! Zilla [OR]

RewriteCond %(HTTP_USER_AGENT) ^Go-Ahead-Got-It [OR]

RewriteCond %{HTTP_USER_AGENT} ^GrabNet [OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [OR]
RewriteCond %{HTTP_USER_AGENT} ^takeOut [OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [OR]

```
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus
RewriteRule .* - [F]
```