

```
# BULLETPROOF .51.4 >>>>>> SECURE .HTACCESS

# If you edit the BULLETPROOF .51.4 >>>>>> SECURE .HTACCESS text above
# you will see error messages on the BPS Security Status page
# BPS is reading the version number in the htaccess file to validate checks
# If you would like to change what is displayed above you
# will need to edit the BPS /includes/functions.php file to match your changes
# If you update your WordPress Permalinks the code between BEGIN WordPress and
# END WordPress is replaced by WP htaccess code.
# This removes all of the BPS security code and replaces it with just the default WP htacce:
# To restore this file use BPS Restore or activate BulletProof Mode for your Root folder ag.

# BEGIN WordPress
# IMPORTANT!!! DO NOT DELETE!!! - B E G I N Wordpress above or E N D WordPress - text in thi
# They are reference points for WP, BPS and other plugins to write to this htaccess file.
# IMPORTANT!!! DO NOT DELETE!!! - BPSQSE BPS QUERY STRING EXPLOITS - text
# BPS needs to find the - BPSQSE - text string in this file to validate that your security ;

# TURN OFF YOUR SERVER SIGNATURE
ServerSignature Off

# ADD A PHP HANDLER
# If you are using a PHP Handler add your web hosts PHP Handler below

# DO NOT SHOW DIRECTORY LISTING
# If you are getting 500 Errors when activating BPS then comment out Options -Indexes
# by adding a # sign in front of it. If there is a typo anywhere in this file you will also
Options -Indexes

# DIRECTORY INDEX FORCE INDEX.PHP
# Use index.php as default directory index file
# index.html will be ignored will not load.
DirectoryIndex index.php index.html /index.php

# BRUTE FORCE LOGIN PAGE PROTECTION
# PLACEHOLDER ONLY
# See this link: http://forum.ait-pro.com/forums/topic/protect-login-page-from-brute-force-1
# for more information before choosing to add this code to BPS Custom Code
# Protects the Login page from SpamBots & Proxies
# that use Server Protocol HTTP/1.0 or a blank User Agent
```

```
# BPS ERROR LOGGING AND TRACKING
# BPS has premade 403 Forbidden, 400 Bad Request and 404 Not Found files that are used
# to track and log 403, 400 and 404 errors that occur on your website. When a hacker attempts
# to hack your website the hackers IP address, Host name, Request Method, Referer link, the
# requested resource, the user agent of the hacker and the query string used in the hack are
# All BPS log files are htaccess protected so that only you can view them.
# The 400.php, 403.php and 404.php files are located in /wp-content/plugins/bulletproof-security
# The 400 and 403 Error logging files are already set up and will automatically start logging
# after you install BPS and have activated BulletProof Mode for your Root folder.
# If you would like to log 404 errors you will need to copy the logging code in the BPS 404.php
# to your Theme's 404.php template file. Simple instructions are included in the BPS 404.php
# You can open the BPS 404.php file using the WP Plugins Editor.
# NOTE: By default WordPress automatically looks in your Theme's folder for a 404.php template
```

```
ErrorDocument 400 /wp-content/plugins/bulletproof-security/400.php
ErrorDocument 401 default
ErrorDocument 403 /wp-content/plugins/bulletproof-security/403.php
ErrorDocument 404 /404.php
```

```
# DENY ACCESS TO PROTECTED SERVER FILES AND FOLDERS
```

```
# Files and folders starting with a dot: .htaccess, .htpasswd, .error_docs, .logs
```

```
RedirectMatch 403 \.(htaccess|htpasswd|error_docs|logs)$
```

```
# WP-ADMIN/INCLUDES
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
RewriteCond %{HTTP_HOST} ^ipt\.us\.com
```

```
RewriteRule ^(.*)$ http://www.ipt.us.com/$1 [R=permanent,L]
```

```
RewriteRule ^/?commodity-reference-manual$ /produce-inspection-products/commodity-reference-
```

```
RewriteRule ^/?about$ /company/about [R=301,L]
```

```
RewriteRule ^/?privacy-policy$ /company/privacy-policy [R=301,L]
```

```
RewriteRule ^/?terms-of-service$ /company/terms-of-service [R=301,L]
```

```
RewriteRule ^/?faqs$ /produce-inspection-resources/faqs [R=301,L]
```

```
RewriteRule ^/?links$ /produce-inspection-resources/related-web-sites [R=301,L]
```

```
RewriteRule ^/?inspection-quiz$ /produce-inspection-resources/inspection-quiz [R=301,L]
```

```
RewriteRule ^/?audit-services$ /produce-inspection-services/audit-services [R=301,L]
```

```
RewriteRule ^/?training-courses$ /produce-inspection-services/produce-inspection-training-pr
```

```
RewriteRule ^/?inspectors-blog$ /produce-inspection-resources/inspectors-blog [R=301,L]
```

```

RewriteRule ^/?inspection-guidelines$ /produce-inspection-resources/inspection-guidelines [F,L]

RewriteRule ^/?category/(.*)$ /produce-inspection-resources/inspectors-blog/$1 [R=301,L]
RewriteRule ^/?inspection-guidelines/(.*)$ /produce-inspection-resources/inspection-guidelines/$1 [R=301,L]
RewriteRule ^/?current-events/(.*)$ /produce-inspection-resources/inspectors-blog/current-events/$1 [R=301,L]
RewriteRule ^/?defect-identification/(.*)$ /produce-inspection-resources/inspectors-blog/defect-identification/$1 [R=301,L]
RewriteRule ^/?produce-defects-and-grade-standard-changes/(.*)$ /produce-inspection-resources/inspectors-blog/produce-defects-and-grade-standard-changes/$1 [R=301,L]
RewriteRule ^/?produce-inspection-news-and-comments/(.*)$ /produce-inspection-resources/inspectors-blog/produce-inspection-news-and-comments/$1 [R=301,L]
RewriteRule ^/?inspection-procedures/(.*)$ /produce-inspection-resources/inspectors-blog/inspection-procedures/$1 [R=301,L]
RewriteRule ^/?produce-inspection-training/(.*)$ /produce-inspection-resources/inspectors-blog/produce-inspection-training/$1 [R=301,L]
RewriteRule ^/?produce-storage-and-transport/(.*)$ /produce-inspection-resources/inspectors-blog/produce-storage-and-transport/$1 [R=301,L]

RewriteRule ^wp-admin/includes/ - [F,L]
RewriteRule !^wp-includes/ - [S=3]
RewriteRule ^wp-includes/[^/]+\.\php$ - [F,L]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.\php - [F,L]
RewriteRule ^wp-includes/theme-compat/ - [F,L]

# WP REWRITE LOOP START
RewriteEngine On
RewriteBase /
RewriteRule ^index\.\php$ - [L]

# REQUEST METHODS FILTERED
# This filter is for blocking junk bots and spam bots from making a HEAD request, but may allow
# HEAD request from bots that you want to allow in certain cases. This is not a security filter,
# a nuisance filter. This filter will not block any important bots like the google bot. If you
# want to allow all bots to make a HEAD request then remove HEAD from the Request Method filter.
# The TRACE, DELETE, TRACK and DEBUG request methods should never be allowed against your website.
RewriteEngine On
RewriteCond %{REQUEST_METHOD} ^(HEAD|TRACE|DELETE|TRACK|DEBUG) [NC]
RewriteRule ^(.*)$ - [F,L]

# PLUGINS/THEMES AND VARIOUS EXPLOIT FILTER SKIP RULES
# IMPORTANT!!! If you add or remove a skip rule you must change S= to the new skip number
# Example: If RewriteRule S=5 is deleted than change S=6 to S=5, S=7 to S=6, etc.

# Adminer MySQL management tool data populate
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/adminer/ [NC]

```

```

RewriteRule . - [S=12]
# Comment Spam Pack MU Plugin - CAPTCHA images not displaying
RewriteCond %{REQUEST_URI} ^/wp-content/mu-plugins/custom-anti-spam/ [NC]
RewriteRule . - [S=11]
# Peters Custom Anti-Spam display CAPTCHA Image
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/peters-custom-anti-spam-image/ [NC]
RewriteRule . - [S=10]
# Status Updater plugin fb connect
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/fb-status-updater/ [NC]
RewriteRule . - [S=9]
# Stream Video Player - Adding FLV Videos Blocked
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/stream-video-player/ [NC]
RewriteRule . - [S=8]
# XCloner 404 or 403 error when updating settings
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/xcloner-backup-and-restore/ [NC]
RewriteRule . - [S=7]
# BuddyPress Logout Redirect
RewriteCond %{QUERY_STRING} action=logout&redirect_to=http%3A%2F%2F(.*) [NC]
RewriteRule . - [S=6]
# redirect_to=
RewriteCond %{QUERY_STRING} redirect_to=(.*) [NC]
RewriteRule . - [S=5]
# Login Plugins Password Reset And Redirect 1
RewriteCond %{QUERY_STRING} action=resetpass&key=(.*) [NC]
RewriteRule . - [S=4]
# Login Plugins Password Reset And Redirect 2
RewriteCond %{QUERY_STRING} action=rp&key=(.*) [NC]
RewriteRule . - [S=3]

# TIMTHUMB FORBID RFI and MISC FILE SKIP/BYPASS RULE
# Only Allow Internal File Requests From Your Website
# To Allow Additional Websites Access to a File Use [OR] as shown below.
# RewriteCond %{HTTP_REFERER} ^,.*YourWebsite.com.* [OR]
# RewriteCond %{HTTP_REFERER} ^,.*AnotherWebsite.com.*
RewriteCond %{QUERY_STRING} ^,.*(http|https|ftp)(%3A|:)(%2F|/)(%2F|/)(w|0,3).?
(blogger|picasa|blogspot|tsunami|petapolitiki|photobucket|imgur|imageshack|wordpress|.com|img|
thegame).*$ [NC,OR]
RewriteCond %{THE_REQUEST} ^,.*(http|https|ftp)(%3A|:)(%2F|/)(%2F|/)(w|0,3).?
(blogger|picasa|blogspot|tsunami|petapolitiki|photobucket|imgur|imageshack|wordpress|.com|img|
thegame).*$ [NC]
RewriteRule .* index.php [F,L]

```

```

RewriteCond %{REQUEST_URI} (timthumb\.php|phpthumb\.php|thumb\.php|thumbs\.php) [NC]
RewriteCond %{HTTP_REFERER} ^\.us\.com\. *
RewriteRule . - [S=1]

# BEGIN BPSQSE BPS QUERY STRING EXPLOITS
# The libwww-perl User Agent is forbidden - Many bad bots use libwww-perl modules, but some
# Good sites such as W3C use it for their W3C-LinkChecker.
# Add or remove user agents temporarily or permanently from the first User Agent filter below
# If you want a list of bad bots / User Agents to block then scroll to the end of this file.
RewriteCond %{HTTP_USER_AGENT} (havi|libwww-perl|wget|python|nikto|curl|scan|java|winhttp|
RewriteCond %{HTTP_USER_AGENT} (%0A|%0D|%27|%3C|%3E|%00) [NC,OR]
RewriteCond %{HTTP_USER_AGENT} (;|<|>|'|"|\)|\(|%0A|%0D|%22|%27|%28|%3C|%3E|%00).*(libwww-
perl|wget|python|nikto|curl|scan|java|winhttp|HTTrack|clsh|http|archiver|loader|email|harvest|
RewriteCond %{THE_REQUEST} (\?|\*|%2a)+(%20+\s+%20+\s+\s+%20+\s+%20+\s+)HTTP(:/|/)
RewriteCond %{THE_REQUEST} etc/passwd [NC,OR]
RewriteCond %{THE_REQUEST} cgi-bin [NC,OR]
RewriteCond %{THE_REQUEST} (%0A|%0D|\r|\n) [NC,OR]
RewriteCond %{REQUEST_URI} oussvr\.dll [NC,OR]
RewriteCond %{HTTP_REFERER} (%0A|%0D|%27|%3C|%3E|%00) [NC,OR]
RewriteCond %{HTTP_REFERER} \.opendirviewer\. [NC,OR]
RewriteCond %{HTTP_REFERER} users\.skynet\.be.* [NC,OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9]=http:// [NC,OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9]=(\.\.//?)+ [NC,OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9]=/([a-z0-9_ ]//?)+ [NC,OR]
RewriteCond %{QUERY_STRING} \=PHP[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{1}
RewriteCond %{QUERY_STRING} (\.\.//|%2e%2e%2f|%2e%2e/|\.\.\.%2f|%2e\.\.%2f|%2e\.\.//|\.\.%2e%2f|\.\.%2e/
RewriteCond %{QUERY_STRING} ftp\.: [NC,OR]
RewriteCond %{QUERY_STRING} http\.: [NC,OR]
RewriteCond %{QUERY_STRING} https\.: [NC,OR]
RewriteCond %{QUERY_STRING} \=\\|u\\ [NC,OR]
RewriteCond %{QUERY_STRING} ^(\.+)/self/(\.)*$ [NC,OR]
RewriteCond %{QUERY_STRING} ^(\.)*cPath=http://(\.)*$ [NC,OR]
RewriteCond %{QUERY_STRING} (\<|%3C).*script.*(\>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} (<|%3C)([^\s]*s)+cript.*(>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} (\<|%3C).*embed.*(\>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} (<|%3C)([^\e]*e)+mbed.*(>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} (\<|%3C).*object.*(\>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} (<|%3C)([^\o]*o)+bject.*(>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} (\<|%3C).*iframe.*(\>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} (<|%3C)([^\i]*i)+frame.*(>|%3E) [NC,OR]
RewriteCond %{QUERY_STRING} base64_encode.*\(\. *\) [NC,OR]

```

```

RewriteCond %{QUERY_STRING} base64_(en|de)code[^\(\)\*\([\^\]]*\) [NC,OR]
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \]| \[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \]| \[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} ^.*(\\(|\\)|<|>| %3c| %3e). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(\\x00|\\x04|\\x08|\\x0d|\\x1b|\\x20|\\x3c|\\x3e|\\x7f). * [NC,OR]
RewriteCond %{QUERY_STRING} (NULL|OUTFILE|LOAD_FILE) [OR]
RewriteCond %{QUERY_STRING} (\\. (1,)/)+ (motd|etc|bin) [NC,OR]
RewriteCond %{QUERY_STRING} (localhost|loopback|127\\. 0\\. 0\\. 1) [NC,OR]
RewriteCond %{QUERY_STRING} (<|>|'| %0A| %0D| %27| %3C| %3E| %00) [NC,OR]
RewriteCond %{QUERY_STRING} concat[^\(\)\*\([\^\]]*\) [NC,OR]
RewriteCond %{QUERY_STRING} union([^\s]*s)+select [NC,OR]
RewriteCond %{QUERY_STRING} union([^\a]*a)+11([^\s]*s)+select [NC,OR]
RewriteCond %{QUERY_STRING} \-[sdc]. *(allow_url_includel allow_url_fopenl safe_model disable_f
RewriteCond %{QUERY_STRING} (;|<|>|'|"|\)| %0A| %0D| %22| %27| %3C| %3E| %00). *
(&\/\*| union| select| insert| drop| delete| update| cast| create| char| convert| alter| declare| order| scr
RewriteCond %{QUERY_STRING} (sp_executesql) [NC]
RewriteRule ^(.*)$ - [F,L]
# END BPSQSE BPS QUERY STRING EXPLOITS
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
# WP REWRITE LOOP END

# DENY BROWSER ACCESS TO THESE FILES
# wp-config.php, bb-config.php, php.ini, php5.ini, readme.html
# Replace Allow from 88.77.66.55 with your current IP address and remove the
# pound sign # from in front of the Allow from line of code below to access these
# files directly from your browser.

<FilesMatch "^(wp-config\.php|php\.ini|php5\.ini|readme\.html|bb-config\.php)">
Order allow,deny
Deny from all
#Allow from 88.77.66.55
</FilesMatch>

# IMPORTANT!!! DO NOT DELETE!!! the END WordPress text below
# END WordPress

# BLOCK HOTLINKING TO IMAGES
# To Test that your Hotlinking protection is working visit http://al1lab.com/htaccess_tutor/
#RewriteEngine On

```

```
#RewriteCond %{HTTP_REFERER} !^https?://(www\.)?add-your-domain-here\.com [NC]
#RewriteCond %{HTTP_REFERER} !^$
#RewriteRule .*\. (jpeg|jpg|gif|bmp|png)$ - [F]
```

```
# FORBID COMMENT SPAMMERS ACCESS TO YOUR wp-comments-post.php FILE
# This is a better approach to blocking Comment Spammers so that you do not
# accidentally block good traffic to your website. You can add additional
# Comment Spammer IP addresses on a case by case basis below.
# Searchable Database of known Comment Spammers http://www.stopforumspam.com/
```

```
<FilesMatch "^(wp-comments-post\.php)">
```

```
Order Allow,Deny
```

```
Deny from 46.119.35.
```

```
Deny from 46.119.45.
```

```
Deny from 91.236.74.
```

```
Deny from 93.182.147.
```

```
Deny from 93.182.187.
```

```
Deny from 94.27.72.
```

```
Deny from 94.27.75.
```

```
Deny from 94.27.76.
```

```
Deny from 193.105.210.
```

```
Deny from 195.43.128.
```

```
Deny from 198.144.105.
```

```
Deny from 199.15.234.
```

```
Allow from all
```

```
</FilesMatch>
```

```
# BLOCK MORE BAD BOTS RIPPERS AND OFFLINE BROWSERS
```

```
# If you would like to block more bad bots you can get a blacklist from
```

```
# http://perishablepress.com/press/2007/06/28/ultimate-htaccess-blacklist/
```

```
# You should monitor your site very closely for at least a week if you add a bad bots list
```

```
# to see if any website traffic problems or other problems occur.
```

```
# Copy and paste your bad bots user agent code list directly below.
```