

*# BEGIN iThemes Security - Do not modify or remove this line*

*# iThemes Security Config Details: 2*

*# Quick ban IP. Will be updated on next formal rules save.*

SetEnvIF REMOTE\_ADDR "^80\.26\.90\.106\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^80\.26\.90\.106\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^80\.26\.90\.106\$" DenyAccess

<IfModule mod\_authz\_core.c>

<RequireAll>

Require all granted

Require not env DenyAccess

Require not ip 80.26.90.106

</RequireAll>

</IfModule>

<IfModule !mod\_authz\_core.c>

Order allow,deny

Deny from env=DenyAccess

Deny from 80.26.90.106

Allow from all

</IfModule>

*# END iThemes Security - Do not modify or remove this line*

*# BEGIN iThemes Security - Do not modify or remove this line*

*# iThemes Security Config Details: 2*

*# Enable HackRepair.com's blacklist feature - Security > Settings > Banned Users > Default Blacklist*

*# Start HackRepair.com Blacklist*

RewriteEngine on

*# Start Abuse Agent Blocking*

RewriteCond %{HTTP\_USER\_AGENT} "^Mozilla.\*Indy" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^Mozilla.\*NEWT" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^\$" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^Maxthon\$" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^SeaMonkey\$" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^Acunetix" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^binlar" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^BlackWidow" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^Bolt 0" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^BOT for JCE" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^Bot mailto\:craftbot@yahoo\.com" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^casper" [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} "^Cerberus" [NC,OR]



```
RewriteCond %{HTTP_USER_AGENT} ""jakarta" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Java" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^JetCar" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^JOC Web Spider" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^kanagawa" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^kmccrew" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^larbin" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^LeechFTP" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^libwww" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Mass Downloader" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^microsoft\.url" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^MIDown tool" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^miner" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Mister PiX" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^MSFrontPage" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Navroad" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^NearSite" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Net Vampire" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^NetAnts" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^NetSpider" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^NetZIP" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^nutch" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Octopus" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Explorer" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Navigator" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^PageGrabber" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Papa Foto" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^pavuk" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^pcBrowser" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^PeoplePal" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^planetwork" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^psbot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^purebot" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^pycurl" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^RealDownload" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^ReGet" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^Rippers 0" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^sitecheck\.internetseer\.com" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^SiteSnagger" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^skygrid" [NC, OR]
RewriteCond %{HTTP_USER_AGENT} "^SmartDownload" [NC, OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperHTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Surfbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^tAkeOut" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Teleport Pro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Toata dragostea mea pentru diavola" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^turnit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^vikspider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^VoidEYE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Image Collector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebAuto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebBandit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebCopier" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebFetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebGo IS" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebLeacher" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebReaper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebSauger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website extractor" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website Quester" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebStripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebWhacker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Wget" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Widow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WPScan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWW-Mechanize" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWWOFFLE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Xaldon WebSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Yandex" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Zeus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^zmeu" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "360Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "AhrefsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "CazoodleBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "discobot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EasouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ecxi" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "GT\:\:\ WWW" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "heritrix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTP\:\:Lite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTrack" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "id\~search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IDBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Indy Library" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IRLbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ISC Systems iRc Search 2\..1" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksCrawler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksManager\.com_bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "linkwalker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "lwp\~trivial" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MFC_Tear_Sample" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Microsoft URL Control" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Missigua Locator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MJ12bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "panscient\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PECL\:\:HTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PHPCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PleaseCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SBIder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SearchmetricsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeznamBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Snoopy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Sogou" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Steeler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "URI\:\:Fetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "urllib" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "webalta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebCollage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wells Search II" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WEP Search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "XoviBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Yi souSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zermelo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ZyBorg" [NC,OR]
# End Abuse Agent Blocking
# Start Abuse HTTP Referrer Blocking
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\./]+\.)?sema1t\.com" [NC,OR]
```

```
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\./]+\.)?kambasoft\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\./]+\.)?savetubevideo\.com" [NC]
# End Abuse HTTP Referrer Blocking
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair

# Ban Hosts - Security > Settings > Banned Users
SetEnvIF REMOTE_ADDR "^78\.85\.227\.148$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\.85\.227\.148$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.85\.227\.148$" DenyAccess

SetEnvIF REMOTE_ADDR "^183\.138\.175\.168$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^183\.138\.175\.168$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^183\.138\.175\.168$" DenyAccess

SetEnvIF REMOTE_ADDR "^37\.57\.25\.225$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\.57\.25\.225$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\.57\.25\.225$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.131\.14\.100$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.131\.14\.100$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.131\.14\.100$" DenyAccess

SetEnvIF REMOTE_ADDR "^194\.28\.112\.157$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^194\.28\.112\.157$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^194\.28\.112\.157$" DenyAccess

SetEnvIF REMOTE_ADDR "^183\.138\.151\.36$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^183\.138\.151\.36$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^183\.138\.151\.36$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.175\.184\.156$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.175\.184\.156$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.175\.184\.156$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.175\.184\.167$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.175\.184\.167$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.175\.184\.167$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.208\.218\.63$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.208\.218\.63$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP "^188\. 208\. 218\. 63\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^189\. 31\. 62\. 201\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^189\. 31\. 62\. 201\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^189\. 31\. 62\. 201\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^193\. 200\. 60\. 28\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^193\. 200\. 60\. 28\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^193\. 200\. 60\. 28\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^192\. 237\. 253\. 225\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^192\. 237\. 253\. 225\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^192\. 237\. 253\. 225\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^183\. 159\. 77\. 65\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^183\. 159\. 77\. 65\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^183\. 159\. 77\. 65\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^5\. 45\. 79\. 44\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\. 45\. 79\. 44\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\. 45\. 79\. 44\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^94\. 153\. 10\. 239\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^94\. 153\. 10\. 239\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 153\. 10\. 239\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^88\. 226\. 212\. 104\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^88\. 226\. 212\. 104\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^88\. 226\. 212\. 104\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^178\. 151\. 143\. 163\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^178\. 151\. 143\. 163\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^178\. 151\. 143\. 163\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^39\. 185\. 145\. 225\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^39\. 185\. 145\. 225\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 185\. 145\. 225\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^46\. 118\. 119\. 63\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^46\. 118\. 119\. 63\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 118\. 119\. 63\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^88\.241\.194\.5$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^88\.241\.194\.5$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^88\.241\.194\.5$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.200\.12\.65$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.200\.12\.65$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.200\.12\.65$" DenyAccess

SetEnvIF REMOTE_ADDR "^212\.252\.167\.218$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.252\.167\.218$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.252\.167\.218$" DenyAccess

SetEnvIF REMOTE_ADDR "^212\.252\.167\.116$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.252\.167\.116$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.252\.167\.116$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.137\.163\.42$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.137\.163\.42$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.137\.163\.42$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.143\.234\.25$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.143\.234\.25$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.143\.234\.25$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.241\.177\.61$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.241\.177\.61$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.241\.177\.61$" DenyAccess

SetEnvIF REMOTE_ADDR "^82\.155\.77\.5$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^82\.155\.77\.5$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^82\.155\.77\.5$" DenyAccess

SetEnvIF REMOTE_ADDR "^191\.112\.79\.22$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^191\.112\.79\.22$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^191\.112\.79\.22$" DenyAccess

SetEnvIF REMOTE_ADDR "^105\.236\.232\.213$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.236\.232\.213$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.236\.232\.213$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^123\. 63\. 221\. 121$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^123\. 63\. 221\. 121$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^123\. 63\. 221\. 121$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^84\. 252\. 38\. 248$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^84\. 252\. 38\. 248$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^84\. 252\. 38\. 248$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^78\. 92\. 9\. 49$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\. 92\. 9\. 49$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\. 92\. 9\. 49$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^79\. 118\. 2\. 76$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\. 118\. 2\. 76$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\. 118\. 2\. 76$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^93\. 22\. 159\. 114$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^93\. 22\. 159\. 114$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\. 22\. 159\. 114$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^172\. 218\. 181\. 12$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^172\. 218\. 181\. 12$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^172\. 218\. 181\. 12$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^110\. 169\. 71\. 221$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^110\. 169\. 71\. 221$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^110\. 169\. 71\. 221$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^83\. 28\. 230\. 47$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^83\. 28\. 230\. 47$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^83\. 28\. 230\. 47$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^39\. 33\. 98\. 60$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\. 33\. 98\. 60$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 33\. 98\. 60$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^41\. 57\. 111\. 189$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\. 57\. 111\. 189$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\. 57\. 111\. 189$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^85\. 103\. 191\. 175$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "001.100.1.101-1.104" DenyAccess
SetEnvIf X-FORWARDED-FOR "^85\.103\.191\.175$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^85\.103\.191\.175$" DenyAccess

SetEnvIf REMOTE_ADDR "^92\.87\.13\.201$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^92\.87\.13\.201$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^92\.87\.13\.201$" DenyAccess

SetEnvIf REMOTE_ADDR "^182\.185\.168\.253$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^182\.185\.168\.253$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^182\.185\.168\.253$" DenyAccess

SetEnvIf REMOTE_ADDR "^41\.87\.178\.200$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^41\.87\.178\.200$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^41\.87\.178\.200$" DenyAccess

SetEnvIf REMOTE_ADDR "^50\.118\.162\.141$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^50\.118\.162\.141$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^50\.118\.162\.141$" DenyAccess

SetEnvIf REMOTE_ADDR "^92\.87\.210\.7$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^92\.87\.210\.7$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^92\.87\.210\.7$" DenyAccess

SetEnvIf REMOTE_ADDR "^77\.250\.231\.58$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^77\.250\.231\.58$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^77\.250\.231\.58$" DenyAccess

SetEnvIf REMOTE_ADDR "^109\.66\.195\.123$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^109\.66\.195\.123$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^109\.66\.195\.123$" DenyAccess

SetEnvIf REMOTE_ADDR "^81\.66\.234\.57$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^81\.66\.234\.57$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^81\.66\.234\.57$" DenyAccess

SetEnvIf REMOTE_ADDR "^175\.136\.89\.81$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^175\.136\.89\.81$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^175\.136\.89\.81$" DenyAccess

SetEnvIf REMOTE_ADDR "^119\.160\.181\.104$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^119\.160\.181\.104$" DenyAccess
```

```
SetEnvIf X-FORWARDED-FOR "119\.160\.161\.164$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^119\.160\.161\.164$" DenyAccess

SetEnvIf REMOTE_ADDR "^112\.134\.80\.186$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^112\.134\.80\.186$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^112\.134\.80\.186$" DenyAccess

SetEnvIf REMOTE_ADDR "^124\.82\.80\.26$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^124\.82\.80\.26$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^124\.82\.80\.26$" DenyAccess

SetEnvIf REMOTE_ADDR "^93\.86\.5\.133$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^93\.86\.5\.133$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^93\.86\.5\.133$" DenyAccess

SetEnvIf REMOTE_ADDR "^105\.210\.87\.220$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^105\.210\.87\.220$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^105\.210\.87\.220$" DenyAccess

SetEnvIf REMOTE_ADDR "^86\.121\.80\.194$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^86\.121\.80\.194$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^86\.121\.80\.194$" DenyAccess

SetEnvIf REMOTE_ADDR "^175\.215\.148\.230$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^175\.215\.148\.230$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^175\.215\.148\.230$" DenyAccess

SetEnvIf REMOTE_ADDR "^85\.187\.177\.243$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^85\.187\.177\.243$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^85\.187\.177\.243$" DenyAccess

SetEnvIf REMOTE_ADDR "^42\.60\.195\.234$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^42\.60\.195\.234$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^42\.60\.195\.234$" DenyAccess

SetEnvIf REMOTE_ADDR "^114\.78\.2\.11$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^114\.78\.2\.11$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^114\.78\.2\.11$" DenyAccess

SetEnvIf REMOTE_ADDR "^118\.233\.70\.30$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^118\.233\.70\.30$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^118\.233\.70\.30$" DenyAccess
```

SetEnvIf X-CLUSTER-CLIENT-IP ""118\. 233\. 70\. 30\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^31\. 47\. 7\. 143\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^31\. 47\. 7\. 143\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^31\. 47\. 7\. 143\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^103\. 10\. 23\. 60\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^103\. 10\. 23\. 60\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^103\. 10\. 23\. 60\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^5\. 13\. 178\. 193\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^5\. 13\. 178\. 193\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^5\. 13\. 178\. 193\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^103\. 249\. 89\. 94\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^103\. 249\. 89\. 94\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^103\. 249\. 89\. 94\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^180\. 191\. 154\. 3\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^180\. 191\. 154\. 3\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^180\. 191\. 154\. 3\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^213\. 186\. 188\. 245\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^213\. 186\. 188\. 245\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^213\. 186\. 188\. 245\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^87\. 207\. 120\. 167\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^87\. 207\. 120\. 167\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^87\. 207\. 120\. 167\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^187\. 244\. 203\. 113\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^187\. 244\. 203\. 113\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^187\. 244\. 203\. 113\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^88\. 236\. 34\. 243\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^88\. 236\. 34\. 243\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^88\. 236\. 34\. 243\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^161\. 0\. 114\. 2\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^161\. 0\. 114\. 2\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^161\. 0\. 114\. 2\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^83\.249\.238\.52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^83\.249\.238\.52$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^83\.249\.238\.52$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^74\.139\.42\.208$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^74\.139\.42\.208$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^74\.139\.42\.208$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^119\.95\.71\.75$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^119\.95\.71\.75$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^119\.95\.71\.75$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^109\.226\.15\.199$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.226\.15\.199$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.226\.15\.199$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^31\.201\.184\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^31\.201\.184\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^31\.201\.184\.37$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^109\.97\.83\.34$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.97\.83\.34$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.97\.83\.34$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^197\.79\.15\.117$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^197\.79\.15\.117$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^197\.79\.15\.117$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^89\.205\.94\.233$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\.205\.94\.233$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\.205\.94\.233$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^196\.26\.87\.2$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^196\.26\.87\.2$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^196\.26\.87\.2$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^150\.107\.88\.38$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^150\.107\.88\.38$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^150\.107\.88\.38$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^46\.107\.122\.46$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\.107\.122\.46$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\.107\.122\.46$" DenyAccess

SetEnvIF REMOTE_ADDR "^84\.0\.188\.102$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^84\.0\.188\.102$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^84\.0\.188\.102$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.222\.203\.6$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.222\.203\.6$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.222\.203\.6$" DenyAccess

SetEnvIF REMOTE_ADDR "^105\.228\.174\.72$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.228\.174\.72$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.228\.174\.72$" DenyAccess

SetEnvIF REMOTE_ADDR "^210\.195\.148\.31$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^210\.195\.148\.31$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^210\.195\.148\.31$" DenyAccess

SetEnvIF REMOTE_ADDR "^112\.144\.68\.146$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^112\.144\.68\.146$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^112\.144\.68\.146$" DenyAccess

SetEnvIF REMOTE_ADDR "^182\.181\.150\.27$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^182\.181\.150\.27$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^182\.181\.150\.27$" DenyAccess

SetEnvIF REMOTE_ADDR "^178\.222\.207\.84$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^178\.222\.207\.84$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^178\.222\.207\.84$" DenyAccess

SetEnvIF REMOTE_ADDR "^175\.136\.210\.3$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^175\.136\.210\.3$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^175\.136\.210\.3$" DenyAccess

SetEnvIF REMOTE_ADDR "^80\.197\.157\.110$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^80\.197\.157\.110$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^80\.197\.157\.110$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\.32\.14\.106$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^5\.32\.14\.106$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^5\.32\.14\.106$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^92\.81\.205\.147$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^92\.81\.205\.147$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^92\.81\.205\.147$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^202\.44\.228\.1$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^202\.44\.228\.1$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^202\.44\.228\.1$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^89\.157\.121\.174$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\.157\.121\.174$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\.157\.121\.174$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^105\.227\.109\.92$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.227\.109\.92$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.227\.109\.92$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^112\.173\.143\.222$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^112\.173\.143\.222$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^112\.173\.143\.222$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^220\.94\.250\.100$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^220\.94\.250\.100$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^220\.94\.250\.100$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^103\.255\.8\.129$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\.255\.8\.129$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\.255\.8\.129$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^94\.231\.224\.96$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.231\.224\.96$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.231\.224\.96$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^58\.123\.73\.177$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^58\.123\.73\.177$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^58\.123\.73\.177$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^196\.31\.40\.34$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^196\.31\.40\.34$" DenyAccess
```

SetEnvIf X-CLUSTER-CLIENT-IP "^196\. 31\. 40\. 34\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^79\. 116\. 234\. 21\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^79\. 116\. 234\. 21\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^79\. 116\. 234\. 21\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^212\. 200\. 65\. 242\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^212\. 200\. 65\. 242\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^212\. 200\. 65\. 242\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^75\. 143\. 208\. 206\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^75\. 143\. 208\. 206\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^75\. 143\. 208\. 206\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^220\. 87\. 53\. 251\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^220\. 87\. 53\. 251\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^220\. 87\. 53\. 251\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^190\. 28\. 96\. 28\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^190\. 28\. 96\. 28\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^190\. 28\. 96\. 28\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^24\. 135\. 121\. 249\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^24\. 135\. 121\. 249\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^24\. 135\. 121\. 249\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^46\. 185\. 190\. 55\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^46\. 185\. 190\. 55\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^46\. 185\. 190\. 55\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^12\. 222\. 248\. 212\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^12\. 222\. 248\. 212\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^12\. 222\. 248\. 212\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^202\. 142\. 67\. 20\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^202\. 142\. 67\. 20\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^202\. 142\. 67\. 20\$" DenyAccess

SetEnvIf REMOTE\_ADDR "^125\. 60\. 252\. 162\$" DenyAccess

SetEnvIf X-FORWARDED-FOR "^125\. 60\. 252\. 162\$" DenyAccess

SetEnvIf X-CLUSTER-CLIENT-IP "^125\. 60\. 252\. 162\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^196\.201\.229\.58$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^196\.201\.229\.58$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^196\.201\.229\.58$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^105\.102\.100\.32$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.102\.100\.32$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.102\.100\.32$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^39\.32\.195\.164$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\.32\.195\.164$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\.32\.195\.164$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^109\.64\.149\.253$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.64\.149\.253$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.64\.149\.253$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^49\.150\.234\.31$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^49\.150\.234\.31$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^49\.150\.234\.31$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^41\.188\.46\.82$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\.188\.46\.82$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\.188\.46\.82$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^80\.236\.206\.40$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^80\.236\.206\.40$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^80\.236\.206\.40$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^86\.122\.49\.9$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^86\.122\.49\.9$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^86\.122\.49\.9$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^124\.182\.135\.248$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^124\.182\.135\.248$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^124\.182\.135\.248$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^145\.132\.127\.39$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^145\.132\.127\.39$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^145\.132\.127\.39$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^182\. 93\. 90\. 51$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^182\. 93\. 90\. 51$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^182\. 93\. 90\. 51$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\. 4\. 147\. 190$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\. 4\. 147\. 190$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\. 4\. 147\. 190$" DenyAccess

SetEnvIF REMOTE_ADDR "^89\. 47\. 214\. 200$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\. 47\. 214\. 200$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\. 47\. 214\. 200$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\. 32\. 36\. 82$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\. 32\. 36\. 82$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 32\. 36\. 82$" DenyAccess

SetEnvIF REMOTE_ADDR "^114\. 4\. 79\. 158$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^114\. 4\. 79\. 158$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^114\. 4\. 79\. 158$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\. 225\. 20\. 60$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\. 225\. 20\. 60$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 225\. 20\. 60$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\. 32\. 113\. 45$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\. 32\. 113\. 45$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 32\. 113\. 45$" DenyAccess

SetEnvIF REMOTE_ADDR "^180\. 183\. 203\. 218$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^180\. 183\. 203\. 218$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^180\. 183\. 203\. 218$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\. 2\. 136\. 202$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\. 2\. 136\. 202$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\. 2\. 136\. 202$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\. 61\. 194\. 30$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\. 61\. 194\. 30$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 61\. 194\. 30$" DenyAccess

SetEnvIF REMOTE_ADDR "^115\. 133\. 88\. 136$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "115\133\88\136$" DenyAccess
SetEnvIF X-FORWARDED-FOR "115\133\88\136$" DenyAccess

SetEnvIF REMOTE_ADDR "109\67\121\94$" DenyAccess
SetEnvIF X-FORWARDED-FOR "109\67\121\94$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "109\67\121\94$" DenyAccess

SetEnvIF REMOTE_ADDR "197\0\226\214$" DenyAccess
SetEnvIF X-FORWARDED-FOR "197\0\226\214$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "197\0\226\214$" DenyAccess

SetEnvIF REMOTE_ADDR "92\83\187\108$" DenyAccess
SetEnvIF X-FORWARDED-FOR "92\83\187\108$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "92\83\187\108$" DenyAccess

SetEnvIF REMOTE_ADDR "180\191\139\46$" DenyAccess
SetEnvIF X-FORWARDED-FOR "180\191\139\46$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "180\191\139\46$" DenyAccess

SetEnvIF REMOTE_ADDR "112\210\114\8$" DenyAccess
SetEnvIF X-FORWARDED-FOR "112\210\114\8$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "112\210\114\8$" DenyAccess

SetEnvIF REMOTE_ADDR "195\26\151\27$" DenyAccess
SetEnvIF X-FORWARDED-FOR "195\26\151\27$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "195\26\151\27$" DenyAccess

SetEnvIF REMOTE_ADDR "81\83\19\242$" DenyAccess
SetEnvIF X-FORWARDED-FOR "81\83\19\242$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "81\83\19\242$" DenyAccess

SetEnvIF REMOTE_ADDR "49\151\1\244$" DenyAccess
SetEnvIF X-FORWARDED-FOR "49\151\1\244$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "49\151\1\244$" DenyAccess

SetEnvIF REMOTE_ADDR "79\187\239\0$" DenyAccess
SetEnvIF X-FORWARDED-FOR "79\187\239\0$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "79\187\239\0$" DenyAccess

SetEnvIF REMOTE_ADDR "179\53\46\105$" DenyAccess
SetEnvIF X-FORWARDED-FOR "179\53\46\105$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "179\, 53\, 46\, 105$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^179\, 53\, 46\, 105$" DenyAccess

SetEnvIF REMOTE_ADDR "^1\, 32\, 70\, 222$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^1\, 32\, 70\, 222$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^1\, 32\, 70\, 222$" DenyAccess

SetEnvIF REMOTE_ADDR "^213\, 55\, 114\, 182$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^213\, 55\, 114\, 182$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^213\, 55\, 114\, 182$" DenyAccess

SetEnvIF REMOTE_ADDR "^109\, 94\, 227\, 60$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\, 94\, 227\, 60$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\, 94\, 227\, 60$" DenyAccess

SetEnvIF REMOTE_ADDR "^201\, 86\, 125\, 206$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^201\, 86\, 125\, 206$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^201\, 86\, 125\, 206$" DenyAccess

SetEnvIF REMOTE_ADDR "^79\, 126\, 219\, 235$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\, 126\, 219\, 235$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\, 126\, 219\, 235$" DenyAccess

SetEnvIF REMOTE_ADDR "^213\, 162\, 68\, 55$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^213\, 162\, 68\, 55$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^213\, 162\, 68\, 55$" DenyAccess

SetEnvIF REMOTE_ADDR "^121\, 54\, 32\, 132$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^121\, 54\, 32\, 132$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^121\, 54\, 32\, 132$" DenyAccess

SetEnvIF REMOTE_ADDR "^197\, 200\, 97\, 166$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^197\, 200\, 97\, 166$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^197\, 200\, 97\, 166$" DenyAccess

SetEnvIF REMOTE_ADDR "^164\, 126\, 29\, 164$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^164\, 126\, 29\, 164$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^164\, 126\, 29\, 164$" DenyAccess

SetEnvIF REMOTE_ADDR "^39\, 33\, 192\, 216$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\, 33\, 192\, 216$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\, 33\, 192\, 216$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP ""39\, 33\, 192\, 216\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^41\, 104\, 216\, 237\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^41\, 104\, 216\, 237\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^41\, 104\, 216\, 237\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^86\, 107\, 36\, 240\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^86\, 107\, 36\, 240\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^86\, 107\, 36\, 240\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^178\, 41\, 186\, 98\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^178\, 41\, 186\, 98\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^178\, 41\, 186\, 98\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^121\, 121\, 62\, 142\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^121\, 121\, 62\, 142\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^121\, 121\, 62\, 142\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^24\, 135\, 234\, 4\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^24\, 135\, 234\, 4\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^24\, 135\, 234\, 4\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^93\, 113\, 187\, 188\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^93\, 113\, 187\, 188\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^93\, 113\, 187\, 188\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^142\, 162\, 11\, 5\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^142\, 162\, 11\, 5\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^142\, 162\, 11\, 5\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^5\, 22\, 129\, 208\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\, 22\, 129\, 208\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\, 22\, 129\, 208\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^112\, 208\, 135\, 225\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^112\, 208\, 135\, 225\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^112\, 208\, 135\, 225\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^213\, 35\, 184\, 50\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^213\, 35\, 184\, 50\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^213\, 35\, 184\, 50\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^41\.143\.19\.58$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\.143\.19\.58$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\.143\.19\.58$" DenyAccess

SetEnvIF REMOTE_ADDR "^121\.54\.32\.138$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^121\.54\.32\.138$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^121\.54\.32\.138$" DenyAccess

SetEnvIF REMOTE_ADDR "^124\.43\.192\.185$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^124\.43\.192\.185$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^124\.43\.192\.185$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\.18\.72\.58$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\.18\.72\.58$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\.18\.72\.58$" DenyAccess

SetEnvIF REMOTE_ADDR "^201\.80\.8\.126$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^201\.80\.8\.126$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^201\.80\.8\.126$" DenyAccess

SetEnvIF REMOTE_ADDR "^110\.93\.94\.242$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^110\.93\.94\.242$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^110\.93\.94\.242$" DenyAccess

SetEnvIF REMOTE_ADDR "^103\.240\.32\.22$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\.240\.32\.22$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\.240\.32\.22$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\.222\.234\.44$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^88\.222\.234\.44$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^88\.222\.234\.44$" DenyAccess

SetEnvIF REMOTE_ADDR "^172\.243\.69\.128$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^172\.243\.69\.128$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^172\.243\.69\.128$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.202\.91\.209$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.202\.91\.209$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.202\.91\.209$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^105\.109\.225\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^105\.109\.225\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^105\.109\.225\.37$" DenyAccess

SetEnvIF REMOTE_ADDR "^187\.158\.90\.48$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^187\.158\.90\.48$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^187\.158\.90\.48$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.176\.0\.40$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.176\.0\.40$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.176\.0\.40$" DenyAccess

SetEnvIF REMOTE_ADDR "^41\.133\.134\.227$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\.133\.134\.227$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\.133\.134\.227$" DenyAccess

SetEnvIF REMOTE_ADDR "^89\.154\.228\.27$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^89\.154\.228\.27$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^89\.154\.228\.27$" DenyAccess

SetEnvIF REMOTE_ADDR "^212\.40\.86\.99$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.40\.86\.99$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.40\.86\.99$" DenyAccess

SetEnvIF REMOTE_ADDR "^223\.223\.174\.15$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^223\.223\.174\.15$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^223\.223\.174\.15$" DenyAccess

SetEnvIF REMOTE_ADDR "^119\.74\.87\.91$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^119\.74\.87\.91$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^119\.74\.87\.91$" DenyAccess

SetEnvIF REMOTE_ADDR "^188\.241\.201\.78$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.241\.201\.78$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.241\.201\.78$" DenyAccess

SetEnvIF REMOTE_ADDR "^125\.137\.152\.7$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^125\.137\.152\.7$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^125\.137\.152\.7$" DenyAccess

SetEnvIF REMOTE_ADDR "^85\.55\.240\.13$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^85\. 55\. 240\. 13$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\. 55\. 240\. 13$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^175\. 110\. 165\. 180$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^175\. 110\. 165\. 180$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^175\. 110\. 165\. 180$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^94\. 52\. 37\. 56$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\. 52\. 37\. 56$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\. 52\. 37\. 56$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^39\. 32\. 83\. 210$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^39\. 32\. 83\. 210$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^39\. 32\. 83\. 210$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^197\. 81\. 126\. 41$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^197\. 81\. 126\. 41$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^197\. 81\. 126\. 41$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^191\. 112\. 44\. 73$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^191\. 112\. 44\. 73$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^191\. 112\. 44\. 73$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^171\. 96\. 176\. 124$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^171\. 96\. 176\. 124$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^171\. 96\. 176\. 124$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^41\. 96\. 184\. 208$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\. 96\. 184\. 208$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\. 96\. 184\. 208$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^86\. 122\. 43\. 81$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^86\. 122\. 43\. 81$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^86\. 122\. 43\. 81$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^109\. 93\. 41\. 245$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\. 93\. 41\. 245$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\. 93\. 41\. 245$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^176\. 223\. 7\. 139$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\. 223\. 7\. 139$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 223\. 7\. 139\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^79\. 181\. 101\. 112\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^79\. 181\. 101\. 112\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^79\. 181\. 101\. 112\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^121\. 54\. 54\. 157\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^121\. 54\. 54\. 157\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^121\. 54\. 54\. 157\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^46\. 217\. 50\. 208\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^46\. 217\. 50\. 208\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 217\. 50\. 208\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^87\. 11\. 35\. 63\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^87\. 11\. 35\. 63\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^87\. 11\. 35\. 63\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^197\. 163\. 49\. 180\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^197\. 163\. 49\. 180\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^197\. 163\. 49\. 180\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^176\. 44\. 126\. 20\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^176\. 44\. 126\. 20\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 44\. 126\. 20\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^115\. 254\. 56\. 29\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^115\. 254\. 56\. 29\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^115\. 254\. 56\. 29\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^149\. 200\. 141\. 70\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^149\. 200\. 141\. 70\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^149\. 200\. 141\. 70\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^119\. 159\. 81\. 1\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^119\. 159\. 81\. 1\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^119\. 159\. 81\. 1\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^5\. 151\. 104\. 77\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\. 151\. 104\. 77\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\. 151\. 104\. 77\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^78\. 233\. 174\. 151\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^78\. 233\. 174\. 151\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^78\. 233\. 174\. 151\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^79\. 116\. 181\. 28\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^79\. 116\. 181\. 28\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^79\. 116\. 181\. 28\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^119\. 157\. 235\. 231\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^119\. 157\. 235\. 231\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^119\. 157\. 235\. 231\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^89\. 137\. 229\. 186\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^89\. 137\. 229\. 186\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^89\. 137\. 229\. 186\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^178\. 221\. 94\. 174\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^178\. 221\. 94\. 174\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^178\. 221\. 94\. 174\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^153\. 218\. 171\. 87\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^153\. 218\. 171\. 87\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^153\. 218\. 171\. 87\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^93\. 139\. 133\. 234\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^93\. 139\. 133\. 234\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^93\. 139\. 133\. 234\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^46\. 119\. 115\. 165\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^46\. 119\. 115\. 165\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^46\. 119\. 115\. 165\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^200\. 161\. 115\. 34\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^200\. 161\. 115\. 34\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^200\. 161\. 115\. 34\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^177\. 129\. 90\. 37\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^177\. 129\. 90\. 37\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^177\. 129\. 90\. 37\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^179\.184\.34\.47\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^179\.184\.34\.47\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^179\.184\.34\.47\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^78\.188\.167\.205\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^78\.188\.167\.205\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.188\.167\.205\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^190\.78\.49\.210\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^190\.78\.49\.210\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^190\.78\.49\.210\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^94\.123\.226\.63\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^94\.123\.226\.63\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.123\.226\.63\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^94\.198\.242\.175\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^94\.198\.242\.175\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.198\.242\.175\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^173\.254\.236\.58\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^173\.254\.236\.58\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^173\.254\.236\.58\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^94\.156\.217\.53\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^94\.156\.217\.53\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.156\.217\.53\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^195\.154\.241\.157\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^195\.154\.241\.157\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^195\.154\.241\.157\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^78\.171\.187\.91\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^78\.171\.187\.91\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.171\.187\.91\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^88\.226\.200\.18\$" DenyAccess  
SetEnvIF X-FORWARDED-FOR "^88\.226\.200\.18\$" DenyAccess  
SetEnvIF X-CLUSTER-CLIENT-IP "^88\.226\.200\.18\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^91\.914\.202\.24\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "21\, 214\, 202\, 24$" DenyAccess
SetEnvIF X-FORWARDED-FOR "21\, 214\, 202\, 24$" DenyAccess

SetEnvIF REMOTE_ADDR "85\, 159\, 212\, 184$" DenyAccess
SetEnvIF X-FORWARDED-FOR "85\, 159\, 212\, 184$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "85\, 159\, 212\, 184$" DenyAccess

SetEnvIF REMOTE_ADDR "212\, 252\, 167\, 228$" DenyAccess
SetEnvIF X-FORWARDED-FOR "212\, 252\, 167\, 228$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "212\, 252\, 167\, 228$" DenyAccess

SetEnvIF REMOTE_ADDR "212\, 252\, 167\, 191$" DenyAccess
SetEnvIF X-FORWARDED-FOR "212\, 252\, 167\, 191$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "212\, 252\, 167\, 191$" DenyAccess

SetEnvIF REMOTE_ADDR "213\, 184\, 244\, 241$" DenyAccess
SetEnvIF X-FORWARDED-FOR "213\, 184\, 244\, 241$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "213\, 184\, 244\, 241$" DenyAccess

SetEnvIF REMOTE_ADDR "96\, 44\, 189\, 100$" DenyAccess
SetEnvIF X-FORWARDED-FOR "96\, 44\, 189\, 100$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "96\, 44\, 189\, 100$" DenyAccess

SetEnvIF REMOTE_ADDR "37\, 130\, 227\, 133$" DenyAccess
SetEnvIF X-FORWARDED-FOR "37\, 130\, 227\, 133$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "37\, 130\, 227\, 133$" DenyAccess

SetEnvIF REMOTE_ADDR "81\, 89\, 96\, 89$" DenyAccess
SetEnvIF X-FORWARDED-FOR "81\, 89\, 96\, 89$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "81\, 89\, 96\, 89$" DenyAccess

SetEnvIF REMOTE_ADDR "104\, 232\, 3\, 33$" DenyAccess
SetEnvIF X-FORWARDED-FOR "104\, 232\, 3\, 33$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "104\, 232\, 3\, 33$" DenyAccess

SetEnvIF REMOTE_ADDR "95\, 215\, 45\, 142$" DenyAccess
SetEnvIF X-FORWARDED-FOR "95\, 215\, 45\, 142$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "95\, 215\, 45\, 142$" DenyAccess

SetEnvIF REMOTE_ADDR "162\, 221\, 202\, 230$" DenyAccess
SetEnvIF X-FORWARDED-FOR "162\, 221\, 202\, 230$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "162\. 221\. 202\. 230$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^162\. 221\. 202\. 230$" DenyAccess

SetEnvIF REMOTE_ADDR "^51\. 254\. 32\. 167$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^51\. 254\. 32\. 167$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^51\. 254\. 32\. 167$" DenyAccess

SetEnvIF REMOTE_ADDR "^109\. 163\. 235\. 228$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\. 163\. 235\. 228$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\. 163\. 235\. 228$" DenyAccess

SetEnvIF REMOTE_ADDR "^88\. 240\. 135\. 135$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^88\. 240\. 135\. 135$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^88\. 240\. 135\. 135$" DenyAccess

SetEnvIF REMOTE_ADDR "^117\. 253\. 207\. 44$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^117\. 253\. 207\. 44$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^117\. 253\. 207\. 44$" DenyAccess

SetEnvIF REMOTE_ADDR "^189\. 28\. 144\. 52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^189\. 28\. 144\. 52$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^189\. 28\. 144\. 52$" DenyAccess

SetEnvIF REMOTE_ADDR "^31\. 168\. 69\. 220$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^31\. 168\. 69\. 220$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^31\. 168\. 69\. 220$" DenyAccess

SetEnvIF REMOTE_ADDR "^200\. 220\. 139\. 2$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^200\. 220\. 139\. 2$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^200\. 220\. 139\. 2$" DenyAccess

SetEnvIF REMOTE_ADDR "^85\. 107\. 171\. 219$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\. 107\. 171\. 219$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\. 107\. 171\. 219$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\. 233\. 2\. 242$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\. 233\. 2\. 242$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 233\. 2\. 242$" DenyAccess

SetEnvIF REMOTE_ADDR "^92\. 63\. 87\. 87$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^92\. 63\. 87\. 87$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^92\. 63\. 87\. 87$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP ""92\. 63\. 87\. 87\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^37\. 187\. 7\. 74\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^37\. 187\. 7\. 74\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^37\. 187\. 7\. 74\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^176\. 126\. 252\. 11\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^176\. 126\. 252\. 11\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 126\. 252\. 11\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^77\. 247\. 181\. 165\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^77\. 247\. 181\. 165\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^77\. 247\. 181\. 165\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^88\. 252\. 6\. 197\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^88\. 252\. 6\. 197\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^88\. 252\. 6\. 197\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^198\. 50\. 213\. 119\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^198\. 50\. 213\. 119\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^198\. 50\. 213\. 119\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^62\. 141\. 45\. 246\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^62\. 141\. 45\. 246\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^62\. 141\. 45\. 246\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^37\. 187\. 129\. 166\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^37\. 187\. 129\. 166\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^37\. 187\. 129\. 166\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^82\. 211\. 19\. 143\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^82\. 211\. 19\. 143\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^82\. 211\. 19\. 143\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^142\. 4\. 213\. 25\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^142\. 4\. 213\. 25\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^142\. 4\. 213\. 25\$" DenyAccess

SetEnvIF REMOTE\_ADDR "^5\. 196\. 66\. 162\$" DenyAccess

SetEnvIF X-FORWARDED-FOR "^5\. 196\. 66\. 162\$" DenyAccess

SetEnvIF X-CLUSTER-CLIENT-IP "^5\. 196\. 66\. 162\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^171\. 25\. 193\. 20\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^171\. 25\. 193\. 20\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^171\. 25\. 193\. 20\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^192\. 99\. 154\. 24\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^192\. 99\. 154\. 24\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^192\. 99\. 154\. 24\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^77\. 247\. 181\. 162\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^77\. 247\. 181\. 162\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^77\. 247\. 181\. 162\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^185\. 14\. 29\. 221\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^185\. 14\. 29\. 221\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^185\. 14\. 29\. 221\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^207\. 244\. 70\. 35\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^207\. 244\. 70\. 35\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^207\. 244\. 70\. 35\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^176\. 58\. 100\. 98\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^176\. 58\. 100\. 98\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^176\. 58\. 100\. 98\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^31\. 220\. 45\. 6\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^31\. 220\. 45\. 6\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^31\. 220\. 45\. 6\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^176\. 9\. 25\. 72\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^176\. 9\. 25\. 72\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^176\. 9\. 25\. 72\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^176\. 10\. 99\. 203\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^176\. 10\. 99\. 203\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^176\. 10\. 99\. 203\$" DenyAccess

Set-EnvIF REMOTE\_ADDR "^171\. 25\. 193\. 27\$" DenyAccess  
Set-EnvIF X-FORWARDED-FOR "^171\. 25\. 193\. 27\$" DenyAccess  
Set-EnvIF X-CLUSTER-CLIENT-IP "^171\. 25\. 193\. 27\$" DenyAccess

```
SetEnvIF REMOTE_ADDR "^176\. 31\. 191\. 26$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\. 31\. 191\. 26$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 31\. 191\. 26$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\. 121\. 159\. 196$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\. 121\. 159\. 196$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\. 121\. 159\. 196$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\. 104\. 120\. 4$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\. 104\. 120\. 4$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\. 104\. 120\. 4$" DenyAccess

SetEnvIF REMOTE_ADDR "^176\. 10\. 104\. 240$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^176\. 10\. 104\. 240$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^176\. 10\. 104\. 240$" DenyAccess

SetEnvIF REMOTE_ADDR "^198\. 50\. 200\. 143$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^198\. 50\. 200\. 143$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^198\. 50\. 200\. 143$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\. 62\. 188\. 14$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\. 62\. 188\. 14$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\. 62\. 188\. 14$" DenyAccess

SetEnvIF REMOTE_ADDR "^62\. 210\. 37\. 82$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^62\. 210\. 37\. 82$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^62\. 210\. 37\. 82$" DenyAccess

SetEnvIF REMOTE_ADDR "^109\. 163\. 234\. 5$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\. 163\. 234\. 5$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\. 163\. 234\. 5$" DenyAccess

SetEnvIF REMOTE_ADDR "^37\. 157\. 195\. 178$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\. 157\. 195\. 178$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\. 157\. 195\. 178$" DenyAccess

SetEnvIF REMOTE_ADDR "^166\. 70\. 181\. 109$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^166\. 70\. 181\. 109$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^166\. 70\. 181\. 109$" DenyAccess

SetEnvIF REMOTE_ADDR "^93\. 115\. 241\. 2$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^93\.115\.241\.2$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\.115\.241\.2$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.109\.247\.173$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.109\.247\.173$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.109\.247\.173$" DenyAccess

SetEnvIF REMOTE_ADDR "^79\.98\.107\.90$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\.98\.107\.90$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\.98\.107\.90$" DenyAccess

SetEnvIF REMOTE_ADDR "^50\.7\.143\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^50\.7\.143\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^50\.7\.143\.37$" DenyAccess

SetEnvIF REMOTE_ADDR "^93\.115\.95\.205$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^93\.115\.95\.205$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\.115\.95\.205$" DenyAccess

SetEnvIF REMOTE_ADDR "^204\.124\.83\.130$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^204\.124\.83\.130$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^204\.124\.83\.130$" DenyAccess

SetEnvIF REMOTE_ADDR "^149\.210\.171\.70$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^149\.210\.171\.70$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^149\.210\.171\.70$" DenyAccess

SetEnvIF REMOTE_ADDR "^92\.222\.252\.206$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^92\.222\.252\.206$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^92\.222\.252\.206$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.242\.246\.24$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.242\.246\.24$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.242\.246\.24$" DenyAccess

SetEnvIF REMOTE_ADDR "^149\.202\.98\.161$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^149\.202\.98\.161$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^149\.202\.98\.161$" DenyAccess

SetEnvIF REMOTE_ADDR "^35\.0\.127\.52$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^35\.0\.127\.52$" DenyAccess
```

```
SetEnvIf X-CLUSTER-CLIENT-IP "^35\.0\.127\.52$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^94\.242\.246\.23$" DenyAccess
```

```
SetEnvIf X-FORWARDED-FOR "^94\.242\.246\.23$" DenyAccess
```

```
SetEnvIf X-CLUSTER-CLIENT-IP "^94\.242\.246\.23$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^77\.109\.141\.138$" DenyAccess
```

```
SetEnvIf X-FORWARDED-FOR "^77\.109\.141\.138$" DenyAccess
```

```
SetEnvIf X-CLUSTER-CLIENT-IP "^77\.109\.141\.138$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "^195\.234\.215\.147$" DenyAccess
```

```
SetEnvIf X-FORWARDED-FOR "^195\.234\.215\.147$" DenyAccess
```

```
SetEnvIf X-CLUSTER-CLIENT-IP "^195\.234\.215\.147$" DenyAccess
```

```
<IfModule mod_authz_core.c>
```

```
  <RequireAll>
```

```
    Require all granted
```

```
    Require not env DenyAccess
```

```
    Require not ip 78.85.227.148
```

```
    Require not ip 183.138.175.168
```

```
    Require not ip 37.57.25.225
```

```
    Require not ip 94.131.14.100
```

```
    Require not ip 194.28.112.157
```

```
    Require not ip 183.138.151.36
```

```
    Require not ip 178.175.184.156
```

```
    Require not ip 178.175.184.167
```

```
    Require not ip 188.208.218.63
```

```
    Require not ip 189.31.62.201
```

```
    Require not ip 193.200.60.28
```

```
    Require not ip 192.237.253.225
```

```
    Require not ip 183.159.77.65
```

```
    Require not ip 5.45.79.44
```

```
    Require not ip 94.153.10.239
```

```
    Require not ip 88.226.212.104
```

```
    Require not ip 178.151.143.163
```

```
    Require not ip 39.185.145.225
```

```
    Require not ip 46.118.119.63
```

```
    Require not ip 88.241.194.5
```

```
    Require not ip 91.200.12.65
```

```
    Require not ip 212.252.167.218
```

```
    Require not ip 212.252.167.116
```

Require not ip 178.137.163.42  
Require not ip 188.143.234.25  
Require not ip 188.241.177.61  
Require not ip 82.155.77.5  
Require not ip 191.112.79.22  
Require not ip 105.236.232.213  
Require not ip 123.63.221.121  
Require not ip 84.252.38.248  
Require not ip 78.92.9.49  
Require not ip 79.118.2.76  
Require not ip 93.22.159.114  
Require not ip 172.218.181.12  
Require not ip 110.169.71.221  
Require not ip 83.28.230.47  
Require not ip 39.33.98.60  
Require not ip 41.57.111.189  
Require not ip 85.103.191.175  
Require not ip 92.87.13.201  
Require not ip 182.185.168.253  
Require not ip 41.87.178.200  
Require not ip 50.118.162.141  
Require not ip 92.87.210.7  
Require not ip 77.250.231.58  
Require not ip 109.66.195.123  
Require not ip 81.66.234.57  
Require not ip 175.136.89.81  
Require not ip 119.160.181.104  
Require not ip 112.134.80.186  
Require not ip 124.82.80.26  
Require not ip 93.86.5.133  
Require not ip 105.210.87.220  
Require not ip 86.121.80.194  
Require not ip 175.215.148.230  
Require not ip 85.187.177.243  
Require not ip 42.60.195.234  
Require not ip 114.78.2.11  
Require not ip 118.233.70.30  
Require not ip 31.47.7.143  
Require not ip 103.10.23.60  
Require not ip 5.13.178.193  
Require not ip 103.249.89.94

Require not ip 180.191.154.3  
Require not ip 213.186.188.245  
Require not ip 87.207.120.167  
Require not ip 187.244.203.113  
Require not ip 88.236.34.243  
Require not ip 161.0.114.2  
Require not ip 83.249.238.52  
Require not ip 74.139.42.208  
Require not ip 119.95.71.75  
Require not ip 109.226.15.199  
Require not ip 31.201.184.37  
Require not ip 109.97.83.34  
Require not ip 197.79.15.117  
Require not ip 89.205.94.233  
Require not ip 196.26.87.2  
Require not ip 150.107.88.38  
Require not ip 46.107.122.46  
Require not ip 84.0.188.102  
Require not ip 178.222.203.6  
Require not ip 105.228.174.72  
Require not ip 210.195.148.31  
Require not ip 112.144.68.146  
Require not ip 182.181.150.27  
Require not ip 178.222.207.84  
Require not ip 175.136.210.3  
Require not ip 80.197.157.110 Require not ip 5.32.14.106  
Require not ip 92.81.205.147  
Require not ip 202.44.228.1  
Require not ip 89.157.121.174  
Require not ip 105.227.109.92  
Require not ip 112.173.143.222  
Require not ip 220.94.250.100  
Require not ip 103.255.8.129  
Require not ip 94.231.224.96  
Require not ip 58.123.73.177  
Require not ip 196.31.40.34  
Require not ip 79.116.234.21  
Require not ip 212.200.65.242  
Require not ip 75.143.208.206  
Require not ip 220.87.53.251  
Require not ip 100.28.96.28

Require not ip 24.135.121.249  
Require not ip 46.185.190.55  
Require not ip 12.222.248.212  
Require not ip 202.142.67.20  
Require not ip 125.60.252.162  
Require not ip 196.201.229.58  
Require not ip 105.102.100.32  
Require not ip 39.32.195.164  
Require not ip 109.64.149.253  
Require not ip 49.150.234.31  
Require not ip 41.188.46.82  
Require not ip 80.236.206.40  
Require not ip 86.122.49.9  
Require not ip 124.182.135.248  
Require not ip 145.132.127.39  
Require not ip 182.93.90.51  
Require not ip 103.4.147.190  
Require not ip 89.47.214.200  
Require not ip 39.32.36.82  
Require not ip 114.4.79.158  
Require not ip 94.225.20.60  
Require not ip 39.32.113.45  
Require not ip 180.183.203.218  
Require not ip 188.2.136.202  
Require not ip 94.61.194.30  
Require not ip 115.133.88.136  
Require not ip 109.67.121.94  
Require not ip 197.0.226.214  
Require not ip 92.83.187.108  
Require not ip 180.191.139.46  
Require not ip 112.210.114.8  
Require not ip 195.26.151.27  
Require not ip 81.83.19.242  
Require not ip 49.151.1.244  
Require not ip 79.187.239.0  
Require not ip 179.53.46.105  
Require not ip 1.32.70.222  
Require not ip 213.55.114.182  
Require not ip 109.94.227.60  
Require not ip 201.86.125.206  
Require not ip 70.105.010.005

Require not ip 79.126.219.233  
Require not ip 213.162.68.55  
Require not ip 121.54.32.132  
Require not ip 197.200.97.166  
Require not ip 164.126.29.164  
Require not ip 39.33.192.216  
Require not ip 41.104.216.237  
Require not ip 86.107.36.240  
Require not ip 178.41.186.98  
Require not ip 121.121.62.142  
Require not ip 24.135.234.4  
Require not ip 93.113.187.188  
Require not ip 142.162.11.5  
Require not ip 5.22.129.208  
Require not ip 112.208.135.225  
Require not ip 213.35.184.50  
Require not ip 41.143.19.58  
Require not ip 121.54.32.138  
Require not ip 124.43.192.185  
Require not ip 103.18.72.58  
Require not ip 201.80.8.126  
Require not ip 110.93.94.242  
Require not ip 103.240.32.22  
Require not ip 88.222.234.44  
Require not ip 172.243.69.128  
Require not ip 91.202.91.209  
Require not ip 105.109.225.37  
Require not ip 187.158.90.48  
Require not ip 94.176.0.40  
Require not ip 41.133.134.227  
Require not ip 89.154.228.27  
Require not ip 212.40.86.99  
Require not ip 223.223.174.15  
Require not ip 119.74.87.91  
Require not ip 188.241.201.78  
Require not ip 125.137.152.7  
Require not ip 85.55.240.13  
Require not ip 175.110.165.180  
Require not ip 94.52.37.56  
Require not ip 39.32.83.210  
Require not ip 197.81.126.41

Require not ip 191.112.44.73  
Require not ip 171.96.176.124  
Require not ip 41.96.184.208  
Require not ip 86.122.43.81  
Require not ip 109.93.41.245  
Require not ip 176.223.7.139  
Require not ip 79.181.101.112  
Require not ip 121.54.54.157  
Require not ip 46.217.50.208  
Require not ip 87.11.35.63  
Require not ip 197.163.49.180  
Require not ip 176.44.126.20  
Require not ip 115.254.56.29  
Require not ip 149.200.141.70  
Require not ip 119.159.81.1  
Require not ip 5.151.104.77  
Require not ip 78.233.174.151  
Require not ip 79.116.181.28  
Require not ip 119.157.235.231  
Require not ip 89.137.229.186  
Require not ip 178.221.94.174  
Require not ip 153.218.171.87  
Require not ip 93.139.133.234  
Require not ip 46.119.115.165  
Require not ip 200.161.115.34  
Require not ip 177.129.90.37  
Require not ip 179.184.34.47  
Require not ip 78.188.167.205  
Require not ip 190.78.49.210  
Require not ip 94.123.226.63  
Require not ip 94.198.242.175  
Require not ip 173.254.236.58  
Require not ip 94.156.217.53  
Require not ip 195.154.241.157  
Require not ip 78.171.187.91  
Require not ip 88.226.200.18  
Require not ip 91.214.202.24  
Require not ip 85.159.212.184  
Require not ip 212.252.167.228  
Require not ip 212.252.167.191  
Require not ip 213.184.244.241

Require not ip 96. 44. 189. 100  
Require not ip 37. 130. 227. 133  
Require not ip 81. 89. 96. 89  
Require not ip 104. 232. 3. 33  
Require not ip 95. 215. 45. 142  
Require not ip 162. 221. 202. 230  
Require not ip 51. 254. 32. 167  
Require not ip 109. 163. 235. 228  
Require not ip 88. 240. 135. 135  
Require not ip 117. 253. 207. 44  
Require not ip 189. 28. 144. 52  
Require not ip 31. 168. 69. 220  
Require not ip 200. 220. 139. 2  
Require not ip 85. 107. 171. 219  
Require not ip 176. 233. 2. 242  
Require not ip 92. 63. 87. 87  
Require not ip 37. 187. 7. 74  
Require not ip 176. 126. 252. 11  
Require not ip 77. 247. 181. 165  
Require not ip 88. 252. 6. 197  
Require not ip 198. 50. 213. 119  
Require not ip 62. 141. 45. 246  
Require not ip 37. 187. 129. 166  
Require not ip 82. 211. 19. 143  
Require not ip 142. 4. 213. 25  
Require not ip 5. 196. 66. 162  
Require not ip 171. 25. 193. 20  
Require not ip 192. 99. 154. 24  
Require not ip 77. 247. 181. 162  
Require not ip 185. 14. 29. 221  
Require not ip 207. 244. 70. 35  
Require not ip 176. 58. 100. 98  
Require not ip 31. 220. 45. 6  
Require not ip 176. 9. 25. 72  
Require not ip 176. 10. 99. 203  
Require not ip 171. 25. 193. 27  
Require not ip 176. 31. 191. 26  
Require not ip 91. 121. 159. 196  
Require not ip 185. 104. 120. 4  
Require not ip 176. 10. 104. 240  
Require not ip 198. 50. 200. 143

```
Require not ip 185.62.188.14
Require not ip 62.210.37.82
Require not ip 109.163.234.5
Require not ip 37.157.195.178
Require not ip 166.70.181.109
Require not ip 93.115.241.2
Require not ip 91.109.247.173
Require not ip 79.98.107.90
Require not ip 50.7.143.37
Require not ip 93.115.95.205
Require not ip 204.124.83.130
Require not ip 149.210.171.70
Require not ip 92.222.252.206
Require not ip 94.242.246.24
Require not ip 149.202.98.161
Require not ip 35.0.127.52
Require not ip 94.242.246.23
Require not ip 77.109.141.138
Require not ip 195.234.215.147
```

```
</RequireAll>
```

```
</IfModule>
```

```
<IfModule !mod_authz_core.c>
```

```
Order allow,deny
```

```
Allow from all
```

```
Deny from env=DenyAccess
```

```
Deny from 78.85.227.148
```

```
Deny from 183.138.175.168
```

```
Deny from 37.57.25.225
```

```
Deny from 94.131.14.100
```

```
Deny from 194.28.112.157
```

```
Deny from 183.138.151.36
```

```
Deny from 178.175.184.156
```

```
Deny from 178.175.184.167
```

```
Deny from 188.208.218.63
```

```
Deny from 189.31.62.201
```

```
Deny from 193.200.60.28
```

```
Deny from 192.237.253.225
```

```
Deny from 183.159.77.65
```

```
Deny from 5.45.79.44
```

```
Deny from 94.153.10.239
```

```
Deny from 88.226.212.104
```

Deny from 178.151.143.163  
Deny from 39.185.145.225  
Deny from 46.118.119.63  
Deny from 88.241.194.5  
Deny from 91.200.12.65  
Deny from 212.252.167.218  
Deny from 212.252.167.116  
Deny from 178.137.163.42  
Deny from 188.143.234.25  
Deny from 188.241.177.61  
Deny from 82.155.77.5  
Deny from 191.112.79.22  
Deny from 105.236.232.213  
Deny from 123.63.221.121  
Deny from 84.252.38.248  
Deny from 78.92.9.49  
Deny from 79.118.2.76  
Deny from 93.22.159.114  
Deny from 172.218.181.12  
Deny from 110.169.71.221  
Deny from 83.28.230.47  
Deny from 39.33.98.60  
Deny from 41.57.111.189  
Deny from 85.103.191.175  
Deny from 92.87.13.201  
Deny from 182.185.168.253  
Deny from 41.87.178.200  
Deny from 50.118.162.141  
Deny from 92.87.210.7  
Deny from 77.250.231.58  
Deny from 109.66.195.123  
Deny from 81.66.234.57  
Deny from 175.136.89.81  
Deny from 119.160.181.104  
Deny from 112.134.80.186  
Deny from 124.82.80.26  
Deny from 93.86.5.133  
Deny from 105.210.87.220  
Deny from 86.121.80.194  
Deny from 175.215.148.230  
Deny from 85.187.177.243

Deny from 42. 60. 195. 234  
Deny from 114. 78. 2. 11  
Deny from 118. 233. 70. 30  
Deny from 31. 47. 7. 143  
Deny from 103. 10. 23. 60  
Deny from 5. 13. 178. 193  
Deny from 103. 249. 89. 94  
Deny from 180. 191. 154. 3  
Deny from 213. 186. 188. 245  
Deny from 87. 207. 120. 167  
Deny from 187. 244. 203. 113  
Deny from 88. 236. 34. 243  
Deny from 161. 0. 114. 2  
Deny from 83. 249. 238. 52  
Deny from 74. 139. 42. 208  
Deny from 119. 95. 71. 75  
Deny from 109. 226. 15. 199  
Deny from 31. 201. 184. 37  
Deny from 109. 97. 83. 34  
Deny from 197. 79. 15. 117  
Deny from 89. 205. 94. 233  
Deny from 196. 26. 87. 2  
Deny from 150. 107. 88. 38  
Deny from 46. 107. 122. 46  
Deny from 84. 0. 188. 102  
Deny from 178. 222. 203. 6  
Deny from 105. 228. 174. 72  
Deny from 210. 195. 148. 31  
Deny from 112. 144. 68. 146  
Deny from 182. 181. 150. 27  
Deny from 178. 222. 207. 84  
Deny from 175. 136. 210. 3  
Deny from 80. 197. 157. 110  
Deny from 5. 32. 14. 106  
Deny from 92. 81. 205. 147  
Deny from 202. 44. 228. 1  
Deny from 89. 157. 121. 174  
Deny from 105. 227. 109. 92  
Deny from 112. 173. 143. 222  
Deny from 220. 94. 250. 100  
Deny from 103. 255. 8. 129

-  
Deny from 94. 231. 224. 96  
Deny from 58. 123. 73. 177  
Deny from 196. 31. 40. 34  
Deny from 79. 116. 234. 21  
Deny from 212. 200. 65. 242  
Deny from 75. 143. 208. 206  
Deny from 220. 87. 53. 251  
Deny from 190. 28. 96. 28  
Deny from 24. 135. 121. 249  
Deny from 46. 185. 190. 55  
Deny from 12. 222. 248. 212  
Deny from 202. 142. 67. 20  
Deny from 125. 60. 252. 162  
Deny from 196. 201. 229. 58  
Deny from 105. 102. 100. 32  
Deny from 39. 32. 195. 164  
Deny from 109. 64. 149. 253  
Deny from 49. 150. 234. 31  
Deny from 41. 188. 46. 82  
Deny from 80. 236. 206. 40  
Deny from 86. 122. 49. 9  
Deny from 124. 182. 135. 248  
Deny from 145. 132. 127. 39  
Deny from 182. 93. 90. 51  
Deny from 103. 4. 147. 190  
Deny from 89. 47. 214. 200  
Deny from 39. 32. 36. 82  
Deny from 114. 4. 79. 158  
Deny from 94. 225. 20. 60  
Deny from 39. 32. 113. 45  
Deny from 180. 183. 203. 218  
Deny from 188. 2. 136. 202  
Deny from 94. 61. 194. 30  
Deny from 115. 133. 88. 136  
Deny from 109. 67. 121. 94  
Deny from 197. 0. 226. 214  
Deny from 92. 83. 187. 108  
Deny from 180. 191. 139. 46  
Deny from 112. 210. 114. 8  
Deny from 195. 26. 151. 27  
Denu from 81. 83. 19. 242

Deny from 49.151.1.244  
Deny from 79.187.239.0  
Deny from 179.53.46.105  
Deny from 1.32.70.222  
Deny from 213.55.114.182  
Deny from 109.94.227.60  
Deny from 201.86.125.206  
Deny from 79.126.219.235  
Deny from 213.162.68.55  
Deny from 121.54.32.132  
Deny from 197.200.97.166  
Deny from 164.126.29.164  
Deny from 39.33.192.216  
Deny from 41.104.216.237  
Deny from 86.107.36.240  
Deny from 178.41.186.98  
Deny from 121.121.62.142  
Deny from 24.135.234.4  
Deny from 93.113.187.188  
Deny from 142.162.11.5  
Deny from 5.22.129.208  
Deny from 112.208.135.225  
Deny from 213.35.184.50  
Deny from 41.143.19.58  
Deny from 121.54.32.138  
Deny from 124.43.192.185  
Deny from 103.18.72.58  
Deny from 201.80.8.126  
Deny from 110.93.94.242  
Deny from 103.240.32.22  
Deny from 88.222.234.44  
Deny from 172.243.69.128  
Deny from 91.202.91.209  
Deny from 105.109.225.37  
Deny from 187.158.90.48  
Deny from 94.176.0.40  
Deny from 41.133.134.227  
Deny from 89.154.228.27  
Deny from 212.40.86.99  
Deny from 223.223.174.15  
Deny from 119.74.87.91

Deny from 113, 176, 211, 24

Deny from 188, 241, 201, 78

Deny from 125, 137, 152, 7

Deny from 85, 55, 240, 13

Deny from 175, 110, 165, 180

Deny from 94, 52, 37, 56

Deny from 39, 32, 83, 210

Deny from 197, 81, 126, 41

Deny from 191, 112, 44, 73

Deny from 171, 96, 176, 124

Deny from 41, 96, 184, 208

Deny from 86, 122, 43, 81

Deny from 109, 93, 41, 245

Deny from 176, 223, 7, 139

Deny from 79, 181, 101, 112

Deny from 121, 54, 54, 157

Deny from 46, 217, 50, 208

Deny from 87, 11, 35, 63

Deny from 197, 163, 49, 180

Deny from 176, 44, 126, 20

Deny from 115, 254, 56, 29

Deny from 149, 200, 141, 70

Deny from 119, 159, 81, 1

Deny from 5, 151, 104, 77

Deny from 78, 233, 174, 151

Deny from 79, 116, 181, 28

Deny from 119, 157, 235, 231

Deny from 89, 137, 229, 186

Deny from 178, 221, 94, 174

Deny from 153, 218, 171, 87

Deny from 93, 139, 133, 234

Deny from 46, 119, 115, 165

Deny from 200, 161, 115, 34

Deny from 177, 129, 90, 37

Deny from 179, 184, 34, 47

Deny from 78, 188, 167, 205

Deny from 190, 78, 49, 210

Deny from 94, 123, 226, 63

Deny from 94, 198, 242, 175

Deny from 173, 254, 236, 58

Deny from 94, 156, 217, 53

Deny from 105, 154, 24, 157

Deny from 193. 134. 241. 137  
Deny from 78. 171. 187. 91  
Deny from 88. 226. 200. 18  
Deny from 91. 214. 202. 24  
Deny from 85. 159. 212. 184  
Deny from 212. 252. 167. 228  
Deny from 212. 252. 167. 191  
Deny from 213. 184. 244. 241  
Deny from 96. 44. 189. 100  
Deny from 37. 130. 227. 133  
Deny from 81. 89. 96. 89  
Deny from 104. 232. 3. 33  
Deny from 95. 215. 45. 142  
Deny from 162. 221. 202. 230  
Deny from 51. 254. 32. 167  
Deny from 109. 163. 235. 228  
Deny from 88. 240. 135. 135  
Deny from 117. 253. 207. 44  
Deny from 189. 28. 144. 52  
Deny from 31. 168. 69. 220  
Deny from 200. 220. 139. 2  
Deny from 85. 107. 171. 219  
Deny from 176. 233. 2. 242  
Deny from 92. 63. 87. 87  
Deny from 37. 187. 7. 74  
Deny from 176. 126. 252. 11  
Deny from 77. 247. 181. 165  
Deny from 88. 252. 6. 197  
Deny from 198. 50. 213. 119  
Deny from 62. 141. 45. 246  
Deny from 37. 187. 129. 166  
Deny from 82. 211. 19. 143  
Deny from 142. 4. 213. 25  
Deny from 5. 196. 66. 162  
Deny from 171. 25. 193. 20  
Deny from 192. 99. 154. 24  
Deny from 77. 247. 181. 162  
Deny from 185. 14. 29. 221  
Deny from 207. 244. 70. 35  
Deny from 176. 58. 100. 98  
Deny from 31. 220. 45. 6

```
Deny from 176.9.25.72
Deny from 176.10.99.203
Deny from 171.25.193.27
Deny from 176.31.191.26
Deny from 91.121.159.196
Deny from 185.104.120.4
Deny from 176.10.104.240
Deny from 198.50.200.143
Deny from 185.62.188.14
Deny from 62.210.37.82
Deny from 109.163.234.5
Deny from 37.157.195.178
Deny from 166.70.181.109
Deny from 93.115.241.2
Deny from 91.109.247.173
Deny from 79.98.107.90
Deny from 50.7.143.37
Deny from 93.115.95.205
Deny from 204.124.83.130
Deny from 149.210.171.70
Deny from 92.222.252.206
Deny from 94.242.246.24
Deny from 149.202.98.161
Deny from 35.0.127.52
Deny from 94.242.246.23
Deny from 77.109.141.138
Deny from 195.234.215.147
```

```
</IfModule>
```

```
# Ban User Agents - Security > Settings > Banned Users
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    RewriteCond %{HTTP_USER_AGENT} ^78\.85\.227\.148 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^183\.138\.175\.168 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^37\.57\.25\.225 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^94\.131\.14\.100 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^194\.28\.112\.157 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^183\.138\.151\.36 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^178\.175\.184\.156 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^178\.175\.184\.167 [NC,OR]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^188\.208\.218\.63 [NC,OR]
```

RewriteCond %{HTTP\_USER\_AGENT} ^189\. 31\. 62\. 201 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^193\. 200\. 60\. 28 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^192\. 237\. 253\. 225 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^183\. 159\. 77\. 65 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^5\. 45\. 79\. 44 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^94\. 153\. 10\. 239 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^88\. 226\. 212\. 104 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^178\. 151\. 143\. 163 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^39\. 185\. 145\. 225 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^46\. 118\. 119\. 63 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^88\. 241\. 194\. 5 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^91\. 200\. 12\. 65 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^212\. 252\. 167\. 218 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^212\. 252\. 167\. 116 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^178\. 137\. 163\. 42 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^188\. 143\. 234\. 25 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^188\. 241\. 177\. 61 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^82\. 155\. 77\. 5 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^191\. 112\. 79\. 22 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^105\. 236\. 232\. 213 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^123\. 63\. 221\. 121 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^84\. 252\. 38\. 248 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^78\. 92\. 9\. 49 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^79\. 118\. 2\. 76 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^93\. 22\. 159\. 114 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^172\. 218\. 181\. 12 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^110\. 169\. 71\. 221 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^83\. 28\. 230\. 47 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^39\. 33\. 98\. 60 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^41\. 57\. 111\. 189 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^85\. 103\. 191\. 175 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^92\. 87\. 13\. 201 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^182\. 185\. 168\. 253 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^41\. 87\. 178\. 200 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^50\. 118\. 162\. 141 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^92\. 87\. 210\. 7 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^77\. 250\. 231\. 58 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^109\. 66\. 195\. 123 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^81\. 66\. 234\. 57 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^175\. 136\. 89\. 81 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^119\. 160\. 181\. 104 [ NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^112\. 134\. 80\. 186 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^124\. 82\. 80\. 26 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^93\. 86\. 5\. 133 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^105\. 210\. 87\. 220 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^86\. 121\. 80\. 194 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^175\. 215\. 148\. 230 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^85\. 187\. 177\. 243 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^42\. 60\. 195\. 234 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^114\. 78\. 2\. 11 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^118\. 233\. 70\. 30 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^31\. 47\. 7\. 143 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^103\. 10\. 23\. 60 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^5\. 13\. 178\. 193 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^103\. 249\. 89\. 94 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^180\. 191\. 154\. 3 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^213\. 186\. 188\. 245 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^87\. 207\. 120\. 167 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^187\. 244\. 203\. 113 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^88\. 236\. 34\. 243 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^161\. 0\. 114\. 2 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^83\. 249\. 238\. 52 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^74\. 139\. 42\. 208 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^119\. 95\. 71\. 75 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^109\. 226\. 15\. 199 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^31\. 201\. 184\. 37 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^109\. 97\. 83\. 34 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^197\. 79\. 15\. 117 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^89\. 205\. 94\. 233 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^196\. 26\. 87\. 2 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^150\. 107\. 88\. 38 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^46\. 107\. 122\. 46 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^84\. 0\. 188\. 102 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^178\. 222\. 203\. 6 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^105\. 228\. 174\. 72 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^210\. 195\. 148\. 31 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^112\. 144\. 68\. 146 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^182\. 181\. 150\. 27 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^178\. 222\. 207\. 84 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^175\. 136\. 210\. 3 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^80\. 197\. 157\. 110 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^5\. 32\. 14\. 106 [ NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^92\. 81\. 205\. 147 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^202\. 44\. 228\. 1 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^89\. 157\. 121\. 174 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^105\. 227\. 109\. 92 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^112\. 173\. 143\. 222 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^220\. 94\. 250\. 100 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^103\. 255\. 8\. 129 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^94\. 231\. 224\. 96 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^58\. 123\. 73\. 177 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^196\. 31\. 40\. 34 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^79\. 116\. 234\. 21 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^212\. 200\. 65\. 242 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^75\. 143\. 208\. 206 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^220\. 87\. 53\. 251 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^190\. 28\. 96\. 28 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^24\. 135\. 121\. 249 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^46\. 185\. 190\. 55 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^12\. 222\. 248\. 212 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^202\. 142\. 67\. 20 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^125\. 60\. 252\. 162 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^196\. 201\. 229\. 58 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^105\. 102\. 100\. 32 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^39\. 32\. 195\. 164 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^109\. 64\. 149\. 253 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^49\. 150\. 234\. 31 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^41\. 188\. 46\. 82 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^80\. 236\. 206\. 40 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^86\. 122\. 49\. 9 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^124\. 182\. 135\. 248 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^145\. 132\. 127\. 39 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^182\. 93\. 90\. 51 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^103\. 4\. 147\. 190 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^89\. 47\. 214\. 200 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^39\. 32\. 36\. 82 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^114\. 4\. 79\. 158 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^94\. 225\. 20\. 60 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^39\. 32\. 113\. 45 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^180\. 183\. 203\. 218 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^188\. 2\. 136\. 202 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^94\. 61\. 194\. 30 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^115\. 133\. 88\. 136 [ NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^109\. 67\. 121\. \. 94 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^197\. 0\. 226\. 214 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^92\. 83\. 187\. 108 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^180\. 191\. 139\. 46 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^112\. 210\. 114\. 8 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^195\. 26\. 151\. 27 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^81\. 83\. 19\. 242 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^49\. 151\. 1\. 244 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^79\. 187\. 239\. 0 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^179\. 53\. 46\. 105 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^1\. 32\. 70\. 222 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^213\. 55\. 114\. 182 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^109\. 94\. 227\. 60 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^201\. 86\. 125\. 206 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^79\. 126\. 219\. 235 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^213\. 162\. 68\. 55 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^121\. 54\. 32\. 132 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^197\. 200\. 97\. 166 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^164\. 126\. 29\. 164 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^39\. 33\. 192\. 216 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^41\. 104\. 216\. 237 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^86\. 107\. 36\. 240 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^178\. 41\. 186\. 98 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^121\. 121\. 62\. 142 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^24\. 135\. 234\. 4 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^93\. 113\. 187\. 188 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^142\. 162\. 11\. 5 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^5\. 22\. 129\. 208 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^112\. 208\. 135\. 225 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^213\. 35\. 184\. 50 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^41\. 143\. 19\. 58 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^121\. 54\. 32\. 138 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^124\. 43\. 192\. 185 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^103\. 18\. 72\. 58 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^201\. 80\. 8\. 126 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^110\. 93\. 94\. 242 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^103\. 240\. 32\. 22 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^88\. 222\. 234\. 44 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^172\. 243\. 69\. 128 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^91\. 202\. 91\. 209 [ NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^105\. 109\. 225\. 37 [ NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^187\. 158\. 90\. 48 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^94\. 176\. 0\. 40 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^41\. 133\. 134\. 227 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^89\. 154\. 228\. 27 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^212\. 40\. 86\. 99 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^223\. 223\. 174\. 15 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^119\. 74\. 87\. 91 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^188\. 241\. 201\. 78 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^125\. 137\. 152\. 7 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^85\. 55\. 240\. 13 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^175\. 110\. 165\. 180 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^94\. 52\. 37\. 56 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^39\. 32\. 83\. 210 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^197\. 81\. 126\. 41 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^191\. 112\. 44\. 73 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^171\. 96\. 176\. 124 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^41\. 96\. 184\. 208 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^86\. 122\. 43\. 81 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^109\. 93\. 41\. 245 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^176\. 223\. 7\. 139 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^79\. 181\. 101\. 112 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^121\. 54\. 54\. 157 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^46\. 217\. 50\. 208 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^87\. 11\. 35\. 63 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^197\. 163\. 49\. 180 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^176\. 44\. 126\. 20 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^115\. 254\. 56\. 29 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^149\. 200\. 141\. 70 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^119\. 159\. 81\. 1 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^5\. 151\. 104\. 77 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^78\. 233\. 174\. 151 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^79\. 116\. 181\. 28 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^119\. 157\. 235\. 231 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^89\. 137\. 229\. 186 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^178\. 221\. 94\. 174 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^153\. 218\. 171\. 87 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^93\. 139\. 133\. 234 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^46\. 119\. 115\. 165 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^200\. 161\. 115\. 34 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^177\. 129\. 90\. 37 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^179\. 184\. 34\. 47 [NC,OR]

```
-----  
RewriteCond %{HTTP_USER_AGENT} ^78\.188\.167\.205 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^190\.78\.49\.210 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.123\.226\.63 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.198\.242\.175 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^173\.254\.236\.58 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.156\.217\.53 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^195\.154\.241\.157 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^78\.171\.187\.91 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^88\.226\.200\.18 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^91\.214\.202\.24 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^173\.254\.236\.58 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^94\.156\.217\.53 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^195\.154\.241\.157 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^85\.159\.212\.184 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^212\.252\.167\.228 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^212\.252\.167\.191 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^213\.184\.244\.241 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^85\.159\.212\.184 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^96\.44\.189\.100 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^37\.130\.227\.133 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^81\.89\.96\.89 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^104\.232\.3\.33 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^95\.215\.45\.142 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^162\.221\.202\.230 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^51\.254\.32\.167 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^109\.163\.235\.228 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^88\.240\.135\.135 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^117\.253\.207\.44 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^179\.184\.34\.47 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^189\.28\.144\.52 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^31\.168\.69\.220 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^200\.220\.139\.2 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^85\.107\.171\.219 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^176\.233\.2\.242 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^213\.184\.244\.241 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^92\.63\.87\.87 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^96\.44\.189\.100 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^37\.187\.7\.74 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^176\.126\.252\.11 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^77\.247\.181\.165 [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^88\.252\.61\.107 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^001.2021.01.131.116 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^198\ 50\ 213\ 119 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^62\ 141\ 45\ 246 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^37\ 187\ 129\ 166 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^82\ 211\ 19\ 143 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^142\ 4\ 213\ 25 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^5\ 196\ 66\ 162 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^171\ 25\ 193\ 20 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^192\ 99\ 154\ 24 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^77\ 247\ 181\ 162 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^185\ 14\ 29\ 221 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^207\ 244\ 70\ 35 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 58\ 100\ 98 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^31\ 220\ 45\ 6 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 9\ 25\ 72 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 10\ 99\ 203 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^171\ 25\ 193\ 27 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 31\ 191\ 26 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^142\ 4\ 213\ 25 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^91\ 121\ 159\ 196 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^185\ 104\ 120\ 4 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^176\ 10\ 104\ 240 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^198\ 50\ 200\ 143 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^185\ 62\ 188\ 14 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^62\ 210\ 37\ 82 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^109\ 163\ 234\ 5 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^37\ 157\ 195\ 178 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^77\ 247\ 181\ 162 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^166\ 70\ 181\ 109 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^93\ 115\ 241\ 2 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^91\ 109\ 247\ 173 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^79\ 98\ 107\ 90 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^50\ 7\ 143\ 37 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^93\ 115\ 95\ 205 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^204\ 124\ 83\ 130 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^149\ 210\ 171\ 70 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^92\ 222\ 252\ 206 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^94\ 242\ 246\ 24 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^149\ 202\ 98\ 161 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^35\ 0\ 127\ 52 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^94\ 242\ 246\ 23 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^77\ 100\ 141\ 130 [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} (/^\.109\.141\.138|LNU|URJ)
RewriteCond %{HTTP_USER_AGENT} ^195\.234\.215\.147 [NC]
RewriteRule ^.* - [F]
</IfModule>
```

```
# Disable Directory Browsing - Security > Settings > System Tweaks > Directory Browsing
Options -Indexes
```

```
# END iThemes Security - Do not modify or remove this line
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
```

```
# END WordPress
```

```
# BEGIN Brute Force Login Protection
```

```
<FilesMatch ".*\.(php|html?!css|js|jpe?g|png|gif)$">
order deny,allow
deny from 201.208.176.185
deny from 79.180.96.116
deny from 78.56.80.90
deny from 81.152.185.42
deny from 92.83.65.152
deny from 96.43.166.180
deny from 186.220.66.110
deny from 109.92.167.63
deny from 182.189.235.242
deny from 130.0.31.222
deny from 36.83.23.200
deny from 86.127.203.124
deny from 37.130.244.73
deny from 177.99.119.74
deny from 175.210.242.238
deny from 79.116.189.3
deny from 93.177.214.185
deny from 111.207.22.12
```

deny from 111.235.90.42  
deny from 181.177.231.100  
deny from 89.43.30.124  
deny from 213.113.105.48  
deny from 175.139.212.177  
deny from 109.99.131.132  
deny from 37.157.216.200  
deny from 58.187.63.252  
deny from 91.205.155.135  
deny from 95.155.5.155  
deny from 106.187.54.144  
deny from 175.205.142.62  
deny from 193.77.149.190  
deny from 182.19.173.37  
deny from 61.81.68.184  
deny from 85.139.122.243  
deny from 79.143.165.85  
deny from 107.150.42.226  
deny from 59.172.111.28  
deny from 31.184.238.55  
deny from 5.226.90.89  
deny from 87.117.11.74  
deny from 27.19.155.33  
deny from 218.5.238.206  
deny from 118.97.147.204  
deny from 182.160.124.171  
deny from 91.204.173.237  
deny from 118.244.190.55  
deny from 221.204.223.249  
deny from 27.19.172.46  
deny from 41.161.86.43  
deny from 117.169.1.221  
deny from 97.73.64.142  
deny from 221.235.65.187  
deny from 91.204.150.210  
deny from 93.61.74.103  
deny from 5.133.54.215  
deny from 195.62.231.80  
deny from 37.6.217.147  
deny from 112.145.16.82  
deny from 93.169.143.229

```
deny from 78.7.106.190
deny from 5.133.53.200
deny from 197.118.171.209
deny from 93.54.88.18
deny from 185.58.204.15
deny from 94.131.14.19
deny from 94.131.14.4
deny from 188.210.215.221
deny from 61.183.81.29
deny from 180.76.15.24
deny from 183.222.162.82
deny from 68.168.110.197
deny from 91.200.12.145
deny from 31.132.79.7
deny from 121.40.98.215
deny from 59.39.58.11
deny from 14.52.233.80
deny from 78.85.211.120
deny from 192.230.52.74
</FilesMatch>
# END Brute Force Login Protection
```