

```

<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /oesekirke/
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /oesekirke/index.php [L]
</IfModule>
.c>
    Require all denied
</IfModule>
<IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
</IfModule>
</files>
<files readme.html>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files readme.txt>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files install.php>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>

```

```

    Deny from all
</IfModule>
</files>
<files wp-config.php>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>

```

Disable Directory Browsing - Security > Settings > System Tweaks > Directory Browsing Options -Indexes

```

<IfModule mod_rewrite.c>
    RewriteEngine On

```

Protect System Files - Security > Settings > System Tweaks > System Files

```

RewriteRule ^wp-admin/includes/ - [F]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
RewriteRule ^wp-includes/[^(/)]+\.php$ - [F]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
RewriteRule ^wp-includes/theme-compat/ - [F]

```

Disable PHP in Uploads - Security > Settings > System Tweaks > Uploads

```

RewriteRule ^wp\~content/uploads/.*\.(?:php[1-6]?|pht|phtml)?$ - [NC,F]

```

Filter Request Methods - Security > Settings > System Tweaks > Request Methods

```

RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
RewriteRule ^.* - [F]

```

Filter Suspicious Query Strings in the URL - Security > Settings > System Tweaks > Suspicious Query Strings

```

RewriteCond %{QUERY_STRING} \.\.\. [NC,OR]
RewriteCond %{QUERY_STRING} ^.*\.(bash|git|hg|log|svn|sup|cvs) [NC,OR]
RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
RewriteCond %{QUERY_STRING} ftp\.: [NC,OR]

```

```

RewriteCond %{QUERY_STRING} http\  [NC,OR]
RewriteCond %{QUERY_STRING} https\  [NC,OR]
RewriteCond %{QUERY_STRING} (<| %3C). *script. *(\>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z](1,21)(=| %3D) [NC,OR]
RewriteCond %{QUERY_STRING} base64_encode.*\(. *\) [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(%24&x). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(127\. 0). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(global| encode| localhost| loopback). * [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(request| concat| insert| union| declare). * [NC]
RewriteCond %{QUERY_STRING} !^loggedout=true
RewriteCond %{QUERY_STRING} !^action=jetpack-ss0
RewriteCond %{QUERY_STRING} !^action=rp
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in.*$
RewriteCond %{HTTP_REFERER} !^http://maps\. googleapis\. com(. *)$
RewriteRule ^.* - [F]

```

```
</IfModule>
```

```
# Disable XML-RPC - Security > Settings > WordPress Tweaks > XML-RPC
```

```
<files xmlrpc.php>
```

```
<IfModule mod_authz_core.c>
```

```
Require all denied
```

```
</IfModule>
```

```
<IfModule !mod_authz_core.c>
```

```
Order allow,deny
```

```
Deny from all
```

```
</IfModule>
```

```
</files>
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
# Reduce Comment Spam - Security > Settings > WordPress Tweaks > Comment Spam
```

```
RewriteCond %{REQUEST_METHOD} POST
```

```
RewriteCond %{REQUEST_URI} /wp-comments-post\. php$
```

```
RewriteCond %{HTTP_USER_AGENT} ^$ [OR]
```

```
RewriteCond %{HTTP_REFERER} !^https?://([^\ ]+\. )?
```

```
oeseikirke\. dkl jetpack\. wordpress\. com/jetpack-comment)(/| $) [NC]
```

```
RewriteRule ^.* - [F]
```

```
</IfModule>
```

```
# Enable HackRepair.com's blacklist feature - Security > Settings > Banned Users >
```

Default Blacklist

Start HackRepair.com Blacklist

RewriteEngine on

Start Abuse Agent Blocking

```
RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*Indy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*NEWT" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Maxthon$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SeaMonkey$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Acunetix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^binlar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^BlackWidow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Bolt 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^BOT for JCE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Bot mailto\:craftbot@yahoo\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^casper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^checkprivacy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ChinaClaw" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^clshhttp" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^cmsworldmap" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^comodo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Custo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Default Browser 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^diavol" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DIIBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DISCo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^dotbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Download Demon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^eCatch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EirGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailCollector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailSiphon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailWolf" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Express WebPictures" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^extract" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ExtractorPro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EyeNetIE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^feedfinder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FHscan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FlashGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^flicky" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^g00gle" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetRight" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetWeb\!" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\! Zilla" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\~Ahead\~Got\~It" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^grab" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GrabNet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Grafula" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^harvest" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^HMView" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Stripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InterGET" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Internet Ninja" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InternetSeer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^jakarta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Java" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JetCar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JOC Web Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kanagawa" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kmccrew" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^larbin" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^LeechFTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^libwww" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mass Downloader" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^microsoft\.url" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MI Down tool" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^miner" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mister PiX" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MSFrontPage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Navroad" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NearSite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Net Vampire" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetAnts" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^nutch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Octopus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Explorer" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Navigator" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^PageGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Papa Foto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pavuk" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pcBrowser" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PeoplePal" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^planetnetwork" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^psbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^purebot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pycurl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^RealDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ReGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Rippers 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sitecheck\.internetseer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SiteSnagger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^skygrid" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SmartDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperHTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Surfbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^tAkeOut" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Teleport Pro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Toata dragostea mea pentru diavola" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^turnit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^vikspider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Voi dEYE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Image Collector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebAuto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebBandit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebCopier" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebFetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebGo IS" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebLeacher" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebReaper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebSauger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website extractor" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website Quester" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebStripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebWhacker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebZIP" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "^Wget" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Widow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WPScan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWW-Mechanize" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWWOFFLE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Xaldon WebSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Zeus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^zmeu" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "360Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "AhrefsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "CazoodleBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "discobot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EasouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ecxi" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "GT\\:\\:WWW" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "heritrix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTP\\:\\:Lite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTrack" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "id\\-search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IDBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Indy Library" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IRLbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ISC Systems iRc Search 2\\.1" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksCrawler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksManager\\.com_bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "linkwalker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "lwp\\-trivial" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MFC_Tear_Sample" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Microsoft URL Control" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Missigua Locator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MJ12bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "panscient\\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PECL\\:\\:HTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PHPCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PleaseCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SBI der" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SearchmetricsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeznamBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Snoopy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Steeler" [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} "URI\:\:Fetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "urllib" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "webalta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebCollage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wells Search II" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WEP Search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "XoviBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "YisouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zermelo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ZyBorg" [NC,OR]
# End Abuse Agent Blocking
# Start Abuse HTTP Referrer Blocking
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\s]+\.)?semalt\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\s]+\.)?kambasoft\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?:/(?:[^\s]+\.)?savetubevideo\.com" [NC]
# End Abuse HTTP Referrer Blocking
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair
# END iThemes Security - Do not modify or remove this line

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```