

```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl),
# DirectoryIndex app.php

<IfModule mod_rewrite.c>
    RewriteEngine On

    # Determine the RewriteBase automatically and set it as environment variable.
    # If you are using Apache aliases to do mass virtual hosting or installed the
    # project in a subdirectory, the base path will be prepended to allow proper
    # resolution of the app.php file and to redirect to the correct URI. It will
    # work in environments without path prefix as well, providing a safe, one-size
    # fits all solution. But as you do not need it in this case, you can comment
    # the following 2 lines to eliminate the overhead.
    RewriteCond %{REQUEST_URI}::$1 ^(/.+)/(.*)$ \2$
    RewriteRule ^(.*) - [E=BASE: %1]

    RewriteRule ^user-profile-image/([0-9]+)/([0-9]+)/([0-9a-zA-Z\-\_]+),([a-zA-Z]{3,4})$ timthumb.php?src=/uploads/users-profile-images/$3. $4&w=$1&h=$2&zc=1&q=80 [NC,L]
    RewriteRule ^client-image/([0-9]+)/([0-9]+)/([0-9a-zA-Z\-\_]+),([a-zA-Z]{3,4})$ timthumb.php?src=/uploads/clients/$3. $4&w=$1&h=$2&zc=1&q=80 [NC,L]
    RewriteRule ^slider-image/([0-9]+)/([0-9]+)/([0-9a-zA-Z\-\_]+),([a-zA-Z]{3,4})$ timthumb.php?src=/uploads/slider/$3. $4&w=$1&h=$2&zc=1&q=80 [NC,L]
    RewriteRule ^service-image/([0-9]+)/([0-9]+)/([0-9a-zA-Z\-\_]+),([a-zA-Z]{3,4})$ timthumb.php?src=/uploads/services/$3. $4&w=$1&h=$2&zc=1&q=80 [NC,L]
    RewriteRule ^about-image/([0-9]+)/([0-9]+)/([0-9a-zA-Z\-\_]+),([a-zA-Z]{3,4})$ timthumb.php?src=/uploads/about/$3. $4&w=$1&h=$2&zc=1&q=80 [NC,L]
    RewriteRule ^job-image/([0-9]+)/([0-9]+)/([0-9a-zA-Z\-\_]+),([a-zA-Z]{3,4})$ timthumb.php?src=/uploads/jobs/$3. $4&w=$1&h=$2&zc=1&q=80 [NC,L]

    # Redirect to URI without front controller to prevent duplicate content
    # (with and without `app.php`). Only do this redirect on the initial
    # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
    # endless redirect loop (request -> rewrite to front controller ->
    # redirect -> request -> ...).
    # So in case you get a "too many redirects" error or you always get redirected
    # to the start page because your Apache does not expose the REDIRECT_STATUS
    # environment variable, you have 2 choices:
    #   1. Set mod_rewrite's "last" flag and use a self-redirecting rule (see
    #      http://httpd.apache.org/docs/2.3/rewrite/flags.html#flag_last)
    #   2. Use the "unique_id" environment variable (see
    #      http://httpd.apache.org/docs/2.3/rewrite/flags.html#flag_unique_id)
```

```
# - disable this feature by commenting the following 2 lines or
# - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
#   following RewriteCond (best solution)
RewriteCond %{ENV:REDIRECT_STATUS} ^$  
RewriteRule ^app\(.+\).php(/(.*)|$) %{ENV:BASE}/$2 [R=301,L]  
  
# If the requested filename exists, simply serve it.
# We only want to let Apache serve files and not directories.
RewriteCond %{REQUEST_FILENAME} -f  
RewriteRule .? - [L]  
  
# Rewrite all other queries to the front controller.
RewriteRule .? %{ENV:BASE}/app.php [L]  
</IfModule>  
  
<IfModule !mod_rewrite.c>  
  <IfModule mod_alias.c>  
    # When mod_rewrite is not available, we instruct a temporary redirect of  
    # the start page to the front controller explicitly so that the website  
    # and the generated links can still be used.  
    RedirectMatch 302 ^/$ /app.php/  
    # RedirectTemp cannot be used instead  
  </IfModule>  
</IfModule>
```