

```
#
# @copyright Copyright 2003-2013 Zen Cart Development Team
# @license http://www.zen-cart.com/license/2_0.txt GNU Public License V2.0
# @version GIT: $Id: Author: DrByte Fri May 17 14:29:18 2013 -0400 Modified in v1.5.2 $
#
```

```
AuthType Basic
AuthName "No access"
AuthUserFile .htnopasswd
AuthGroupFile /dev/null
#Require valid-user
```

```
#####
#
# This is used with Apache WebServers
#
# The following blocks direct HTTP requests to all filetypes in this directory
recursively, except certain approved exceptions
# It also prevents the ability of any scripts to run. No type of script, be it PHP, PERL
or whatever, can normally be executed if ExecCGI is disabled.
# Will also prevent people from seeing what is in the dir. and any sub-directories
#
# For this to work, you must include either 'All' or at least: 'Limit' and 'Indexes'
parameters to the AllowOverride configuration in your apache/conf/httpd.conf file.
# Additionally, if you want the added protection offered by the OPTIONS directive below,
you'll need to add 'Options' to the AllowOverride list, if 'All' is not specified.
# Example:
#<Directory "/usr/local/apache/htdocs">
# AllowOverride Limit Options Indexes
#</Directory>
#####
```

```
# deny *everything*
<FilesMatch ".*">
    Order Allow,Deny
    Deny from all
</FilesMatch>
```

```
# but now allow just *certain* necessary files:
<FilesMatch "(?i).*\.(zip|gz|pdf|mp3|swf|wm|wml|wav|epub|ogg|webm|m4v|m4a)$">
    Order Allow,Deny
```

```
order Allow,Deny
Allow from all
</FilesMatch>

<IfModule mod_headers.c>
  <FilesMatch "(?i).*\.(zip|pdf|mp3|swf|wmv|wml|wav|epub|ogg|m4v|m4a)$">
    # tell all downloads to automatically be treated as "save as" instead of launching in
    an application directly
    # ALERT: ForceType requires Apache2 or later. If using older version of Apache, it
    will need mod_mime installed. Or just comment out the ForceType line below
    # (to disable, just comment the next 2 lines by adding a '#' at the beginning of
    each):
    ForceType application/octet-stream
    Header set Content-Disposition attachment
  </FilesMatch>
</IfModule>

IndexIgnore /*

## NOTE: If you want even greater security to prevent hackers from running scripts in this
folder, uncomment the following line (if your hosting company will allow you to use
OPTIONS):
# OPTIONS -Indexes -ExecCGI
```