

## # COMPRESSION

```
<IfModule mod_deflate.c>
    # Force compression for mangled headers.
    # http://developer.yahoo.com/blogs/ymdn/posts/2010/12/pushing-beyond-gzipping
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-Encoding X-cept-Encoding X(15)|^(15)|-(15))$
            ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>

    # Compress all output labeled with one of the following MIME-types
    # (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
    # and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines
    # as `AddOutputFilterByType` is still in the core directives).
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE application/atom+xml \
            application/javascript \
            application/json \
            application/ld+json \
            application/rss+xml \
            application/vnd.ms-fontobject \
            application/x-font-ttf \
            application/x-web-app-manifest+json \
            application/xhtml+xml \
            application/xml \
            font/opentype \
            image/svg+xml \
            image/x-icon \
            text/css \
            text/html \
            text/plain \
            text/x-component \
            text/xml

    </IfModule>
</IfModule>
```

## # MAIN OPTIONS

```
Options +FollowSymLinks -Indexes -Multiviews
```

```
DefaultLanguage en-US
```

```
DefaultLanguage en-us
AddDefaultCharset UTF-8
```

#### *# PHP OPTIONS*

```
php_flag display_errors on
php_value error_reporting 'E_ALL & ~E_NOTICE'
php_flag register_globals off
# php_value memory_limit 128M
# php_value post_max_size 2000M
# php_value upload_max_filesize 2000M
```

#### *# MIME TYPES*

```
AddType video/ogg .ogv
AddType video/webm .webm
AddType video/mp4 MPEG-4 media mp4
AddType video/x-m4v MPEG-4 media m4v
AddType application/x-font-ttf .ttf
AddType application/vnd.ms-fontobject .eot
AddType application/x-font-otf .otf
AddType application/x-font-woff .woff
AddType application/vnd.ms-fontobject .svg
AddType image/svg+xml svg svgz
AddEncoding gzip svgz
```

```
RewriteEngine On
```

```
RewriteBase /personal/applications/phppickem/
```

#### *# 301 REDIRECTS*

```
# redirect 301 /links.php http://www.domain.com/api-companies.php
# RewriteRule ^links.php$ api-companies.php [L,R=301]
```

#### *# rewrite all index files to folder root*

```
RewriteCond %{THE_REQUEST} /index\.html [NC]
RewriteRule ^(.*/)?index\.html$ $1 [R=301,L]
RewriteCond %{THE_REQUEST} /index\.php [NC]
RewriteRule ^(.*/)?index\.php$ $1 [R=301,L]
```

#### *# strip php file extensions*

```
# RewriteRule ^admin - [L,NC]
# RewriteRule ^os2 - [L,NC]
# RewriteCond %{THE_REQUEST} ^[A-Z]{3,9}\ /(?:[^\.]+\.)+php?\ HTTP
# RewriteRule ^(.*/)?php$ $1 [R=301,L]
```

```
# RewriteRule ^(.*)\.php$ $1 [R=301,L]

# redirect all traffic to the www domain (if applicable)
# RewriteCond %{HTTP_HOST} !^www\.
# RewriteRule ^(.*)$ http://www.%{HTTP_HOST}/$1 [R=301,L]
# redirect all traffic to the primary domain (if applicable)
# RewriteCond %{HTTP_HOST} !^www\.domain\.com
# RewriteRule ^(.*)$ http://www\.domain\.com/$1 [R=301,L]

# display php files without file extensions
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME}\.php -f
RewriteRule ^(.*)$ $1.php

# ERROR DOCUMENTS
# ErrorDocument 404 /404.php
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ 404.php [L]
```